NUMEK · DATATRUST

# Text Reliability Intelligence

3 evidence-qualified findings; required checks completed over applicable records. Bounded investigations disclose their examined scope.

Schema 1.5 · text_reliability_v1 · 2026-10-11T13:18:29.357112+00:00

## 1. Summary and actionability

Deterministic violations, contextual observations, heuristic candidates and model-assisted candidates have distinct meanings. This audit provides no universal score or correctness certificate.

| | |
|---|---|
| **Sources** | 1 |
| **Execution** | completed |
| **Findings** | 3 |
| **Private evidence binding** | `73887cec875e8c6300c5424489178b0c2b1f3c5b2a3394687d0995e8d86c699e` |

**Priority actions**

**Invalidity**: 9 · deterministic violation. Resolve retained invalidity witnesses, repair the applicable record or mapping, and re-audit the original preserved source.

**Exact Duplicates**: 2 · contextual observation. Review split assignments and legitimate shared content before removing or moving any occurrence.

**Exact Duplicates**: 2 · contextual observation. Review split assignments and legitimate shared content before removing or moving any occurrence.

# 2. Corpus integrity

### Invalidity deterministic violation

full population

| | |
|---|---|
| **Invalid items** | 9 |
| **Reasons** | annotation content unavailable: 3; invalid content: 2; invalid jsonl record: 2; invalid span: 2 |
| **Framing** | source 1: records: 10; valid records: 8; invalid records: 2; separators: 1 |

Local evidence: `evidence_ddd462b8ae0a031df2f80607` `evidence_3b7f48c2315e3e82752591e2` `evidence_8da03479531988f1472bec3c` `evidence_8815494820a22559db3bdc65` `evidence_d0697d61c69ba88118818881`

### Corpus deterministic fact

full population

| | |
|---|---|
| **Content units** | 14 |
| **States** | empty: 1; invalid: 2; null: 2; present: 9 |
| **Characters** | 9,046 |
| **Utf8 bytes** | 9,130 |
| **Unusual controls** | 3 |
| **Minimum characters** | 0 |
| **Maximum characters** | 8,846 |
| **Mean characters** | 904.6 |
| **Character quartiles** | 2.5; 18; 52 |
| **Script counts** | Devanagari: 33; Common: 1,311; Latin: 7,699; Inherited: 3 |
| **Nfc changed units** | 3 |
| **Unicode version** | 16.0.0 |
| **Script is language** | No |

### Identities deterministic violation

full population

| | |
|---|---|
| **Ambiguous occurrences** | 0 |
| **Missing identities** | 0 |
| **Synthetic logical ids** | No |

# 3. Duplication and passages

### Exact Duplicates contextual observation

full population

| | |
|---|---|
| **Representation** | nfc |
| **Groups** | 2 |
| **Occurrences** | 5 |
| **Excess occurrences** | 3 |
| **Cross source or split groups** | 0 |
| **Equality verified** | Yes |

Local evidence: `evidence_9f6d8be5bf37c686cb6f1ec9` `evidence_282610ca446a408baa50975a` `evidence_d0e371ec560867a423ef66a3` `evidence_0dc52bf1aec9d27b812299e7` `evidence_a046f0acee6673cca1bccccb`

### Exact Duplicates contextual observation

full population

| | |
|---|---|
| **Representation** | raw |
| **Groups** | 2 |
| **Occurrences** | 5 |
| **Excess occurrences** | 3 |
| **Cross source or split groups** | 0 |
| **Equality verified** | Yes |

Local evidence: `evidence_9f6d8be5bf37c686cb6f1ec9` `evidence_282610ca446a408baa50975a` `evidence_d0e371ec560867a423ef66a3` `evidence_0dc52bf1aec9d27b812299e7` `evidence_a046f0acee6673cca1bccccb`

### Repetition contextual observation

bounded

| | |
|---|---|
| **Units with repeated nonblank lines** | 0 |
| **Quality violation claimed** | No |

### Near Duplicates heuristic candidate

bounded

| | |
|---|---|
| **Qualifying pairs** | 0 |
| **Subthreshold candidates** | 6 |
| **Threshold** | 0.8 |
| **Detail omissions** | 0 |
| **Not transitive** | Yes |
| **Containment recall claimed** | No |

## Passages heuristic candidate

bounded

| | |
|---|---|
| **Verified passage matches** | 0 |
| **Minimum graphemes** | 50 |
| **Detail omissions** | 0 |
| **Template interpretation required** | Yes |

# 4. Tokens and annotations

### Annotations deterministic fact

full population

| | |
|---|---|
| **States** | kind: classification; observation: observed; expectation: unknown; count: 8; kind: span; observation: invalid; expectation: unknown; count: 4; kind: span; observation: observed; expectation: unknown; count: 4 |
| **Supplied tokens** | 0 |
| **Annotation collections** | 16 |
| **Annotation items** | 10 |
| **Charged annotation expansion** | 26 |
| **Metadata states** | not declared: 16 |
| **Item states** | valid: 9; invalid: 1 |
| **Label correctness established** | No |

### Annotation Categories deterministic fact

full population

| | |
|---|---|
| **Category count** | 1 |
| **Frequencies** | kind: classification; label reference: label_b917a897020d37317ccbd6ed; count: 8 |
| **Retained category omissions** | 0 |

### Annotation Disagreement contextual observation

full population

| | |
|---|---|
| **Repeated input groups with disagreement** | 0 |

### Vocabulary deterministic fact

bounded

| | |
|---|---|
| **Observed distinct tokens** | 31 |
| **Token occurrences** | 1,460 |
| **Unit count** | 10 |
| **Top tokens** | reference: token_2d17f9fce3e5cc1897b4ed7c; occurrences: 280; reference: token_9645d88ac34e3feec4d451b4; occurrences: 141; reference: token_cbbefb2bccf433deb0a2e91b; occurrences: 140; reference: token_c13a998fd6353af9a9d24e5c; occurrences: 140; reference: token_455e8ba227d4f15ae4df33a9; occurrences: 140 |
| **Tokenization** | unicode_letters_numbers_punctuation_v1 |
| | No |

| | |
|---|---|
| **Language independent words claimed** | |

## Tokenizer Vocabulary contextual observation

bounded

| | |
|---|---|
| **Examined units** | 10 |
| **Observed distinct token ids** | 48 |
| **Token occurrences** | 2,178 |
| **Tokens per unit distribution** | 2106: 1; 1: 2; 8: 1; 3: 1; 0: 1; 2 further entries in JSON |
| **Top token ids** | reference: model_token_id_5548877af7ca2a78963019d0; count: 280; reference: model_token_id_a6c2b3aaa751a3aa88aa9eef; count: 141; reference: model_token_id_9034fe2314097749d5728737; count: 141; reference: model_token_id_27e1439a77386cdf576e9995; count: 140; reference: model_token_id_6207c7936d40aa175d7db1cb; count: 140 |
| **Tokenizer artifact hash** | 0b44a9d7b51c3c62626640cda0e2c2f70fdacdc25bbbd68038369d14ebdf4c39 |
| **Truncation** | No |

# 5. Conversations

### Conversations deterministic violation

full population

| | |
|---|---|
| **Conversations** | 3 |
| **Messages** | 6 |
| **Role counts** | assistant: 2; tool: 1; user: 3 |
| **Violations** | |
| **Role alternation assumed** | No |
| **Tools executed** | No |

# 6. Retrieval and provenance

### Retrieval deterministic violation

full population

Not applicable to the declared sources. No population absence conclusion is implied.

# 7. Comparisons and model evidence

### Language model assisted candidate

bounded

| | |
|---|---|
| **Predicted unit counts** | ENGLISH: 7; SPANISH: 2 |
| **Window disagreement or unresolved** | 0 |
| **Model** | package: lingua-language-detector; version: 2.1.1; artifact hashes: lingua/lingua.cpython-311-darwin.so: 21c935000486ae07b20c7da703d246c29e200d961941445ae5dabb790635c61f; languages: ENGLISH; HINDI; SPANISH; FRENCH; GERMAN; 2 further entries in JSON; calibrated confidence: No |

**Details**: reference: evidence_90f90091007313c93949ff2e; window predictions: ENGLISH; ENGLISH; ENGLISH; separation margins: 0.999766; 0.999766; 0.999999; calibrated probability: No; reference: evidence_d0e371ec560867a423ef66a3; window predictions: SPANISH; separation margins: 0.181365; calibrated probability: No

### Semantic Similarity model assisted candidate

bounded

| | |
|---|---|
| **Model** | model: intfloat/multilingual-e5-small; revision: fd1525a9fd15316a2d503bf26ab031a61d056e98; runtime: torch: 2.8.0; transformers: 4.57.1; tokenizers: 0.22.1; safetensors: 0.6.2; device: cpu; dtype: float32; 4 further entries in JSON |
| **Document equivalence claimed** | No |
| **Global cosine threshold** | Unavailable |

**Examined segment neighbors**: evidence_afce3ce7f7c5c284491f0220 characters [0, 1887] → evidence_7fec0de74fc89acc9446a772 characters [0, 4], cosine 0.838902; evidence_bc29e016b549381a849cfa49 characters [0, 10], cosine 0.836673; evidence_f8781f3c6f7867b46503c602 characters [1617, 3499] → evidence_7fec0de74fc89acc9446a772 characters [0, 4], cosine 0.833344; evidence_bc29e016b549381a849cfa49 characters [0, 10], cosine 0.83266

**Parent coverage**: reference: evidence_90f90091007313c93949ff2e; source characters: 8,846; source characters covered union: 8,846; eligible windows: 6; embedded windows: 6; 1 further entries in JSON; reference: evidence_d0e371ec560867a423ef66a3; source characters: 2; source characters covered union: 2; eligible windows: 1; embedded windows: 1; 1 further entries in JSON

# 8. Methods and coverage

Required checks cover framed records and valid applicable mapped items. Invalidity remains counted. Vocabulary, lexical, passage and semantic investigations disclose selected scope. Approximate candidate search and work bounds can miss qualifying pairs. Template overlap and related document families require context.

Use the separate protected manifest and unchanged local sources to resolve opaque references. Sources and private paths are excluded from these exports. Privacy defaults do not make aggregates anonymous.

### Lexical Selection

| | |
|---|---|
| **Framed records** | 10 |
| **Invalid records** | 2 |
| **Content population** | 14 |
| **Valid applicable population** | 10 |
| **Eligible population** | 10 |
| **Selected population** | 10 |
| **Selection** | evaluation_priority_then_seeded_stratified_round_robin_v1 |
| **Seed** | 0 |
| **Representation** | nfc |
| **Excluded for length** | 0 |
| **Excluded for unit budget** | 0 |
| **Population estimate** | No |
| **Retained selected strata** | 4 |

### Repetition

| | |
|---|---|
| **Examined units** | 10 |
| **Grapheme visits** | 9,024 |
| **Stop reason** | selected_scope_completed |
| **Population and selection** | Same catalog, strata and seed as lexical selection above; additional method exclusions are listed here |

### Vocabulary

| | |
|---|---|
| **Examined units** | 10 |
| **Token occurrences** | 1,460 |
| **Stop reason** | selected_scope_completed |
| **Vocabulary is lower bound** | No |
| **Population and selection** | Same catalog, strata and seed as lexical selection above; additional method exclusions are listed here |

### Near Duplicates

| | |
|---|---|
| **Candidate search** | exhaustive_selected_unique_units |
| **Unique candidates** | 6 |
| **Candidate emissions** | 6 |
| **Omitted bucket emissions** | 0 |

| | |
|---|---|
| **Pair selection** | requested_evaluation_then_evaluation_training_then_other_requested_then_remaining_v1 |
| **Indexed unique units** | 4 |
| **Excluded unique units** | 3 |
| **Shingle positions** | 8,908 |
| **Signature hash evaluations** | 21,280 |
| **Verified pairs** | 6 |
| **Unverified candidates** | 0 |
| **Verification visits** | 456 |
| **Candidate recall on this corpus** | complete_over_indexed_units |
| **Global absence claim** | No |
| **Population and selection** | Same catalog, strata and seed as lexical selection above; additional method exclusions are listed here |
| **Candidate profile** | 20 bands × 7 rows; bucket cap 1024; calibration applies only to recorded fixtures |

### Passages

| | |
|---|---|
| **Representation** | raw |
| **Indexed units** | 10 |
| **Excluded units** | 0 |
| **Fingerprint work** | 8,992 |
| **Candidate emissions** | 0 |
| **Potential bucket emissions** | 38,781 |
| **Verified candidates** | 0 |
| **Verification visits** | 0 |
| **Stop reason** | examined_fingerprints_completed |
| **Candidate recall on this corpus** | unknown |
| **Global absence claim** | No |
| **Population and selection** | Same catalog, strata and seed as lexical selection above; additional method exclusions are listed here |

### Language

| | |
|---|---|
| **Eligible population** | 9 |
| **Examined units** | 9 |
| **Unexamined units** | 0 |
| **Selection** | evaluation_priority_seeded_strata |
| **Full language population claimed** | No |

### Tokenizer Vocabulary

| | |
|---|---|
| **Examined units** | 10 |
| **Excluded units** | 0 |
| **Tokenizer bytes** | 9,130 |

| | |
|---|---|
| **Tokenizer tokens** | 2,178 |

### Semantic Similarity

| | |
|---|---|
| **Eligible parents** | 9 |
| **Tokenized parents** | 9 |
| **Embedded parents** | 9 |
| **Unprocessed parent window counts** | unknown |
| **Partial parents** | 0 |
| **Embedded windows** | 14 |
| **Tokenizer bytes** | 30,284 |
| **Tokenizer tokens** | 7,314 |
| **Token work reservation** | input bytes reserved before call; emitted tokens charged on return, including the final rejected whole call |
| **Pair comparisons** | 91 |
| **Possible selected window pairs** | 91 |
| **Exclusions** | |
| **Window method** | token_windows_v1 |

### Execution

| | |
|---|---|
| **Status** | completed |
| **Backend** | duckdb_local |
| **Engine version** | 1.5.6 |
| **Phase seconds** | source 1:ingestion: 0.01652; required: 0.00984558; bounded lexical: 0.0286908; models: 4.10374 |
| **Duration seconds** | 4.41105 |
| **Peak workspace bytes** | 118,784 |
| **Estimated peak workspace bytes** | 268,435,456 |
| **Peak worker rss bytes** | 1,447,149,568 |
| **Whole job seconds** | 4.98416 |
| **Peak spill bytes** | 0 |
| **Serialized bytes** | 54,388 |

Strict JSON retains all bounded details, selected strata, effective limits and methodology. Human tables summarize nested collections and show at most five entries; retained witness examples show at most two per family.

# Explicit bounded excerpts

evidence_9f6d8be5bf37c686cb6f1ec9

हिन्दी पाठ e´ literal markup [U+202E] bidi control

evidence_282610ca446a408baa50975a

हिन्दी पाठ e´ literal markup [U+202E] bidi control