NUMEK · DATATRUST

Text Reliability Intelligence

3 evidence-qualified findings; required checks completed over applicable records. Bounded investigations disclose their examined scope.

Schema 1.5 · text_reliability_v1 · 2026-10-11T12:56:43.889877+00:00

1. Summary and actionability

Deterministic violations, contextual observations, heuristic candidates and model-assisted candidates have distinct meanings. This audit provides no universal score or correctness certificate.

Sources	4
Execution	completed
Findings	3
Private evidence binding	`3acce68aa254f5d03bf2b53027acf7285d86833c495854636d05c652378c6d22`

Priority actions

Exact Duplicates: 1 · contextual observation. Review split assignments and legitimate shared content before removing or moving any occurrence.

Exact Duplicates: 1 · contextual observation. Review split assignments and legitimate shared content before removing or moving any occurrence.

Passages: 6 · heuristic candidate. Resolve original passage spans and review provenance and evaluation exposure.

2. Corpus integrity

Invalidity deterministic violation

full population

Invalid items	0
Reasons	
Framing	source 1: records: 5,183; valid records: 5,183; invalid records: 0; separators: 0; source 2: records: 100; valid records: 100; invalid records: 0; separators: 0; source 3: records: 72; valid records: 72; invalid records: 0; separators: 0; source 4: records: 100; valid records: 100; invalid records: 0; separators: 0

Corpus deterministic fact

full population

Content units	5,383
States	empty: 2; present: 5,381
Characters	7,299,932
Utf8 bytes	7,306,335
Unusual controls	15
Minimum characters	0
Maximum characters	10,000
Mean characters	1,356.11
Character quartiles	1,003.5; 1,305; 1,693
Script counts	Latin: 5,902,034; Common: 1,396,164; Greek: 1,734
Nfc changed units	1
Unicode version	16.0.0
Script is language	No

Identities deterministic violation

full population

Ambiguous occurrences	0
Missing identities	72
Synthetic logical ids	No

3. Duplication and passages

Exact Duplicates contextual observation

full population

Representation	nfc
Groups	1
Occurrences	2
Excess occurrences	1
Cross source or split groups	0
Equality verified	Yes

Local evidence: `evidence_5004bc82744428848bd28f8d` `evidence_e6e2d939558c9e5847f104fc`

Exact Duplicates contextual observation

full population

Representation	raw
Groups	1
Occurrences	2
Excess occurrences	1
Cross source or split groups	0
Equality verified	Yes

Local evidence: `evidence_5004bc82744428848bd28f8d` `evidence_e6e2d939558c9e5847f104fc`

Repetition contextual observation

bounded

Units with repeated nonblank lines	0
Quality violation claimed	No

Near Duplicates heuristic candidate

bounded

Qualifying pairs	0

Subthreshold candidates	276
Threshold	0.8
Detail omissions	0
Not transitive	Yes
Containment recall claimed	No

Passages heuristic candidate

bounded

Verified passage matches	6
Minimum graphemes	50
Detail omissions	0
Template interpretation required	Yes

Details: matches: reference: evidence 9ee4bf4fb7ba847036271354; source grapheme span: 225; 388; source codepoint span: 225; 388; reference: evidence fe4a0aeda11f7f654f640a50; source grapheme span: 0; 163; source codepoint span: 0; 163; graphemes: 163; matches: reference: evidence 9ee4bf4fb7ba847036271354; source grapheme span: 225; 388; source codepoint span: 225; 388; reference: evidence fe4a0aeda11f7f654f640a50; source grapheme span: 0; 163; source codepoint span: 0; 163; graphemes: 163

4. Tokens and annotations

Annotations deterministic fact

full population

States	
Supplied tokens	0
Annotation collections	0
Annotation items	0
Charged annotation expansion	0
Metadata states	
Item states	
Label correctness established	No

Annotation Categories deterministic fact

full population

Category count	0
Frequencies	
Retained category omissions	0

Annotation Disagreement contextual observation

full population

Repeated input groups with disagreement	0

Vocabulary deterministic fact

bounded

Observed distinct tokens	2,717
Token occurrences	10,770
Unit count	128
Top tokens	reference: token 7f26189b2ab044c25f1b657d; occurrences: 436; reference: token 74b208174395e7e0797cf708; occurrences: 376; reference: token 6552e0b93bf36b80edd8e21a; occurrences: 370;

	reference: token d91a5a389ae6efec52983b55; occurrences: 339; reference: token 67bc12799f8bbc49a17de813; occurrences: 338; 5 further entries in JSON
Tokenization	unicode letters numbers punctuation v1
Language independent words claimed	No

5. Conversations

Conversations deterministic violation

full population

Conversations	0
Messages	0
Role counts	
Violations	
Role alternation assumed	No
Tools executed	No

6. Retrieval and provenance

Retrieval deterministic violation

full population

Violations	missing target: 0; unresolved target: 0; ambiguous target: 0; unresolved or ambiguous query: 0; conflicting judgments: 0
Judgment states	positive: 72
Entity reference coverage	source: source 1; kind: document; valid records: 5,183; uniquely referenced records: 111; unreferenced records: 5,072; source: source 2; kind: query; valid records: 100; uniquely referenced records: 65; unreferenced records: 35; source: source 4; kind: chunk; valid records: 100; uniquely referenced records: 0; unreferenced records: 100
Extractive parent count	50
Covered source characters union	15,085
Declared parent characters	7,276,297
Extractive character coverage	0.00207317
Unknown judgment is negative	No
Transformed chunk alignment claimed	No

7. Comparisons and model evidence

No applicable evidence in this topic. See check applicability and coverage in strict JSON.

8. Methods and coverage

Lexical Selection deterministic fact

bounded

Framed records	5,455
Invalid records	0
Content population	5,383
Valid applicable population	5,383
Eligible population	5,383
Selected population	128
Selection	evaluation priority then seeded stratified round robin v1
Seed	0
Representation	nfc
Selected strata	source: source 4; field: field 6b98d082bb240b1d5fccd648; kind: chunk; split: split c645aa4da320a245345575b4; length stratum: 0-100; 3 further entries in JSON; source: source 4; field: field 6b98d082bb240b1d5fccd648; kind: chunk; split: split c645aa4da320a245345575b4; length stratum: 101-1000; 3 further entries in JSON; source: source 1; field: field 6b98d082bb240b1d5fccd648; kind: document; split: split 666131d29f8fa4e595b8c62b; length stratum: 1001+; 3 further entries in JSON; source: source 1; field: field 6b98d082bb240b1d5fccd648; kind: document; split: split 666131d29f8fa4e595b8c62b; length stratum: 101-1000; 3 further entries in JSON; source: source 2; field: field 6b98d082bb240b1d5fccd648; kind: query; split: split fba0ac20767d4041e3862bdd; length stratum: 0-100; 3 further entries in JSON; 1 further entries in JSON
Excluded for length	0
Excluded for unit budget	5,255
Population estimate	No

Required checks cover framed records and valid applicable mapped items. Invalidity remains counted. Vocabulary, lexical, passage and semantic investigations disclose selected scope. Approximate candidate search and work bounds can miss qualifying pairs. Template overlap and related document families require context.

Use the separate protected manifest and unchanged local sources to resolve opaque references. Sources and private paths are excluded from these exports. Privacy defaults do not make aggregates anonymous.

Lexical Selection

Framed records	5,455
Invalid records	0
Content population	5,383

Valid applicable population	5,383
Eligible population	5,383
Selected population	128
Selection	evaluation priority then seeded stratified round robin v1
Seed	0
Representation	nfc
Excluded for length	0
Excluded for unit budget	5,255
Population estimate	No
Retained selected strata	6

Repetition

Framed records	5,455
Invalid records	0
Content population	5,383
Valid applicable population	5,383
Eligible population	5,383
Selected population	128
Selection	evaluation priority then seeded stratified round robin v1
Seed	0
Representation	nfc
Excluded for length	0
Excluded for unit budget	5,255
Population estimate	No
Examined units	128
Grapheme visits	60,432
Stop reason	selected scope completed
Retained selected strata	6

Vocabulary

Framed records	5,455
Invalid records	0
Content population	5,383
Valid applicable population	5,383
Eligible population	5,383
Selected population	128
Selection	evaluation priority then seeded stratified round robin v1

Seed	0
Representation	nfc
Excluded for length	0
Excluded for unit budget	5,255
Population estimate	No
Examined units	128
Token occurrences	10,770
Stop reason	selected scope completed
Vocabulary is lower bound	Yes
Retained selected strata	6

Near Duplicates

Framed records	5,455
Invalid records	0
Content population	5,383
Valid applicable population	5,383
Eligible population	5,383
Selected population	128
Selection	evaluation priority then seeded stratified round robin v1
Seed	0
Representation	nfc
Excluded for length	0
Excluded for unit budget	5,255
Population estimate	No
Candidate search	exhaustive selected unique units
Unique candidates	276
Candidate emissions	276
Omitted bucket emissions	0
Pair selection	requested evaluation then evaluation training then other requested then remaining v1
Indexed unique units	24
Excluded unique units	103
Shingle positions	9,080
Signature hash evaluations	996,660
Verified pairs	276
Unverified candidates	0
Verification visits	163,737

Candidate recall on this corpus	complete over indexed units
Global absence claim	No
Retained selected strata	6
Candidate profile	20 bands × 7 rows; bucket cap 1024; calibration applies only to recorded fixtures

Passages

Framed records	5,455
Invalid records	0
Content population	5,383
Valid applicable population	5,383
Eligible population	5,383
Selected population	128
Selection	evaluation priority then seeded stratified round robin v1
Seed	0
Representation	raw
Excluded for length	0
Excluded for unit budget	5,255
Population estimate	No
Indexed units	128
Excluded units	0
Fingerprint work	59,928
Candidate emissions	5,813
Potential bucket emissions	8,960
Verified candidates	5,813
Verification visits	49,660
Stop reason	examined fingerprints completed
Candidate recall on this corpus	unknown
Global absence claim	No
Retained selected strata	6

Execution

Status	completed
Backend	duckdb local
Engine version	1.5.6
Phase seconds	source 1:ingestion: 1.39836; source 2:ingestion: 0.00935383; source 3:ingestion: 0.00503817; source 4:ingestion: 0.0121365; required: 0.0963095; 2 further entries in JSON

Duration seconds	2.01649
Peak workspace bytes	69,816,320
Estimated peak workspace bytes	268,435,456
Peak worker rss bytes	311,754,752
Whole job seconds	2.35672
Peak spill bytes	0
Serialized bytes	38,112

Strict JSON retains all bounded details, selected strata, effective limits and methodology. Human tables summarize nested collections and show at most five entries; retained witness examples show at most two per family.