NUMEK · DATATRUST

Text Reliability Intelligence

2 review actions across 3 technical findings. Required checks retain invalidity; bounded searches disclose their examined scope.

Schema 1.5 · text_reliability_v1 · 2026-10-11T13:24:02.327862+00:00

1. Summary and actionability

Observed population: 10 framed records across 1 sources; 14 content units. 2 invalid records and 9 invalid items remain accounted for. Content states: empty: 1; invalid: 2; null: 2; present: 9.

Review priorities

Invalidity deterministic violation
full population: 9 items. Resolve retained invalidity witnesses, repair the applicable record or mapping, and re-audit the original preserved source.

Exact Duplicates contextual observation
nfc: 2 groups; raw: 2 groups. Review split assignments and legitimate shared content before removing or moving any occurrence. Representation counts overlap and are not added together; distinct evidence is retained below.

Examined and unanswered scope

- Required checks accounted for 10 framed records; 2 invalid records remain in the population.
- Lexical selection examined 10 of 10 eligible units; each investigation has its own additional work limits.
- Semantic investigation embedded 9 of 9 eligible parents in 14 windows; segment similarity does not establish document equivalence.
- Approximate or bounded searches can miss qualifying evidence. Unknown judgments and unavailable annotations do not become negatives or clean results.

Review declared violations before contextual overlap and similarity candidates. This ordering is not a severity score, correctness certificate or contamination verdict.

2. Corpus integrity

Invalidity **deterministic violation**

full population

Invalid items	9
Reasons	annotation content unavailable: 3; invalid content: 2; invalid jsonl record: 2; invalid span: 2
Framing	source 1: records: 10; valid records: 8; invalid records: 2; separators: 1

Local evidence: `evidence_3bd465fed2bdfa6deefd7f94` `evidence_0079bafd03e2ca8017b130cb` `evidence_c608fe832c35a7664a7a9cc3` `evidence_0f0af2df46130938a5478d8b` `evidence_3eb40293401d469d223ff45d`

Corpus deterministic fact

full population

Content units	14
States	empty: 1; invalid: 2; null: 2; present: 9
Characters	9,046
Utf8 bytes	9,130
Unusual controls	3
Minimum characters	0
Maximum characters	8,846
Mean characters	904.6
Character quartiles	2.5; 18; 52
Script counts	Devanagari: 33; Common: 1,311; Latin: 7,699; Inherited: 3
Nfc changed units	3
Unicode version	16.0.0
Script is language	No

Identities deterministic violation

full population

Ambiguous occurrences	0
Missing identities	0
Synthetic logical ids	No

3. Duplication and passages

Exact Duplicates contextual observation

full population

Representation	nfc
Groups	2
Occurrences	5
Excess occurrences	3
Cross source or split groups	0
Equality verified	Yes

Local evidence: `evidence_fbc6104fc7d87e24e99d31c1` `evidence_57fc58d9533325c6a7c4bb1f` `evidence_0136f860309a9af09e1101e6` `evidence_1cf562c111d681fe3abe721c` `evidence_4e0f5b91342f5294948c5e1d`

Exact Duplicates contextual observation

full population

Representation	raw
Groups	2
Occurrences	5
Excess occurrences	3
Cross source or split groups	0
Equality verified	Yes

Local evidence: `evidence_fbc6104fc7d87e24e99d31c1` `evidence_57fc58d9533325c6a7c4bb1f` `evidence_0136f860309a9af09e1101e6` `evidence_1cf562c111d681fe3abe721c` `evidence_4e0f5b91342f5294948c5e1d`

Repetition contextual observation

bounded

Units with repeated nonblank lines	0
Quality violation claimed	No

Near Duplicates heuristic candidate

bounded

Qualifying pairs	0
Subthreshold candidates	6
Threshold	0.8
Detail omissions	0
Not transitive	Yes
Containment recall claimed	No

Passages heuristic candidate

bounded

Verified passage matches	0
Minimum graphemes	50
Detail omissions	0
Template interpretation required	Yes

4. Tokens and annotations

Annotations deterministic fact

full population

States	kind: classification; observation: observed; expectation: unknown; count: 8; kind: span; observation: invalid; expectation: unknown; count: 4; kind: span; observation: observed; expectation: unknown; count: 4
Supplied tokens	0
Annotation collections	16
Annotation items	10
Unknown item cardinality collections	0
Charged annotation expansion	26
Metadata states	not declared: 16
Item states	valid: 9; invalid: 1
Label correctness established	No

Annotation Categories deterministic fact

full population

Category count	1
Frequencies	kind: classification; label reference: label_578f2547200f839090978d5d; count: 8
Retained category omissions	0

Annotation Disagreement contextual observation

full population

Repeated input groups with disagreement	0

Vocabulary deterministic fact

bounded

Observed distinct tokens	31
Token occurrences	1,460
Unit count	10
Top tokens	reference: token_79c514a8c37e51435c8e6ea8; occurrences: 280; reference: token_221ce5425ecf15b4882524b1; occurrences: 141; reference: token_b100a447fc2e998851d32048; occurrences: 140; reference: token_ffd5114d253a119efdb29785; occurrences: 140; reference: token_12a853486eca87bf2d55ecd4; occurrences: 140
Tokenization	unicode_letters_numbers_punctuation_v1
Language independent words claimed	No

Tokenizer Vocabulary contextual observation

bounded

Examined units	10
Observed distinct token ids	48
Token occurrences	2,178
Tokens per unit distribution	2106: 1; 1: 2; 8: 1; 3: 1; 0: 1; 2 further entries in JSON
Top token ids	reference: model_token_id_f36850871d2c90cfbad4cb72; count: 280; reference: model_token_id_9a1954a789e5ec0a21a75038; count: 141; reference: model_token_id_c8fdb18c725becdb849d0607; count: 141; reference: model_token_id_d2ccf1349e890960a27dc4af; count: 140; reference: model_token_id_2e840eefbc795a5956434811; count: 140
Tokenizer artifact hash	0b44a9d7b51c3c62626640cda0e2c2f70fdacdc25bbbd68038369d14ebdf4c39
Truncation	No

5. Conversations

Conversations deterministic violation

full population

Conversations	3
Messages	6
Unknown message cardinality collections	0
Role counts	assistant: 2; tool: 1; user: 3
Violations	
Role alternation assumed	No
Tools executed	No

6. Retrieval and provenance

Retrieval deterministic violation

full population

Not applicable to the declared sources. No population absence conclusion is implied.

7. Comparisons and model evidence

Language model assisted candidate

bounded

Predicted unit counts	ENGLISH: 7; SPANISH: 2
Window disagreement or unresolved	0
Model	package: lingua-language-detector; version: 2.1.1; artifact hashes: lingua/lingua.cpython-311-darwin.so: 21c935000486ae07b20c7da703d246c29e200d961941445ae5dabb790635c61f; languages: ENGLISH; HINDI; SPANISH; FRENCH; GERMAN; 2 further entries in JSON; calibrated confidence: No

Details: reference: evidence_6a15e7b945c85e8a541540a9; window predictions: ENGLISH; ENGLISH; ENGLISH; separation margins: 0.999766; 0.999766; 0.999999; calibrated probability: No; reference: evidence_0136f860309a9af09e1101e6; window predictions: SPANISH; separation margins: 0.181365; calibrated probability: No

Semantic Similarity model assisted candidate

bounded

Model	model: intfloat/multilingual-e5-small; revision: fd1525a9fd15316a2d503bf26ab031a61d056e98; runtime: torch: 2.8.0; transformers: 4.57.1; tokenizers: 0.22.1; safetensors: 0.6.2; device: cpu; dtype: float32; 4 further entries in JSON
Document equivalence claimed	No
Global cosine threshold	Unavailable

Examined segment neighbors: evidence_26e2122269011d3a3848792f characters [0, 1887] → evidence_ed3c1cead110e26e1d761294 characters [0, 4], cosine 0.838902; evidence_5f37b6faa2aa364a696159f7 characters [0, 10], cosine 0.836673; evidence_3c316f21ebc40bab89b4f114 characters [1617, 3499] → evidence_ed3c1cead110e26e1d761294 characters [0, 4], cosine 0.833344; evidence_5f37b6faa2aa364a696159f7 characters [0, 10], cosine 0.83266

Parent coverage: reference: evidence_6a15e7b945c85e8a541540a9; source characters: 8,846; source characters covered union: 8,846; eligible windows: 6; embedded windows: 6; 1 further entries in JSON; reference: evidence_0136f860309a9af09e1101e6; source characters: 2; source characters covered union: 2; eligible windows: 1; embedded windows: 1; 1 further entries in JSON

8. Methods and coverage

Required checks cover framed records and valid applicable mapped items. Invalidity remains counted. Vocabulary, lexical, passage and semantic investigations disclose selected scope. Approximate candidate search and work bounds can miss qualifying pairs. Template overlap and related document families require context.

Use the separate protected manifest and unchanged local sources to resolve opaque references. Sources and private paths are excluded from these exports. Privacy defaults do not make aggregates anonymous.

Private evidence binding: `8f2b32358866c8e3bf4167e6e7f37c6286c3b27cc4ea642fd524365c6b31fbfa`

Lexical Selection

Framed records	10
Invalid records	2
Content population	14
Valid applicable population	10
Eligible population	10

Selected population	10
Selection	evaluation_priority_then_seeded_stratified_round_robin_v1
Seed	0
Representation	nfc
Excluded for length	0
Excluded for unit budget	0
Population estimate	No
Retained selected strata	4

Repetition

Examined units	10
Grapheme visits	9,024
Stop reason	selected_scope_completed
Population and selection	Same selected strata as lexical selection; additional method exclusions are listed here

Vocabulary

Examined units	10
Token occurrences	1,460
Stop reason	selected_scope_completed
Vocabulary is lower bound	No
Population and selection	Same selected strata as lexical selection; additional method exclusions are listed here

Near Duplicates

Candidate search	exhaustive_selected_unique_units
Unique candidates	6
Candidate emissions	6
Omitted bucket emissions	0
Pair selection	requested_evaluation_then_evaluation_training_then_other_requested_then_remaining_v1
Indexed unique units	4
Excluded unique units	3
Shingle positions	8,908
Signature hash evaluations	21,280
Verified pairs	6
Unverified candidates	0
Verification visits	456
Candidate recall on this corpus	complete_over_indexed_units
Global absence claim	No
Population and selection	Same selected strata as lexical selection; additional method exclusions are listed here
Candidate profile	20 bands × 7 rows; bucket cap 1024; calibration applies only to recorded fixtures

Passages

Representation	raw
Indexed units	10
Excluded units	0

Fingerprint work	8,992
Candidate emissions	0
Potential bucket emissions	38,781
Verified candidates	0
Verification visits	0
Stop reason	examined_fingerprints_completed
Candidate recall on this corpus	unknown
Global absence claim	No
Population and selection	Same selected strata as lexical selection; additional method exclusions are listed here

Language

Eligible population	9
Examined units	9
Unexamined units	0
Selection	evaluation_priority_seeded_strata
Full language population claimed	No

Tokenizer Vocabulary

Examined units	10
Excluded units	0
Tokenizer bytes	9,130
Tokenizer tokens	2,178

Semantic Similarity

Eligible parents	9
Tokenized parents	9
Embedded parents	9
Unprocessed parent window counts	unknown
Partial parents	0
Embedded windows	14
Tokenizer bytes	30,284
Tokenizer tokens	7,314
Token work reservation	input bytes reserved before call; emitted tokens charged on return, including the final rejected whole call
Pair comparisons	91
Possible selected window pairs	91
Exclusions	
Window method	token_windows_v1

Execution

Status	completed
Backend	duckdb_local
Engine version	1.5.6
Phase seconds	source 1:ingestion: 0.0149973; required: 0.00943258; bounded lexical: 0.0229452; models: 4.22578
Duration seconds	4.52349

Peak workspace bytes	118,784
Estimated peak workspace bytes	268,435,456
Peak worker rss bytes	1,468,792,832
Whole job seconds	5.12117
Peak spill bytes	0
Serialized bytes	54,494

Strict JSON retains all bounded details, selected strata, effective limits and methodology. Human tables summarize nested collections and show at most five entries; retained witness examples show at most two per family.

Explicit bounded excerpts

```
evidence_fbc6104fc7d87e24e99d31c1
हिन्दी पाठ e´  <b>literal markup</b> [U+202E] bidi control
```

```
evidence_57fc58d9533325c6a7c4bb1f
हिन्दी पाठ e´  <b>literal markup</b> [U+202E] bidi control
```