NUMEK · DATATRUST

Text Reliability Intelligence

2 review actions across 3 technical findings. Required checks retain invalidity; bounded searches disclose their examined scope.

Schema 1.5 · text_reliability_v1 · 2026-10-11T13:03:09.373675+00:00

1. Summary and actionability

Observed population: 5455 framed records across 4 sources; 5383 content units. 0 invalid records and 0 invalid items remain accounted for. Content states: empty: 2; present: 5,381.

Review priorities

Exact Duplicates contextual observation
nfc: 1 groups; raw: 1 groups. Review split assignments and legitimate shared content before removing or moving any occurrence. Representation counts overlap and are not added together; distinct evidence is retained below.

Passages heuristic candidate
bounded: 6 observations. Resolve original passage spans and review provenance and evaluation exposure.

Examined and unanswered scope

- Required checks accounted for 5,455 framed records; 0 invalid records remain in the population.
- Lexical selection examined 128 of 5,383 eligible units; each investigation has its own additional work limits.
- Approximate or bounded searches can miss qualifying evidence. Unknown judgments and unavailable annotations do not become negatives or clean results.

Review declared violations before contextual overlap and similarity candidates. This ordering is not a severity score, correctness certificate or contamination verdict.

2. Corpus integrity

Invalidity deterministic violation

full population

Invalid items	0
Reasons	
Framing	source 1: records: 5,183; valid records: 5,183; invalid records: 0; separators: 0; source 2: records: 100; valid records: 100; invalid records: 0; separators: 0; source 3: records: 72; valid records: 72; invalid records: 0; separators: 0; source 4: records: 100; valid records: 100; invalid records: 0; separators: 0

Corpus deterministic fact

full population

Content units	5,383
States	empty: 2; present: 5,381
Characters	7,299,932
Utf8 bytes	7,306,335
Unusual controls	15
Minimum characters	0
Maximum characters	10,000
Mean characters	1,356.11
Character quartiles	1,003.5; 1,305; 1,693
Script counts	Latin: 5,902,034; Common: 1,396,164; Greek: 1,734
Nfc changed units	1
Unicode version	16.0.0
Script is language	No

Identities deterministic violation

full population

Ambiguous occurrences	0
Missing identities	72
Synthetic logical ids	No

3. Duplication and passages

Exact Duplicates contextual observation

full population

Representation	nfc
Groups	1
Occurrences	2
Excess occurrences	1
Cross source or split groups	0
Equality verified	Yes

Local evidence: `evidence_6fc2716173b330441c6fe10c` `evidence_353f05f4c14de48910c63cd2`

Exact Duplicates contextual observation

full population

Representation	raw
Groups	1
Occurrences	2
Excess occurrences	1
Cross source or split groups	0
Equality verified	Yes

Local evidence: `evidence_6fc2716173b330441c6fe10c` `evidence_353f05f4c14de48910c63cd2`

Repetition contextual observation

bounded

Units with repeated nonblank lines	0
Quality violation claimed	No

Near Duplicates heuristic candidate

bounded

Qualifying pairs	0
Subthreshold candidates	276
Threshold	0.8
Detail omissions	0
Not transitive	Yes
Containment recall claimed	No

Passages heuristic candidate

bounded

Verified passage matches	6
Minimum graphemes	50
Detail omissions	0
Template interpretation required	Yes

Details: matches: reference: evidence_2529a35249611acad6619303; source grapheme span: 225; 388; source codepoint span: 225; 388; reference: evidence_475f81f8386317c7f2d44c95; source grapheme span: 0; 163; source codepoint span: 0; 163; graphemes: 163; matches: reference: evidence_2529a35249611acad6619303; source grapheme span: 225; 388; source codepoint span: 225; 388; reference: evidence_475f81f8386317c7f2d44c95; source grapheme span: 0; 163; source codepoint span: 0; 163; graphemes: 163

4. Tokens and annotations

Annotations deterministic fact

full population

Not applicable to the declared sources. No population absence conclusion is implied.

Annotation Categories deterministic fact

full population

Not applicable to the declared sources. No population absence conclusion is implied.

Annotation Disagreement contextual observation

full population

Not applicable to the declared sources. No population absence conclusion is implied.

Vocabulary deterministic fact

bounded

Observed distinct tokens	2,717
Token occurrences	10,770
Unit count	128
Top tokens	reference: token_bb3abf18b6c8ec590bff236c; occurrences: 436; reference: token_cdae8e8b0c4cae27cac9a42e; occurrences: 376; reference: token_a09b6567fd225db7a658333a; occurrences: 370; reference: token_68e04fd176deb7ac1e8cf505; occurrences: 339; reference: token_9a1009ce002133c6fa5d3874; occurrences: 338; 5 further entries in JSON
Tokenization	unicode_letters_numbers_punctuation_v1
Language independent words claimed	No

5. Conversations

Conversations deterministic violation

full population

Not applicable to the declared sources. No population absence conclusion is implied.

6. Retrieval and provenance

Retrieval deterministic violation

full population

Violations	missing target: 0; unresolved target: 0; ambiguous target: 0; unresolved or ambiguous query: 0; conflicting judgments: 0
Judgment states	positive: 72
Entity reference coverage	source: source_1; kind: document; valid records: 5,183; uniquely referenced records: 111; unreferenced records: 5,072; source: source_2; kind: query; valid records: 100; uniquely referenced records: 65; unreferenced records: 35; source: source_4; kind: chunk; valid records: 100; uniquely referenced records: 0; unreferenced records: 100
Extractive parent count	50
Covered source characters union	15,085
Declared parent characters	7,276,297
Extractive character coverage	0.00207317
Unknown judgment is negative	No
Transformed chunk alignment claimed	No

7. Comparisons and model evidence

No applicable evidence in this topic. See check applicability and coverage in strict JSON.

8. Methods and coverage

Required checks cover framed records and valid applicable mapped items. Invalidity remains counted. Vocabulary, lexical, passage and semantic investigations disclose selected scope. Approximate candidate search and work bounds can miss qualifying pairs. Template overlap and related document families require context.

Use the separate protected manifest and unchanged local sources to resolve opaque references. Sources and private paths are excluded from these exports. Privacy defaults do not make aggregates anonymous.

Private evidence binding: `077d92c5368b5d8248efbf3752a829c7a29a4d5c265446c1e88312bfce44a2c2`

Lexical Selection

Framed records	5,455
Invalid records	0
Content population	5,383
Valid applicable population	5,383
Eligible population	5,383
Selected population	128
Selection	evaluation_priority_then_seeded_stratified_round_robin_v1
Seed	0
Representation	nfc
Excluded for length	0
Excluded for unit budget	5,255
Population estimate	No

Retained selected strata	6

Repetition

Examined units	128
Grapheme visits	60,432
Stop reason	selected_scope_completed
Population and selection	Same selected strata as lexical selection; additional method exclusions are listed here

Vocabulary

Examined units	128
Token occurrences	10,770
Stop reason	selected_scope_completed
Vocabulary is lower bound	Yes
Population and selection	Same selected strata as lexical selection; additional method exclusions are listed here

Near Duplicates

Candidate search	exhaustive_selected_unique_units
Unique candidates	276
Candidate emissions	276
Omitted bucket emissions	0
Pair selection	requested_evaluation_then_evaluation_training_then_other_requested_then_remaining_v1
Indexed unique units	24
Excluded unique units	103
Shingle positions	9,080
Signature hash evaluations	996,660
Verified pairs	276
Unverified candidates	0
Verification visits	163,737
Candidate recall on this corpus	complete_over_indexed_units
Global absence claim	No
Population and selection	Same selected strata as lexical selection; additional method exclusions are listed here
Candidate profile	20 bands × 7 rows; bucket cap 1024; calibration applies only to recorded fixtures

Passages

Representation	raw
Indexed units	128
Excluded units	0
Fingerprint work	59,928
Candidate emissions	5,813
Potential bucket emissions	8,960
Verified candidates	5,813
Verification visits	49,660
Stop reason	examined_fingerprints_completed
Candidate recall on this corpus	unknown

Global absence claim	No
Population and selection	Same selected strata as lexical selection; additional method exclusions are listed here

Execution

Status	completed
Backend	duckdb_local
Engine version	1.5.6
Phase seconds	source 1:ingestion: 1.41812; source 2:ingestion: 0.00962792; source 3:ingestion: 0.00522137; source 4:ingestion: 0.0131084; required: 0.0794532; 2 further entries in JSON
Duration seconds	2.0146
Peak workspace bytes	68,767,744
Estimated peak workspace bytes	268,435,456
Peak worker rss bytes	308,985,856
Whole job seconds	2.37197
Peak spill bytes	0
Serialized bytes	38,109

Strict JSON retains all bounded details, selected strata, effective limits and methodology. Human tables summarize nested collections and show at most five entries; retained witness examples show at most two per family.