NUMEK · DATATRUST

Text Reliability Intelligence

2 review actions across 3 technical findings. Required checks retain invalidity; bounded searches disclose their examined scope.

Schema 1.5 · text_reliability_v1 · 2026-10-11T13:03:06.079616+00:00

1. Summary and actionability

Observed population: 11873 framed records across 1 sources; 23746 content units. 0 invalid records and 0 invalid items remain accounted for. Content states: present: 23,746.

Review priorities

Exact Duplicates contextual observation
nfc: 1,213 groups; raw: 1,213 groups. Review split assignments and legitimate shared content before removing or moving any occurrence. Representation counts overlap and are not added together; distinct evidence is retained below.

Passages heuristic candidate
bounded: 332 observations. Resolve original passage spans and review provenance and evaluation exposure.

Examined and unanswered scope

- Required checks accounted for 11,873 framed records; 0 invalid records remain in the population.
- Lexical selection examined 128 of 23,746 eligible units; each investigation has its own additional work limits.
- Approximate or bounded searches can miss qualifying evidence. Unknown judgments and unavailable annotations do not become negatives or clean results.

Review declared violations before contextual overlap and similarity candidates. This ordering is not a severity score, correctness certificate or contamination verdict.

2. Corpus integrity

Invalidity deterministic violation

full population

Invalid items	0
Reasons	
Framing	source 1: records: 11,873; valid records: 11,873; invalid records: 0; separators: 0

Corpus deterministic fact

full population

Content units	23,746
States	present: 23,746
Characters	10,335,201
Utf8 bytes	10,351,974
Unusual controls	86
Minimum characters	12
Maximum characters	4,063
Mean characters	435.24
Character quartiles	57; 170; 716
Script counts	Latin: 8,334,455; Common: 1,998,808; Greek: 1,083; Han: 765; Arabic: 90
Nfc changed units	0
Unicode version	16.0.0
Script is language	No

Identities deterministic violation

full population

Ambiguous occurrences	0
Missing identities	0
Synthetic logical ids	No

3. Duplication and passages

Exact Duplicates contextual observation

full population

Representation	nfc
Groups	1,213
Occurrences	11,891
Excess occurrences	10,678
Cross source or split groups	0
Equality verified	Yes

Local evidence: `evidence_81791d1b757cca6a87566952` `evidence_3e148ac01457605d3212a5e9` `evidence_ab2fb782c65ed11239552eb4` `evidence_e4949a91d0e576beb7056876` `evidence_73cdb427d9bceafedbe530e5`

Exact Duplicates contextual observation

full population

Representation	raw
Groups	1,213
Occurrences	11,891
Excess occurrences	10,678
Cross source or split groups	0
Equality verified	Yes

Local evidence: `evidence_81791d1b757cca6a87566952` `evidence_3e148ac01457605d3212a5e9` `evidence_ab2fb782c65ed11239552eb4` `evidence_e4949a91d0e576beb7056876` `evidence_73cdb427d9bceafedbe530e5`

Repetition contextual observation

bounded

Units with repeated nonblank lines	0
Quality violation claimed	No

Near Duplicates heuristic candidate

bounded

Qualifying pairs	0
Subthreshold candidates	153
Threshold	0.8
Detail omissions	0
Not transitive	Yes
Containment recall claimed	No

Passages heuristic candidate

bounded

Verified passage matches	332
Minimum graphemes	50
Detail omissions	322
Template interpretation required	Yes

Details: matches: reference: evidence_e02bf9441c2bc36fbfd43fad; source grapheme span: 0; 1,305; source codepoint span: 0; 1,305; reference: evidence_d3c063d94d07ba0dfba7b6b1; source grapheme span: 0; 1,305; source codepoint span: 0; 1,305; graphemes: 1,305; matches: reference: evidence_586d2337b77cddb3cc54e1a4; source grapheme span: 0; 1,901; source codepoint span: 0; 1,901; reference: evidence_351349cc67c0bc6a8db2e9a6; source grapheme span: 0; 1,901; source codepoint span: 0; 1,901; graphemes: 1,901

4. Tokens and annotations

Annotations deterministic fact

full population

States	kind: qa; observation: observed; expectation: required; count: 11,873
Supplied tokens	0
Annotation collections	11,873
Annotation items	20,302
Charged annotation expansion	32,175
Metadata states	not declared: 11,873
Item states	valid: 20,302
Label correctness established	No

Annotation Categories deterministic fact

full population

Category count	0
Frequencies	
Retained category omissions	0

Annotation Disagreement contextual observation

full population

Repeated input groups with disagreement	0

Vocabulary deterministic fact

bounded

Observed distinct tokens	3,602
Token occurrences	13,856
Unit count	128
Top tokens	reference: token_7bc8a9ebdd2a2c8dbd436bfb; occurrences: 795; reference: token_1851e4e68dd313bb36540cf8; occurrences: 679; reference: token_c632a5a946f61f668cea55be; occurrences: 495; reference: token_0bfc6a77b5c5677102a05aca; occurrences: 455; reference: token_f1387a1b1d25b0d65bd353f9; occurrences: 318; 5 further entries in JSON
Tokenization	unicode_letters_numbers_punctuation_v1
Language independent words claimed	No

5. Conversations

Conversations deterministic violation

full population

Not applicable to the declared sources. No population absence conclusion is implied.

6. Retrieval and provenance

Retrieval deterministic violation

full population

Not applicable to the declared sources. No population absence conclusion is implied.

7. Comparisons and model evidence

No applicable evidence in this topic. See check applicability and coverage in strict JSON.

8. Methods and coverage

Required checks cover framed records and valid applicable mapped items. Invalidity remains counted. Vocabulary, lexical, passage and semantic investigations disclose selected scope. Approximate candidate search and work bounds can miss qualifying pairs. Template overlap and related document families require context.

Use the separate protected manifest and unchanged local sources to resolve opaque references. Sources and private paths are excluded from these exports. Privacy defaults do not make aggregates anonymous.

Private evidence binding: `35a3fb7fce7e8ade1fab63137a6fbf307a43dec5039bff8c308a9e5c917f098e`

Lexical Selection

Framed records	11,873
Invalid records	0
Content population	23,746
Valid applicable population	23,746
Eligible population	23,746
Selected population	128
Selection	evaluation_priority_then_seeded_stratified_round_robin_v1
Seed	0
Representation	nfc
Excluded for length	0
Excluded for unit budget	23,618
Population estimate	No
Retained selected strata	4

Repetition

Examined units	128
Grapheme visits	73,513
Stop reason	selected_scope_completed
Population and selection	Same selected strata as lexical selection; additional method exclusions are listed here

Vocabulary

Examined units	128
Token occurrences	13,856
Stop reason	selected_scope_completed
Vocabulary is lower bound	Yes
Population and selection	

	Same selected strata as lexical selection; additional method exclusions are listed here

Near Duplicates

Candidate search	exhaustive_selected_unique_units
Unique candidates	153
Candidate emissions	153
Omitted bucket emissions	0
Pair selection	requested_evaluation_then_evaluation_training_then_other_requested_then_remaining_v1
Indexed unique units	18
Excluded unique units	106
Shingle positions	8,670
Signature hash evaluations	997,780
Verified pairs	153
Unverified candidates	0
Verification visits	121,159
Candidate recall on this corpus	complete_over_indexed_units
Global absence claim	No
Population and selection	Same selected strata as lexical selection; additional method exclusions are listed here
Candidate profile	20 bands × 7 rows; bucket cap 1024; calibration applies only to recorded fixtures

Passages

Representation	raw
Indexed units	128
Excluded units	0
Fingerprint work	73,001
Candidate emissions	7,491
Potential bucket emissions	10,611
Verified candidates	7,491
Verification visits	572,221
Stop reason	examined_fingerprints_completed
Candidate recall on this corpus	unknown
Global absence claim	No
Population and selection	Same selected strata as lexical selection; additional method exclusions are listed here

Execution

Status	completed
Backend	duckdb_local
Engine version	1.5.6
Phase seconds	source 1:ingestion: 2.79907; required: 0.105745; bounded lexical: 0.579873; models: 0.000149042
Duration seconds	3.50342
Peak workspace bytes	73,310,208
Estimated peak workspace bytes	268,435,456

Peak worker rss bytes	324,550,656
Whole job seconds	3.85602
Peak spill bytes	0
Serialized bytes	35,609

Strict JSON retains all bounded details, selected strata, effective limits and methodology. Human tables summarize nested collections and show at most five entries; retained witness examples show at most two per family.