

Visoka ICT skola

# DOKUMENTACIJA

Predmet: PHP2

Student: Stefan Drobnjak 14/16

Beograd, Mart 2019

# UVOD

## Koriscene tehnologije u izradi sajta

Za izradu ovog sajta koriscene su sledece tehnologije:

- PHP - Laravel framework
- HTML
- CSS
- JavaScript
- JQuery
- AJAX
- MySQL

## Domen sajta

Domen ovog sajta jeste Online vesti vezane za NBA(National Basketball Association) gde korisnici imaju mogucnost pregleda svih vesti, pretrage pojedinačnih vesti, komentarisanja istih kao i personalizacija svog naloga.


## Funkcionalnosti sajta

- Logovanje i registracija korisnika
- Pregled pojedinačnih vesti
- Unos,izmena i brisanje komentara
- Unos,izmena i brisanje odgovora na komentare
- Personalizacija profila, izmena slike i podataka korisnika
- Na profilnoj stranici korisnika se ispisuju sve komentarisane vesti tog korisnika
- Pretraga vesti po ključnoj reči
- Kontaktiranje administratora
- Admin panel za promenu svih dinamičkih delova sajta
- Tabela aktivnosti korisnika

## Funkcionalnosti odradjene AJAX-om

- Update komentara korisnika
- Update korisnickih podatak na profile
- Delete u admin panelu za svaki dinamicki deo sajta
- Filter datuma na stranici u admin panelu za aktivnost

## Dizajn baze podataka sajta



# Stranice:

## Front End

## index





NBA NEWS  
National Basketball  
Association

HOME


ABOUT

GALLERY



CONTACT




Latest news



**Reports: Nuggets pull Isaiah Thomas from rotation**  
After a delayed start to his inaugural campaign with the Nuggets, guard Isaiah Thomas might be set for an early finish. Reports out of Denver confirm that coach Michael Malone intends to shorten his rotation for the stretch run, and Thomas...  
On Mar 17




Highlights




Sacramento Kings vs New York Knicks - Full Game Highlights | March 9, 2019


Most Viewed




**Kia MVP Ladder: Aberrant finish in award chaser**  
Mar 17, 2019 20




**Lakers' Ingram has successful surgery on arm**  
Mar 17, 2019 11



**Reports: Nuggets pull Isaiah Thomas from rotation**  
Mar 17, 2019 10



**Heat fine Waiters for postgame expletive-laden comments**  
Mar 17, 2019 6




**Curry, Kerr speak on Warriors' issues as Green sits again**


Cetnralni deo sajta gde je sajder ispisuje sve vesti iz kategorije Latest new

Desni deo sajta izbacuje radnom video prilikom svakog refresovanja stranice


Ispisivanje vesti u vidu liste po tome koleko je posecena ta vest, vesti su poredjane po broju pregleda. Prilikom svakog pristupa pojedinačnoj vesti upisuje se u bazu podataka I broj pregleda za tu vest se povecava




**Kia MVP Ladder: Aberrant finish in award chase**  
All good things must come to an end, even for a four-time Kia MVP like LeBron James. The sobering reality in his 16th season is that it has provided lesson after painful lesson for the man who dominated the NBA narrative for most of the pa...  
On Mar 17




**Lakers' Ingram has successful surgery on arm**  
LOS ANGELES (AP) — Lakers forward Brandon Ingram is expected to be ready for next season after undergoing surgery on his right arm. Ingram had thoracic outlet decompression surgery Saturday, the Lakers say. Ingram was declared out f...  
On Mar 17



**Brogdon out indefinitely with plantar fascia tear**  
MILWAUKEE — Milwaukee Bucks guard Malcolm Brogdon underwent an MRI and subsequent examination today by team physician Dr. William Raasch at Froedtert & the Medical College of Wisconsin. The exam revealed a minor plantar fascia tear in Brogd...  
On Mar 17




**Heat fine Waiters for postgame expletive-laden comments**  
BIRMINGHAM, Michigan (AP) — The Miami Heat have fined Dion Waiters an undisclosed amount for his expletive-laden comments about playing time earlier this week. Waiters made the comments to reporters from two South Florida newspapers af...  
On Mar 17




**Curry, Kerr speak on Warriors' issues as Green sits again**  
Mar 17, 2019 6

**Brogdon out indefinitely with plantar fascia tear**  
Mar 17, 2019 4

Post game conference




**Heat fine Waiters for postgame expletive-laden comments**  
BIRMINGHAM, Michigan (AP) — The Miami Heat have fined Dion Waiters an undisclosed amount for his expletive-laden comments about playing time earlier this week. Waiters made the comments to reporters from two South Florida newspapers af...  
On Mar 17



Centralni deo ispod sajdera ispisuje sve vesti uz paginaciju od 4 vesti po stranici  
U desnom delu se ispisuju sve vesti iz kategorije Post Game

single\_post


### Kia MVP Ladder: Aberrant finish in award chase



All good things must come to an end, even for a four-time Kia MVP like LeBron James. The sobering reality in his 16th season is that it has provided lesson after painful lesson for the man who dominated the NBA narrative for most of the past decade. The true test for James' personal streak of 13 straight playoff appearances. His eight straight seasons playing in the Finals finished. That stranglehold LeBron has had on a first team All-NBA spot? That likely comes to an end this season as well. It also means his 11th year in MVP voting his rookie season (2002-03) and sixth the following season before making the top five in every season since then ... (likely) until now. It's not that he hasn't posted MVP-caliber numbers — his 27.4 points, 8.6 rebounds and eight assists per game are still elite. It's the Lakers' futility this season — fueled in large part by his career-high 18 games missed due to injury and/or maintenance — is what will send him his customary spot on most MVP ballots.

On Mar 17 3:25


#### Responses



admin

LeBron has had on a first team All-NBA spot? That likely comes to an end this season as well.


Mar 17, 2019 Reply Delete Update



koranik

The Los Angeles Lakers' playoffs hopes, as bright as they've been for weeks now,

Mar 17, 2019 Reply



nattie

Good

Mar 17, 2019 Reply

Leave your comment


Your comment...

SUBMIT COMMENT


Ispisivanje pojedinacne vesti zajedno sa datumom objave I brojem komentara I pregleda za tu vest. Ispisivanje komentara I odgovora na komentare gde ulogovani korisnik moze da unese, izmeni I obrise svoj komentar. Neautorizovanim korisnicima nije dozvoljeno da komentarisu



## about




## gallery



Prikaz svih slika u bazi. Koriscena paginacija za ispisivanje 9 slika po stranici

## contact

### Find Us



**+9100 2481 5842**

4578 Marmora  
Road, Glasgow D04 89GR

Nullam ac urna vel. Pellentesque in arcu tortor. Pellentesque nec est et elit varius pulvinar eget vitae sapien. Aenean vehicula accumsan gravida.

### Contact Us With

Any questions

YOUR NAME :

YOUR MAIL :

SUBJECT:

SUBMIT

### Social Websites

**Nullam Ac Urna Velit Pellentesque In  
Arcu Tortor Pellentesque Nec**

Nullam ac urna vel. Pellentesque in arcu tortor. Pellentesque nec est et elit varius pulvinar eget vitae sapien. Aenean vehicula accumsan gravida. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Phasellus et lectus in urna consequat consectetur ut eget risus.



Za kontaktiranje administratora koristile su se funkcije iz klase Mail

## search

### Results

Brogdon out indefinitely with plantar fascia tear



MILWAUKEE -- Milwaukee Bucks guard Malcolm Brogdon underwent an MRI and subsequent examination today by team physician Dr. William Raasch at Froedtert & the Medical College of Wisconsin. The exam revealed a minor plantar fascia tear in Brogd...

[View Post](#)

Lakers' Ingram has successful surgery on arm



LOS ANGELES (AP) -- Lakers forward Brandon Ingram is expected to be ready for next season after undergoing surgery on his right arm. Ingram had thoracic outlet decompression surgery Saturday, the Lakers say. Ingram was declared out f...

[View Post](#)

Reports: Nuggets pull Isaiah Thomas from rotation



After a delayed start to his inaugural campaign with the Nuggets, guard Isaiah Thomas might be set for an early finish. Reports out of Denver confirm that coach Michael Malone intends to shorten his rotation for the stretch run, and Thomas...

[View Post](#)

[« Previous](#) [Next »](#)

Pretraga vesti na osnovu unosa ključne reci i paginaciju na dnu stranice(3 vesti po stranici)

## profile

The profile page for the user 'admin' features a circular profile picture and an 'EDIT PICTURE' button. Below the profile picture are two navigation links: 'Viewed Posts' and 'Account Settings'. The main content area, titled 'Commented Posts', displays three basketball-related posts, each with a thumbnail image, a title, and a 'View Post' button.

**Commented Posts**

- Kia MVP Ladder: Aberrant finish in award chase** - View Post
- Lakers' Ingram has successful surgery on arm** - View Post
- Brogdon out indefinitely with plantar fascia tear** - View Post

admin  
EDIT PICTURE

Viewed Posts  
Account Settings

Prikaz svih komentarisanih vesti za ulogovanog korisnika

Izmena profilne slike(inicijalno je stavljeno da bude default slika kao na fejsu)

**Napomena:** Slika neće odmah biti izmenjena(ne znam koji je razlog), korisnik mora da se izloguje pa ponovno da se loguje da bi se primetila izmena

izmena korisnicah podatak, izmena se vrši preko ajax-a

## Back End

Napomena: U desnom uglu admin panela stoji ikonica i klikom na nju admin ima opciju da pogleda svoj profil ili da se izloguje.

Na svakoj stranici postoji unos, izmena i brisanje podataka. Klikom na Insert forma se pojavljuje na istoj stranici, klikom na ikonicu za update salje se na posebnu stranicu. Delete je uradjen preko ajax-a.

Stranice imaju paginaciju

## users

The Admin Panel Users management interface includes a sidebar with navigation links (Users, Gallery, News, Category, Video, Activities) and a main content area. The main area displays a table of users with columns for First Name, Last Name, Email, Role, Update, and Delete. A 'Profile' button is visible in the top right corner.

Admin Panel

Users

First Name	Last Name	Email	Role	Update	Delete
Stefan	Drobnjak	admin@gmail.com	admin		
Name	Lastname	test@gmail.com	user		
Name	Lastname	drobnjak.stefan10@gmail.com	user		

Insert

Profile  
Logout



## admin\_gallery

Admin Panel

Users

Gallery




























News

Category

Video

Activities















Gallery

Title	Small Picture	Update	Delete
Picture 1			
Picture 2			
Picture 3			
Picture 4			
Picture 5			
Picture 6			
Picture 7			
Picture 8			
Picture 9			

< 1 2 >

Insert

## news

Admin Panel				
<div>Users</div> <div>Gallery</div> <div>News</div> <div>Category</div> <div>Video</div> <div>Activities</div>	News			
	Headline	Small picture	Date Published	Update
	Kia MVP Ladder: Aberrant finish in award chase		Mar 17 2019	
	Brogdon out indefinitely with plantar fascia tear		Mar 17 2019	
	Lakers' Ingram has successful surgery on arm		Mar 17 2019	
	Heat fine Waiters for postgame expletive-laden comments		Mar 17 2019	
	Jazz's Ricky Rubio has hamstring strains		Mar 17 2019	
	Reports: Nuggets pull Isaiah Thomas from rotation		Mar 17 2019	
	Curry, Kerr speak on Warriors' issues as Green sits again		Mar 17 2019	
<div>Insert</div>				

admin\_category

Admin Panel

Users

Gallery

News

Category

Video

Activities

Category

Name	Update	Delete
Latest News		
Post Game		

Insert

admin\_video

Video

Title	Video	Update	Delete
Sacramento Kings vs New York Knicks - Full Game Highlights   March 9, 2019			
Dallas Mavericks vs Denver Nuggets - Full Game Highlights   March 14, 2019			
LA Lakers vs Toronto Raptors - Full Game Highlights   March 14, 2019			
OKC Thunder vs Indiana Pacers - Full Game Highlights   March 14, 2019			
Memphis Grizzlies vs Washington Wizards Full Game Highlights   March 16			

Insert

# activities

Admin Panel

Users

Gallery

News

Category

Video

Activities

Activities

mm/dd/yyyy

Date	Activities
2019-03-15 16:27:50	User admin searched for zion
2019-03-15 16:32:07	User admin logout.
2019-03-15 16:32:15	User korisnik logged in
2019-03-15 16:32:25	User korisnik reply reerererer
2019-03-15 16:55:02	User korisnik commented trtrtrtrtr
2019-03-15 16:55:10	User korisnik deleted his comment
2019-03-16 23:50:12	User admin logged in
2019-03-16 23:50:48	User admin logout.
2019-03-16 23:50:54	User admin logged in
2019-03-17 00:00:36	User admin logout.
2019-03-17 00:01:27	User admin logged in
2019-03-17 00:03:45	User admin logout.
2019-03-17 00:03:50	User admin logged in
2019-03-17 00:12:00	User admin searched for asdasdd
2019-03-17 00:12:01	User admin logout.

<

1

2

3

4

>

Filtriranje liste aktivnosti za izabrani datum

# Kodovi:

## Rute(web.php)

```
<?php

/*
|-----
| Web Routes
|-----
|
| Here is where you can register web routes for your application. These
| routes are loaded by the RouteServiceProvider within a group which
| contains the "web" middleware group. Now create something great!
|
*/

Route::pattern('id', '[0-9]+');
Route::pattern('user_id', '[0-9]+');
//FRONTEND
Route::get('/', "FrontEnd@index");
Route::get('/post/{id}/{user_id?}', "FrontEnd@single")->name('single_post');

//COMMENTS
Route::post('/post/{id}/comment', 'Comment@store')->name('sub_comment');
Route::get('/comment/{id}', 'Comment@destroy')->name('del_comment');
Route::put('/comment/{id}', 'Comment@update')->name('update_comment');

//REPLY
Route::post('/comment/{id}/reply', 'Comment@reply')->name('reply_comment');
Route::get('/reply/{id}', 'Comment@deleteReply')->name('reply_del');
Route::put('/reply/{id}', 'Comment@updateReply');

Route::get('/about', "FrontEnd@about");
Route::get('/search', 'FrontEnd@search');

//GALLERY
//gallery/create - pristup formi za unos
Route::resource('gallery', 'Gallery');

//CONTACT
Route::get('/contact', "Contact@index");
Route::post('/contact', 'Contact@send');

//REGISTRATION
Route::get('/registration', "Registration@index");
Route::post('/registration', "Registration@store");

//LOGIN
Route::get('/login', "Login@create");
Route::post('/login', 'Login@log');
Route::get('/logout', 'Login@logout');

//PROFILE
Route::get('/profile/{username}', 'Profile@index')->name('profile')-
>middleware('profile')->where('username', '[A-Za-z0-9][A-Za-z0-9:_-]{1,19}');
Route::post('/profile/{id}', 'Profile@editPic')->name('edit_pic');
Route::post('/profile/{id}/edit', 'Profile@editProfile')->name('edit_profile');

//BACKEND

//admin/posts/create - pristup formi za unos

Route::group(['middleware' => ['admin']], function () {
```

```

Route::resource('users', 'Admin\Users');
Route::get("/users/{id}/delete", 'Admin\Users@destroy');
Route::resource('admin_gallery', 'Admin\Gallery');
Route::get("/admin_gallery/{id}/delete", 'Admin\Gallery@destroy');
Route::resource('admin_news', 'Admin\Post');
Route::get("/admin_news/{id}/delete", 'Admin\Post@destroy');
Route::resource('admin_category', 'Admin\Category');
Route::get("/admin_category/{id}/delete", 'Admin\Category@destroy');
Route::resource('admin_video', 'Admin\Video');
Route::get("/admin_video/{id}/delete", 'Admin\Video@destroy');
Route::get('/activities', 'Admin\Activities@index');
Route::get('/activities/sort', 'Admin\Activities@sortByDate');

});

```

## Controllers

### Admin

#### Activities.php

```

<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\BaseController;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;

class Activities extends BaseController
{
    public function index() {
        $act = new \App\Model\Users();

        $this->data['activities'] = $act->getAllActivities();

        return view('admin.pages.activities', $this->data);
    }

    public function sortByDate(Request $request) {
        $day = $request->date;

        $date = new \App\Model\Users();

        try {
            $dat_activities = $date->filterDate($day);
            return $dat_activities;
        } catch (\Exception $e) {

```

```

        \Log::critical('Error date' . $e->getMessage());
        return $e->getMessage();
    }

}
}
}

```

## Category.php

```

<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\BaseController;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;

class Category extends BaseController
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        $category = new \App\Model\Category();

        $this->data['category'] = $category->AllCategory();

        return view('admin.pages.categories', $this->data);
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        //
    }

    /**
     * Store a newly created resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @return \Illuminate\Http\Response
     */
    public function store(Request $request)
    {
        $request->validate([

            'title' => 'required|min:2',

        ]);

        $insert_cat = new \App\Model\Category();

        try{
            $insert_cat->name = $request->title;

            $insert_cat->insertCat();

            return redirect()->back()->with('insert_category_success', 'You

```



```

successfully inserted a category');
    }catch(\Exception $e){
        \Log::critical('Failed to insert gallery picture error: '.$e-
>getMessage());
        return redirect()->back()->with('insert_category_error','Application is
not working, please come back later');
    }
}

/**
 * Display the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function show($id)
{
    //
}

/**
 * Show the form for editing the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function edit($id)
{
    $one_cat = new \App\Model\Category();

    $this->data['one_cat'] = $one_cat->getOne($id);

    return view('admin.update.update_category',$this->data);
}

/**
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function update(Request $request, $id)
{
    $request->validate([

        'title' => 'required|min:2',
    ]);

    $update_cat = new \App\Model\Category();

    $update_cat->name = $request->title;

    try{
        $update_cat->updateCat($id);

        return redirect('/admin_category')->with('update_category_success','You
successfully update a category');
    }catch(\Exception $e){
        \Log::critical('Failed to insert gallery picture error: '.$e-
>getMessage());
        return redirect('/admin_category')-
>with('update_category_error','Application is not working, please come back later');
    }
}

```

```

    }

    /**
     * Remove the specified resource from storage.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function destroy($id)
    {
        $delete_cat = new \App\Model\Category();

        try{
            $delete_cat->id = $id;

            $delete_cat->deleteCat();

        }catch(\Exception $e){

            \Log::critical('Delete user failed'. $e->getMessage());

        }
    }
}

```

#### Gallery.php

```

<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\BaseController;
use App\Model\Gallery_modul;
use App\Resize_picture;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;

class Gallery extends BaseController
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        $gallery = new Gallery_modul();

        $this->data['gallery'] = $gallery->getAllGallery();

        return view('admin.pages.gallery',$this->data);
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        //
    }
}

```

```

    * Store a newly created resource in storage.
    *
    * @param \Illuminate\Http\Request $request
    * @return \Illuminate\Http\Response
    */
    public function store(Request $request)
    {
        $request->validate([
            'title' => 'required|min:2',
            'picture' => 'file|mimes:jpg,jpeg,png|max:2000|required'
        ]);

        $gallery = new Gallery_modul();

        $gallery->name = $request->title;

        $file = $request->file('picture');

        $fileName = $file->getClientOriginalName();

        $fileName = time().$fileName;

        try{
            $file->move(public_path('images/gallery'),$fileName);
            $resize = new Resize_picture();

            //
            $resize->
>malaSlika(public_path('images/gallery').'\\'.$fileName,public_path('images/small_imag
es').'\\small_'. $fileName,100,70);

            $picture = 'images/gallery/'.$fileName;
            $small_picture = 'images/small_images/small_'. $fileName;

            $gallery->picture = $picture;
            $gallery->picture_small = $small_picture;
            $gallery->alt = $file->getClientOriginalName();

            $gallery->insertGalleryPic();

            return redirect()->back()->with('insert_gallery_success','You successfully
inserted a picture');
        }catch (\Exception $e){

            \Log::critical('Failed to insert gallery picture error: '.$e-
>getMessage());
            return redirect()->back()->with('insert_gallery_error','Application is not
working, please come back later');
        }
    }

    /**
     * Display the specified resource.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function show($id)
    {
        //
    }
}

```

```

/**
 * Show the form for editing the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function edit($id)
{
    $pic = new Gallery_modul();

    $this->data['one_pic'] = $pic->getOnePic($id);

    return view('admin.update.update_gallery', $this->data);
}

/**
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function update(Request $request, $id)
{
    $gallery = new Gallery_modul();

    if($request->picture == null){

        $request->validate([

            'title' => 'required|min:2',
        ]);

        $gallery->name = $request->title;

        try{

            $gallery->updateTitle($id);
            return redirect('/admin_gallery')->with('update_gallery_success', "You
successfully update picture ");

        }catch(\Exception $e){

            \Log::critical('Update user failed'. $e->getMessage());
            return redirect('/admin_gallery')->with('update_gallery_error', "Application is not working, please come back later");
        }

    }else{

        $request->validate([

            'title' => 'required|min:2',
            'picture' => 'file|mimes:jpg,jpeg,png|max:2000|required'
        ]);

        $gallery->name = $request->title;

        $file = $request->file('picture');

        $fileName = $file->getClientOriginalName();

        $fileName = time().$fileName;
    }
}

```

```

        try{

            $file->move(public_path('images/gallery'),$fileName);
            $resize = new Resize_picture();

            //
            $resize->
>malaSlika(public_path('images/gallery').'\\'.$fileName,public_path('images/small_images').'\\small_'. $fileName,100,70);

            $picture = 'images/gallery/'.$fileName;
            $small_picture = 'images/small_images/small_'. $fileName;

            $gallery->picture = $picture;
            $gallery->picture_small = $small_picture;
            $gallery->alt = $file->getClientOriginalName();

            $gallery->updateAll($id);

            return redirect('/admin_gallery')->with('update_gallery_success',"You
successfully update picture ");
        }catch (\Exception $e){

            \Log::critical('Failed to insert gallery picture error: '.$e->
>getMessage());
            return redirect('/admin_gallery')->
>with('update_gallery_error',"Application is not working, please come back later");
        }

    }

}

/**
 * Remove the specified resource from storage.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function destroy($id)
{
    $delete_pic = new Gallery_modul();

    try{
        $delete_pic->id = $id;

        $delete_pic->deletePic();

    }catch (\Exception $e){

        \Log::critical('Delete user failed'.$e->getMessage());
    }
}
}

```

## Post.php

```
<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\BaseController;
use App\Http\Requests\PostRequest;
use App\Model\Category;
use App\Model\Posts;
use App\Resize_picture;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;

class Post extends BaseController
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        $posts = new Posts();

        $this->data['news'] = $posts->getAll();
        $cat = new Category();

        $this->data['category'] = $cat->AllCategory();

        return view('admin.pages.news', $this->data);
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        $cat = new Category();

        $this->data['category'] = $cat->AllCategory();
        return view('admin.create_post', $this->data);
    }

    /**
     * Store a newly created resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @return \Illuminate\Http\Response
     */
    public function store(PostRequest $request)
    {
        $file = $request->file('picture');

        $fileName = $file->getClientOriginalName();
        $salt = $fileName;
        $fileName = time().$fileName;

        $picture = 'images/'.$fileName;

        $headline = $request->title;
```



```

        $text = $request->text;

        $cat = $request->catId;

        try{
            $file->move(public_path('images'),$fileName);

            $resize = new Resize_picture();

            //
            $resize->
>malaSlika(public_path('images').'\\'.$fileName,public_path('images\small_images').'\\
small_'. $fileName,100,70);

            $small_picture = 'images/small_images/small_'. $fileName;

            $insert = new Posts();

            $insert->picture = $picture;
            $insert->small_picture = $small_picture;
            $insert->alt = $alt;
            $insert->headline = $headline;
            $insert->text = $text;
            $insert->catId = $cat;

            $insert->insertPost();

            return redirect()->back()->with('insert_post_success','You successfully
inserted a post');

        }catch(\Exception $e){

            \Log::critical('Failed to insert gallery picture error: '.$e-
>getMessage());
            return redirect()->back()->with('insert_post_error','Application is not
working, please come back later');
        }

    }

    /**
     * Display the specified resource.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function show($id)
    {
        //
    }

    /**
     * Show the form for editing the specified resource.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function edit($id)
    {
        $one_post = new Posts();

```

```

        $this->data['one_post'] = $one_post->getOne($id);

        $cat = new Category();

        $this->data['category'] = $cat->AllCategory();

        return view('admin.update.update_news',$this->data);
    }

    /**
     * Update the specified resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function update(Request $request, $id)
    {

        if($request->picture == null){

            $request->validate([
                'title' => 'required|max:140|min:3',
                'text' => 'required|min:3',
                'catId' => 'required'
            ]);

            $update_news = new Posts();

            $update_news->headline = $request->title;

            $update_news->text = $request->text;

            $update_news->catId = $request->catId;

            try{

                $update_news->updatePostNoPic($id);
                return redirect('/admin_news')->with('update_news_success',"You
successfully update news ");

            }catch(\Exception $e){

                \Log::critical('Update user failed'.$e->getMessage());
                return redirect('/admin_gallery')-
>with('update_news_error',"Application is not working, please come back later");
            }

        }else{

            $request->validate([
                'title' => 'required|max:140|min:3',
                'picture' => 'required|file|mimes:jpg,jpeg,png|max:2000',
                'text' => 'required|min:3',
                'catId' => 'required'
            ]);

            $update_all = new Posts();

```

```

        $file = $request->file('picture');

        $fileName = $file->getClientOriginalName();
        $alt = $fileName;
        $fileName = time().$fileName;

        $picture = 'images/'.$fileName;

        $headline = $request->title;
        $text = $request->text;
        $cat = $request->catId;

        try{
            $file->move(public_path('images'),$fileName);

            $resize = new Resize_picture();

            //
            $resize->
>malaSlika(public_path('images').'\\'.$fileName,public_path('images\small_images').'\\
small_'. $fileName,100,70);

            $small_picture = 'images/small_images/small_'. $fileName;

            $update_all->picture = $picture;
            $update_all->small_picture = $small_picture;
            $update_all->alt = $alt;
            $update_all->headline = $headline;
            $update_all->text = $text;
            $update_all->catId = $cat;

            $update_all->updatePostAll($id);

            return redirect('/admin_news')->with('update_news_success',"You
successfully update news");

        }catch(\Exception $e){

            \Log::critical('Failed to insert gallery picture error: '.$e->
>getMessage());
            return redirect('/admin_news')->with('update_news_error',"Application
is not working, please come back later");
        }

    }

}

/**
 * Remove the specified resource from storage.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function destroy($id)

```

```

{
    $delete_post = new Posts();

    try{
        $delete_post->id = $id;

        $delete_post->deletePost();

    }catch(\Exception $e){

        \Log::critical('Delete post failed'. $e->getMessage());

    }

}
}

```

Users.php

```

<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\BaseController;
use App\User;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;

class Users extends BaseController
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        $users = new \App\Model\Users();

        $this->data['users'] = $users->getAll();

        $this->data['role'] = $users->roles();

        return view('admin.pages.home', $this->data);
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        //
    }

    /**
     * Store a newly created resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @return \Illuminate\Http\Response
     */
    public function store(Request $request)
    {
        $request->validate([

```

```

        'firstName' => 'required|regex:/^[A-ZČĆŠĐŽ] [a-zčćšđž]{2,19}$/ ',
        'lastName' => 'required|regex:/^[A-ZČĆŠĐŽ] [a-zčćšđž]{2,19}$/ ',
        'email' => 'required|email|unique:users,email',
        'username' => 'required|regex:/^[A-Za-z0-9][A-Za-z0-9: _-
    ]{1,19}$/|unique:users,username',
        'password' => 'required|regex:/^(?=.*[A-Za-z]) (?=.*\d) [A-Za-z\d]{4,}$/ ',
        'role' => 'required'
    ]);

    $reg = new \App\Model\Users();
    $reg->first = $request->firstName;
    $reg->last = $request->lastName;
    $reg->email = $request->email;
    $reg->username = $request->username;
    $reg->pass = $request->password;
    $reg->role_id = $request->role;

    try{

        $reg->reg();
        return redirect()->back()->with('insert_user_success',"You successfully
inserted new user");

    }catch(\Exception $e){

        \Log::critical('Registratin failed'.$e->getMessage());
        return redirect()->back()->with('insert_user_error',"Application is not
working, please come back later");
    }

}

/**
 * Display the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function show($id)
{

}

/**
 * Show the form for editing the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function edit($id)
{

    $users = new \App\Model\Users();

    $this->data['role'] = $users->roles();

    try {

        $this->data['role'] = $users->roles();

        $this->data['one_user'] = $users->getOne($id);
    }

```

```

        return view('admin.update.update_form',$this->data);

    } catch (\Exception $e){

        \Log::critical('Registratin failed'.$e->getMessage());
        return redirect()->back()->with('insert_user_error',"Application is not
working, please come back later");
    }

}

/**
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function update(Request $request, $id)
{

    $update_user = new \App\Model\Users();

    if($request->password == null && $request->picture == null){

        $request->validate([

            'firstName' => 'required|regex:/^[A-ZČĆŠĐŽ] [a-zčćšđž]{2,19}$/ ',
            'lastName' => 'required|regex:/^[A-ZČĆŠĐŽ] [a-zčćšđž]{2,19}$/ ',
            'email' => 'required|email| ',
            'username' => 'required|regex:/^[A-Za-z0-9] [A-Za-z0-9: _-]{1,19}$/ ',
            'role' => 'required'

        ]);

        $update_user->first = $request->firstName;
        $update_user->last = $request->lastName;
        $update_user->email = $request->email;
        $update_user->username = $request->username;
        $update_user->role_id = $request->role;

        try{

            $update_user->updateUserNoPicPassword($id);
            return redirect('/users')->with('update_user_success',"You
successfully update user information ");

        }catch(\Exception $e){

            \Log::critical('Update user failed'.$e->getMessage());
            return redirect('/users')->with('update_user_error',"Application is
not working, please come back later");
        }

    }elseif($request->picture == null){

        $request->validate([

            'firstName' => 'required|regex:/^[A-ZČĆŠĐŽ] [a-zčćšđž]{2,19}$/ ',
            'lastName' => 'required|regex:/^[A-ZČĆŠĐŽ] [a-zčćšđž]{2,19}$/ ',
            'email' => 'required|email| ',
            'username' => 'required|regex:/^[A-Za-z0-9] [A-Za-z0-9: _-]{1,19}$/ ',

```



```

        'password' => 'required|regex:/^(?=.*[A-Za-z]) (?=.*\d) [A-Za-z\d]{4,}$/',
        'role' => 'required'
    ]);

    $update_user->first = $request->firstName;
    $update_user->last = $request->LastName;
    $update_user->email = $request->email;
    $update_user->username = $request->username;
    $update_user->pass = $request->password;
    $update_user->role_id = $request->role;

    try{
        $update_user->updateUserNoPic($id);
        return redirect('/users')->with('update_user_success',"You successfully update user information");
    }catch(\Exception $e){
        \Log::critical('Update user failed'.$e->getMessage());
        return redirect('/users')->with('update_user_error',"Application is not working, please come back later");
    }

    }elseif($request->password == null){

        $request->validate([
            'firstName' => 'required|regex:/^[A-ZČĆŠĐŽ] [a-zčćšđž]{2,19}$/ ',
            'LastName' => 'required|regex:/^[A-ZČĆŠĐŽ] [a-zčćšđž]{2,19}$/ ',
            'email' => 'required|email| ',
            'username' => 'required|regex:/^[A-Za-z0-9] [A-Za-z0-9:_-]{1,19}$/ ',
            'picture' => 'required|file|mimes:jpg,jpeg,png|max:2000',
            'role' => 'required'
        ]);

        $update_user->first = $request->firstName;
        $update_user->last = $request->LastName;
        $update_user->email = $request->email;
        $update_user->username = $request->username;
        $update_user->role_id = $request->role;

        $pic = $request->file('picture');

        $picName = $pic->getClientOriginalName();
        $picName = time().$picName;

        try{
            $pic->move(public_path('images/profile_pic'),$picName);

            $update_user->picture = 'images/profile_pic/'.$picName;

            $update_user->updateUserNoPass($id);
            return redirect('/users')->with('update_user_success',"You successfully update user information");
        }catch(\Exception $e){
            \Log::critical('Update user failed'.$e->getMessage());
            return redirect('/users')->with('update_user_error',"Application is

```

```

not working, please come back later");
    }

    }else{

        $request->validate([

            'firstName' => 'required|regex:/^[A-ZČĆŠĐŽ] [a-zčćšđž]{2,19}$/ ',
            'LastName' => 'required|regex:/^[A-ZČĆŠĐŽ] [a-zčćšđž]{2,19}$/ ',
            'email' => 'required|email| ',
            'username' => 'required|regex:/^[A-Za-z0-9][A-Za-z0-9:_-]{1,19}$/ ',
            'password' => 'required|regex:/^(?=.*[A-Za-z])(?=.*\d)[A-Za-z\d]{4,}$/ ',
            'picture' => 'required|file|mimes:jpg,jpeg,png|max:2000',
            'role' => 'required'

        ]);

        $update_user->first = $request->firstName;
        $update_user->last = $request->LastName;
        $update_user->email = $request->email;
        $update_user->username = $request->username;
        $update_user->pass = $request->password;
        $update_user->role_id = $request->role;

        $pic = $request->file('picture');

        $picName = $pic->getClientOriginalName();
        $picName = time().$picName;

        try{

            $pic->move(public_path('images/profile_pic'),$picName);

            $update_user->picture = 'images/profile_pic/'.$picName;

            $update_user->updateUserAll($id);
            return redirect('/users')->with('update_user_success',"You
successfully update user information");

        }catch(\Exception $e){

            \Log::critical('Update user failed'.$e->getMessage());
            return redirect('/users')->with('update_user_error',"Application is
not working, please come back later");
        }

    }

}

/**
 * Remove the specified resource from storage.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function destroy($id)
{

    $delete_user = new \App\Model\Users();

    try{
        $delete_user->id = $id;
    }
}

```

```

        $delete_user->deleteUser();

    } catch (\Exception $e) {

        \Log::critical('Delete user failed'. $e->getMessage());

    }

}

}

```

## Video.php

```

<?php

namespace App\Http\Controllers\Admin;

use App\Http\Controllers\BaseController;
use App\Model\VideoModel;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;

class Video extends BaseController
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        $video = new VideoModel();

        $this->data['video'] = $video->getAllVideos();

        return view('admin.pages.video', $this->data);
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        return view('admin.create_video');
    }

    /**
     * Store a newly created resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @return \Illuminate\Http\Response
     */
    public function store(Request $request)
    {
        $request->validate([
            'title' => 'required|min:3|max:255',
            'video_url' => 'required|url|max:255'
        ]);

        $replaced = \Str::replaceArray('watch?v=', ['embed/'], $request->video_url);
    }
}

```

```

        $video = new VideoModel();

        $video->title = $request->title;
        $video->url = $replaced;

        try{
            $video->insertVideo();

            return redirect()->back()->with('insert_video_success','You have
successfully inserted a new video');

        }catch(\Exception $e){

            \Log::critical('Insert Video error '.$e->getMessage());
            return redirect()->back()->with('insert_video_error','Application is not
working, please come back later');
        }

    }

    /**
     * Display the specified resource.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function show($id)
    {
        //
    }

    /**
     * Show the form for editing the specified resource.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function edit($id)
    {
        $one_video = new VideoModel();

        $this->data['one_video'] = $one_video->getOne($id);

        return view('admin.update.update_video',$this->data);
    }

    /**
     * Update the specified resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function update(Request $request, $id)
    {
        $request->validate([
            'title' => 'required|min:3|max:255',
            'video_url' => 'required|url|max:255'
        ]);

        $update_video = new VideoModel();

```

```

$update_video->title = $request->title;
$update_video->url = $request->video_url;

    try{
        $update_video->updateVideo($id);

        return redirect('/admin_video')->with('update_video_success','You have
successfully update a new video');

    }catch(\Exception $e){

        \Log::critical('Insert Video error '.$e->getMessage());
        return redirect('/admin_video')->with('update_video_error','Application is
not working, please come back later');
    }

}

/**
 * Remove the specified resource from storage.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function destroy($id)
{
    $delete_video = new VideoModel();

    try{
        $delete_video->id = $id;

        $delete_video->deleteVideo();

    }catch(\Exception $e){

        \Log::critical('Delete user failed '.$e->getMessage());
    }

}
}

```

## Front End

BaseController.php

```
<?php

namespace App\Http\Controllers;

use App\Model\Meni;
use App\Model\Posts;
use App\Model\Users;
use Illuminate\Http\Request;

class BaseController extends Controller
{
    protected $data = [];

    public function __construct() {
        $meni_obj = new Meni();
        $posts = new Posts();
        $users = new Users();
        $this->data['posts'] = $posts->getAll();
        $this->data['meni'] = $meni_obj->getAllMeni();
        $this->data['role'] = $users->roles();
    }
}
```

Comment.php

```
<?php
/**
 * Created by PhpStorm.
 * User: DrobnjakS
 * Date: 3/6/2019
 * Time: 7:53 PM
 */

namespace App\Http\Controllers;
use App\Model\Comments;
use App\Model\Users;
use Illuminate\Http\Request;

class Comment extends BaseController
{
    public function store(Request $request,$id) {

        $request->validate([

            'comment_area' => 'required|max:255'
        ]);
        $com_val = $request->comment_area;
        $user_id = $request->user_id;

        $com = new Comments();

        $com->id = $id;
        $com->com = $com_val;
        $com->user_id = $user_id;

        if(session('user')){
```



```

        $activities = new Users();
        $activities->user_id = session('user')->UserId;
        $activities->text = "User ".session('user')->username." commented
".$com_val;

        try{
            $activities->insertActivities();
        }
        catch(\Exception $e){

            \Log::critical('Comment activities failed error'.$e->getMessage());
        }
    }

    try{

        $com->insertCom();
        return redirect()->back()->with('sub_comment_success','Thanks for
commenting');
    }catch(\Exception $e){

        \Log::info('Comment inser failed error'.$e->getMessage());
        return redirect()->back()->with('sub_comment_error','Application is not
working, please come back later');
    }

}

public function destroy($id){

    $delete = new Comments();

    $delete->id = $id;

    $activities = new Users();
    $activities->user_id = session('user')->UserId;
    $activities->text = "User ".session('user')->username." deleted his
comment ";

    try{
        $activities->insertActivities();
    }
    catch(\Exception $e){

        \Log::critical('Reply activities failed error'.$e->getMessage());
    }

    try{
        $delete->deleteComment();

        return redirect()->back();
    }catch (\Exception $e){

        \Log::info('Error deleting comment '.$e->getMessage());
        return redirect()->back()->with('delete_error','Application is not
working, please come back later');
    }
}

public function update(Request $request,$id){

```

```

$request->validate([
    'text' => 'required|max:255'
]);

$update = new Comments();

$update->com = $request->text;

try{
    $update->updateComment($id);

    $data['msg'] = 'Successfull update';
    return $data;

}catch (\Exception $e){
    \Log::critical('Error updating comment '.$e->getMessage());
}

}

public function reply(Request $request,$id){

    $request->validate([
        'text_rep' => 'required|max:255'
    ]);

    $replay = new Comments();

    $replay->com = $request->text_rep;
    $replay->user_id = $request->user_id;

    if(session('user')){
        $activities = new Users();
        $activities->user_id = session('user')->UserId;
        $activities->text = "User ".session('user')->username." reply ".$request-
>text_rep;

        try{
            $activities->insertActivities();
        }
        catch (\Exception $e){

            \Log::critical('Reply activities failed error'.$e->getMessage());
        }
    }

    try{

        $replay->subReplayComment($id);

        return redirect()->back();
    }catch (\Exception $e){

        \Log::critical('Comment inser failed error'.$e->getMessage());
        return redirect()->back()->with('sub_comment_error','Application is not
working, please come back later');
    }
}

```

```

    }
}

public function deleteReply($id){

    $del = new Comments();

    try{
        $del->delReply($id);

        return redirect()->back();
    }catch (\Exception $e){

        \Log::critical('Error deleting comment '.$e->getMessage());
        return redirect()->back()->with('delete_error','Application is not
working, please come back later');
    }

}

public function updateReply(Request $request,$id){

    $request->validate([

        'text' => 'required|max:255'
    ]);

    $updReply = new Comments();

    $updReply->com = $request->text;

    try{

        $updReply->updateReply($id);
        $data['msg'] = 'Successfull update';
        return $data;
    }catch (\Exception $e){

        \Log::critical('Error updating comment '.$e->getMessage());
    }

}

}

```

## Contact.php

```

<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;
use Illuminate\Support\Facades\Mail;

class Contact extends BaseController
{

    public function index()
    {

        return view('pages.contact',$this->data);
    }
}

```

```

    }

    public function send(Request $request) {

        $request->validate([
            'name' => 'required|regex:/^[A-ZČČŠŠǦǦ][a-zččššǧǧ]{2,11}(\s)*([A-ZČČŠŠǦǦ][a-zččššǧǧ]{2,19})$/ ',
            'mail' => 'required|email',
            'subject' => 'required|min:3',
            'message' => 'required|min:3'
        ]);

        $mail_data = array(

            'name' => $request->name,
            'mail' => $request->mail,
            'subject' => $request->subject,
            'text' => $request->message
        );

        try {

            Mail::send('email.contact', $mail_data, function ($message) use ($mail_data) {

                $message->from($mail_data['mail']);
                $message->to('drobnjak-85b1a2@inbox.mailtrap.io');
                $message->subject($mail_data['subject']);

            });

            return redirect()->back()->with('email_success',"You successfully sent mail");
        } catch (\Exception $e) {

            \Log::info('Sending email failed error'.$e->getMessage());
            return redirect()->back()->with('email_error',"Application is not working, please come back later");
        }

    }

}

```

## FrontEnd.php

```

namespace App\Http\Controllers;

use App\Model\Comments;
use App\Model\Posts;
use App\Model\Users;
use App\Model\VideoModel;
use Illuminate\Http\Request;

class FrontEnd extends BaseController
{

    public function index()
    {
        $posts = new Posts();
    }
}

```

```

        $res = $posts->PostsPagination();
        $this->data['most'] = $posts->PostsByVisit();

        $array_news= $posts->getAllByLatest(1);

        $this->data['latest'] = $array_news;

        $this->data['post_game'] = $posts->getAllByPost(2);
        $this->data['pagination'] = $res;

        $video = new VideoModel();

        $array_videos = $video->getAllVideos()->toArray();

        $random_video = \Arr::random($array_videos);

        $this->data['random_video'] = $random_video;

        return view("pages.home",$this->data);
    }

    public function single($id,$user_id = null){

        $visited = new Posts();

        try{
            $visited->VisitedPost($id,$user_id);
        }catch (\Exception $e){

            \Log::critical('Visiting post counter failed error'. $e->getMessage());
        }

        $this->data['count_visits'] = $visited->visitedCounter($id);

        $this->data['most'] = $visited->PostsByVisit();

        $com = new Comments();

        $this->data['count_comments'] = $com->CountCommentsForPost($id);

        $this->data['comments'] = $com->getAllByPost($id);
        $this->data['reply'] = $com->getAllReplies();

        // dd($com->getAllReplies());

        $posts = new Posts();
        $this->data['post'] = $posts->getOne($id);

        $video = new VideoModel();

        $array_videos = $video->getAllVideos()->toArray();

        $random_video = \Arr::random($array_videos);

        $this->data['random_video'] = $random_video;

        $this->data['post_game'] = $posts->getAllByPost(2);

        return view('pages.single_post',$this->data);
    }

```

```

public function about() {
    return view('pages.about', $this->data);
}

public function search(Request $request) {
    $request->validate([
        'search_value' => 'required|max:140'
    ]);

    $posts = new Posts();

    try{
        $search = $posts->LikePosts($request->search_value);
    } catch (\Exception $e) {
        \Log::critical('Search failed error'. $e->getMessage());
    }

    if($search->isEmpty()){
        $this->data['search_not_found'] = "No Resaults";
        return view('pages.search', $this->data);
    }else {
        $this->data['search_found'] = $search;
        return view('pages.search', $this->data);
    }
}
}

```

#### Gallery.php

```

<?php

namespace App\Http\Controllers;

use App\Model\Gallery_modul;
use App\Resize_picture;
use Illuminate\Http\Request;

class Gallery extends BaseController
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        $gallery = new Gallery_modul();

        $this->data['gallery'] = $gallery->getAllGallery();
        return view('pages.gallery', $this->data);
    }
}

```

```

/**
 * Show the form for creating a new resource.
 *
 * @return \Illuminate\Http\Response
 */
public function create()
{
    return view('admin.create_gallery');
}

/**
 * Store a newly created resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @return \Illuminate\Http\Response
 */
public function store(Request $request)
{
    $request->validate([
        'title' => 'required|min:2',
        'gallery_pic' => 'file|mimes:jpg,jpeg,png|max:2000|required'
    ]);

    $gallery = new Gallery_modul();

    $gallery->name = $request->title;

    $file = $request->file('gallery_pic');

    $fileName = $file->getClientOriginalName();
    $fileName = time().$fileName;

    try{
        $file->move(public_path('images/gallery'),$fileName);
        $resize = new Resize_picture();

        //
        $resize->
>malaSlika(public_path('images/gallery').'\\'.$fileName,public_path('images/small_images').'\\small_'.$fileName,100,70);

        $picture = 'images/gallery/'.$fileName;
        $small_picture = 'images/small_images/small_'.$fileName;

        $gallery->picture = $picture;
        $gallery->picture_small = $small_picture;
        $gallery->alt = $file->getClientOriginalName();

        $gallery->insertGalleryPic();

        return redirect()->back()->with('insert_gallery_success','You successfully
inserted a picture');
    }catch (\Exception $e){

        \Log::info('Failed to insert gallery picture error: '.$e->getMessage());
        return redirect()->back()->with('insert_gallery_error','Application is not
working, please come back later');
    }

}

}

/**

```

```

    * Display the specified resource.
    *
    * @param int $id
    * @return \Illuminate\Http\Response
    */
    public function show($id)
    {
        //
    }

    /**
     * Show the form for editing the specified resource.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function edit($id)
    {
        //
    }

    /**
     * Update the specified resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function update(Request $request, $id)
    {
        //
    }

    /**
     * Remove the specified resource from storage.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function destroy($id)
    {
        //
    }
}

```

Login.php

```

<?php

namespace App\Http\Controllers;

use App\Model\Users;
use App\User;
use Illuminate\Http\Request;

class Login extends BaseController
{
    public function create()
    {
        return view('pages.login', $this->data);
    }

    public function log(Request $request) {

        $username = $request->username;
    }
}

```



```

        $pass = $request->pass;
        $log_obj = new Users();

        $log = $log_obj->log($username,$pass);

        session(['user' => $log]);

        if(session('user')){

            $activities = new Users();
            $activities->user_id = session('user')->UserId;
            $activities->text = "User ".session('user')->username." logged in";

            $activities->insertActivities();

            return redirect('/')->with('login_success',"Welcome ".session('user')->username);
        }else {
            \Log::critical('Ip address '.$request->ip().', user not found');
            return redirect()->back()->with('login_error',"User not found");
        }

    }

    public function logout() {

        $activities = new Users();
        $activities->user_id = session('user')->UserId;
        $activities->text = "User ".session('user')->username." logout.";

        try{
            $activities->insertActivities();
        }
        catch(\Exception $e){

            \Log::critical('Reply activities failed error'.$e->getMessage());

        }

        session()->flush();
        return redirect('/');
    }
}

```

## Profile.php

```

<?php

namespace App\Http\Controllers;

use App\Model\Posts;
use App\Model\Profile_Edit;
use Illuminate\Http\Request;

class Profile extends BaseController
{

    public function index($username){

        $commented_posts = new Posts();

        $this->data['commented_views'] = $commented_posts->

```

```

>AllPostByComments($username);

    return view('pages.profile',$this->data);
}

public function editPic(Request $request,$id){

    $request->validate([
        'edit_picture' => 'required|file|mimes:jpg,jpeg,png|max:2000'
    ]);

    $pic = $request->file('edit_picture');

    $picName = $pic->getClientOriginalName();
    $picName = time().$picName;

    try{

        $pic->move(public_path('images/profile_pic'),$picName);

        $pic_name = 'images/profile_pic/'.$picName;
        $user = new Profile_Edit();

        $user->id = $id;
        $user->picture = $pic_name;
        $user->EditPicture();

        return redirect()->back()->with('success_edit','Successfully edit profile
picture');
    } catch (\Exception $e){

        \Log::critical('Failed to edit picture error '.$e->getMessage());
        return redirect()->back()->with('failed_edit','Application is not
working, please come back later');
    }

}

public function editProfile(Request $request,$id) {

    $request->validate([

        'first_name' => 'required|regex:/^[A-ZČĆŠĐŽ][a-zčćšđž]{2,19}$/','
        'last_name' => 'required|regex:/^[A-ZČĆŠĐŽ][a-zčćšđž]{2,19}$/','
        'email' => 'required|email',
        'username' => 'required|regex:/^[A-Za-z0-9][A-Za-z0-9:_-]{1,19}$/','
    ]);

    $update = new Profile_Edit();

    $update->id = $id;
    $update->first = $request->first_name;
    $update->last = $request->last_name;
    $update->email = $request->email;
    $update->username = $request->username;

    try{
        $update->EditProfile();

        $date['msg'] = 'Successfull update';
        return $date;

        // return redirect()->back()->with('success_edit','Successfully edit
profile info');
    } catch (\Exception $e){

```

```

        \Log::critical('Failed to edit account settings error'. $e-
>getMessage());
    }

}

}

```

## Registration.php

```

<?php

namespace App\Http\Controllers;

use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
use App\Model\Users;

class Registration extends BaseController
{
    /**
     * Display a listing of the resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        return view('pages.registration', $this->data);
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        //
    }

    /**
     * Store a newly created resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @return \Illuminate\Http\Response
     */
    public function store(Request $request)
    {
        $request->validate([

            'first' => 'required|regex:/^[A-ZČĆŠĐŽ] [a-zčćšđž]{2,19}$/ ',
            'last' => 'required|regex:/^[A-ZČĆŠĐŽ] [a-zčćšđž]{2,19}$/ ',
            'email' => 'required|email|unique:users,email',
            'username' => 'required|regex:/^[A-Za-z0-9] [A-Za-z0-9: _-]{1,19}$/|unique:users,username',
            'pass' => 'required|regex:/^(?=.*[A-Za-z]) (?=.*\d) [A-Za-z\d]{4,}$/ '

        ]);

        $reg = new Users();
    }
}

```

```

        $reg->first = $request->first;
        $reg->last = $request->last;
        $reg->email = $request->email;
        $reg->username = $request->username;
        $reg->pass = $request->pass;
        $reg->role_id = 2;

        try{
            $reg->reg();
            return redirect('/login')->with('reg_success',"You successfully
registered. Please login");
        }
        catch(QueryException $e){

            \Log::critical('Registratin failed'.$e->getMessage());
            return redirect()->back()->with('reg_error',"Registration failed, please
come back later");
        }
    }

    /**
     * Display the specified resource.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function show($id)
    {
        //
    }

    /**
     * Show the form for editing the specified resource.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function edit($id)
    {
        //
    }

    /**
     * Update the specified resource in storage.
     *
     * @param \Illuminate\Http\Request $request
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function update(Request $request, $id)
    {
        //
    }

    /**
     * Remove the specified resource from storage.
     *
     * @param int $id
     * @return \Illuminate\Http\Response
     */
    public function destroy($id)
    {
        //
    }
}

```

## View

## Admin

BackEnd.blade.php

```
@include('admin.partials.head')
@include('admin.partials.nav')
@include('admin.partials.side_bar')

    @yield('users')
    @yield('gallery')
    @yield('news')
    @yield('category')
    @yield('video')
    @yield('activities')
    @yield('update_form')
    @yield('gallery_update_form')
    @yield('news_update_form')
    @yield('cat_update_form')
    @yield('video_update_form')

@include('admin.partials.footer')
```

activities.blade.php

```
@extends('admin.layout.backEnd')

@section('activities')
    <div id="content-wrapper">

        <div class="container-fluid">

            <!-- DataTables Example -->
            <div class="card mb-3">
                <div class="card-header">
                    <i class="fas fa-table"></i>
                    Activities</div>

                <div class="card-body">
                    <input type="date" name="filter_date" id="filter_date"
style="margin-bottom: 20px;" onchange="date()"/>
                    <div class="table-responsive" id="all_days">
                        <table class="table table-bordered" id="dataTable"
width="100%" cellpadding="0">
                            <thead>
                                <tr>
                                    <th>Date</th>
                                    <th>Activities</th>
                                </tr>
                            </thead>

                            @foreach($activities as $action)
                                <tbody>
                                    <tr>
                                        <td>{{ $action->date }}</td>
                                        <td>{{ $action->text }}</td>
                                    </tr>
                                </tbody>
                            @endforeach
                        </table>
                    </div>
                    <div id="filter_days" style="display: none;">

                </div>
            </div>
        </div>
    </div>
```

```

        </div>
        {{$activities->links()}}

    </div>
    <!-- /.container-fluid -->

</div>
@endsection

@section('back_script')
    @parent
    <script type="text/javascript">

        function date() {

            var date_value = $('#filter_date').val();

            $.ajax({

                type:'GET',
                url:'/activities/sort',
                data:{
                    date:date_value
                },
                dataType:'json',
                success:function (data) {

                    var ispis = "<table class=\"table table-bordered\"
id=\"dataTable\" width=\"100%\" cellspacing=\"0\">\n" +
                        "                <thead>\n" +
                        "                <tr>\n" +
                        "                    <th>Date</th>\n" +
                        "                    <th>Activities</th>\n" +
                        "                </tr>\n" +
                        "                </thead>";

                    for(var i in data){

                        ispis += "<tbody>";
                        ispis += "<td>"+data[i].date+"</td>";
                        ispis += "<td>"+data[i].text+"</td>";
                        ispis += "</tbody>";
                    }
                    ispis += '</table>';

                    $('#all_days').hide();
                    $('#filter_days').html(ispis);
                    $('#filter_days').show();
                },
                error:function (xhr,Status,ErrMsg) {

            }
        });
    }

</script>
@endsection

```

categories.blade.php

```
@extends('admin.layout.backEnd')
```

```
@section('category')
```

```

<div id="content-wrapper">

    <div class="container-fluid">

        <!-- DataTables Example -->
        <div class="card mb-3">
            <div class="card-header">
                <i class="fas fa-table"></i>
                Category</div>
            <@if(session('update_category_success'))>
                <div class="alert alert-success">
                    {{session('update_category_success')}}
                </div>
            <@endif>
            <@if(session('update_category_error'))>
                <div class="alert alert-danger">
                    {{session('update_category_error')}}
                </div>
            <@endif>
            <div class="card-body">
                <div class="table-responsive">
                    <table class="table table-bordered" id="dataTable"
width="100%" cellpadding="0">
                        <thead>
                            <tr>
                                <th>Name</th>
                                <th>Update</th>
                                <th>Delete</th>
                            </tr>
                        </thead>
                        <@foreach($category as $cat)>
                            <tbody>
                                <td>{{ $cat->name}}</td>
                                <td><a href="{{route('admin_category.edit',['id' =>
$cat->id_cat ])}}" style="color: green;"><i class="fas fa-exchange-alt"></i></a></td>
                                <td><a href="" style="color: red;"
onclick="deleteCat('{{ $cat->id_cat }})"> <i class="fas fa-trash-alt"></i></a></td>
                            </tbody>
                        <@endforeach>
                    </table>
                    <@if(session('insert_category_success'))>
                        <div class="alert alert-success">
                            {{session('insert_category_success')}}
                        </div>
                    <@endif>
                    <@if(session('insert_category_error'))>
                        <div class="alert alert-danger">
                            {{session('insert_category_error')}}
                        </div>
                    <@endif>
                </div>
                <button name="insert_gallery" class="btn btn-warning"
onclick="showForm()">Insert</button>
                <div id="form_show" style="display: none;">
                    <form action="{{route('admin_category.store')}}"
method="POST" >
                        <@csrf>
                        <div class="form-group">
                            <label for="exampleInputEmail1">Category Name</label>
                            <input type="text" class="form-control" id="title"
name="title" aria-describedby="emailHelp">
                        </div>

```

```

        <input type="submit" name="sub_user" class="btn btn-
primary" value="Submit"/>
    </form>

    @if ($errors->any())
        <div class="alert alert-danger">
            <ul>
                @foreach ($errors->all() as $error)
                    <li>{{ $error }}</li>
                @endforeach
            </ul>
        </div>
    @endif
</div>
</div>
</div>
<!-- /.container-fluid -->

</div>
@endsection

@section('back_script')
    @parent
    <script type="text/javascript">

        function deleteCat(id) {

            $.ajax({
                type:"GET",
                url:'/admin_category/'+id+'/delete',
                dataType:'json',
                success:function () {

                },
                error:function () {

                }
            });

        }

        function showForm() {

            $("#form_show").slideToggle('slow');

        }

    </script>
@endsection

```

gallery.blade.php

```

@extends('admin.layout.backEnd')

@section('gallery')
    <div id="content-wrapper">
        <div class="container-fluid">

```



```

<!-- DataTables Example -->
<div class="card mb-3">
    <div class="card-header">
        <i class="fas fa-table"></i>
        Gallery</div>
        @if(session('update_gallery_success'))
            <div class="alert alert-success">
                {{session('update_gallery_success')}}
            </div>
        @endif
        @if(session('update_gallery_error'))
            <div class="alert alert-danger">
                {{session('update_gallery_error')}}
            </div>
        @endif
        <div class="card-body">
            <div class="table-responsive">
                <table class="table table-bordered" id="dataTable"
width="100%" cellpadding="0">
                    <thead>
                        <tr>
                            <th>Title</th>
                            <th>Small Picture</th>
                            <th>Update</th>
                            <th>Delete</th>
                        </tr>
                    </thead>
                    @foreach($gallery as $pic)
                        <tbody>
                            <td>{{ $pic->title }}</td>
                            <td>alt }}" /></td>
                            <td><a href="{{route('admin_gallery.edit', ['id' =>
$pic->id ]) }}" style="color: green;"><i class="fas fa-exchange-alt"></i></a></td>
                            <td><a href="" style="color: red;"
onclick="deleteGallery('{{ $pic->id }}'"> <i class="fas fa-trash-alt"></i></a></td>
                        </tbody>
                    @endforeach
                </table>

                @if(session('insert_gallery_success'))
                    <div class="alert alert-success">
                        {{session('insert_gallery_success')}}
                    </div>
                @endif
                @if(session('insert_gallery_error'))
                    <div class="alert alert-danger">
                        {{session('insert_gallery_error')}}
                    </div>
                @endif
            </div>
            {{ $gallery->links() }}

            <button name="insert_gallery" class="btn btn-warning"
onclick="showForm()">Insert</button>
            <div id="form_show" style="display: none;">
                <form action="{{route('admin_gallery.store')}}" method="POST"
enctype="multipart/form-data">
                    @csrf
                    <div class="form-group">
                        <label for="exampleInputEmail1">Title</label>
                        <input type="text" class="form-control" id="title"
name="title" aria-describedby="emailHelp">
                    </div>

```

```

        <div class="form-group">
            <label for="exampleInputEmail1">Image</label>
            <input type="file" class="form-control" id="picture"
name="picture" aria-describedby="emailHelp" >
        </div>
        <input type="submit" name="sub_user" class="btn btn-
primary" value="Submit"/>
    </form>

    @if ($errors->any())
        <div class="alert alert-danger">
            <ul>
                @foreach ($errors->all() as $error)
                    <li>{{ $error }}</li>
                @endforeach
            </ul>
        </div>
    @endif
</div>
</div>
</div>
<!-- /.container-fluid -->

</div>
<!-- /.content-wrapper -->
@endsection

@section('back_script')
    @parent
    <script type="text/javascript">

        function deleteGallery(id) {

            $.ajax({
                type:"GET",
                url:'/admin_gallery/'+id+'/delete',
                dataType:'json',
                success:function () {

                },
                error:function () {

                }
            });
        }

        function showForm() {

            $("#form_show").slideToggle('slow');
        }

    </script>
@endsection

```

```

@extends('admin.layout.backEnd')
@section('users')
    <div id="content-wrapper">

        <div class="container-fluid">

            <!-- DataTables Example -->
            <div class="card mb-3">
                <div class="card-header">
                    <i class="fas fa-table"></i>
                    Users</div>
                @if(session('update_user_success'))
                    <div class="alert alert-success">
                        {{session('update_user_success')}}
                    </div>
                @endif
                @if(session('update_user_error'))
                    <div class="alert alert-danger">
                        {{session('update_user_error')}}
                    </div>
                @endif
                <div class="card-body">
                    <div class="table-responsive">
                        <table class="table table-bordered" id="dataTable"
width="100%" cellpadding="0">
                            <thead>
                                <tr>
                                    <th>First Name</th>
                                    <th>Last Name</th>
                                    <th>Email</th>
                                    <th>Role</th>
                                    <th>Update</th>
                                    <th>Delete</th>
                                </tr>
                            </thead>
                            @foreach($users as $user)
                                <tbody>
                                    <td>{{ $user->first_name}}</td>
                                    <td>{{ $user->last_name}}</td>
                                    <td>{{ $user->email}}</td>
                                    <td>{{ $user->name}}</td>
                                    <td><a href="{{route('users.edit', ['id' => $user-
>UserId])}}" style="color: green;"><i class="fas fa-exchange-alt"></i></a></td>
                                    <td><a href="" style="color: red;"
onclick="deleteUser({{ $user->UserId}})"> <i class="fas fa-trash-alt"></i></a></td>
                                </tbody>
                            @endforeach
                        </table>
                        @if(session('insert_user_success'))
                            <div class="alert alert-success">
                                {{session('insert_user_success')}}
                            </div>
                        @endif
                        @if(session('insert_user_error'))
                            <div class="alert alert-danger">
                                {{session('insert_user_error')}}
                            </div>
                        @endif
                        @if ($errors->any())
                            <div class="alert alert-danger">
                                <ul>
                                    @foreach ($errors->all() as $error)
                                        <li>{{ $error }}</li>
                                    @endforeach
                                </ul>
                            </div>
                        @endif
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        </ul>
    </div>
    @endif
</div>

    <button name="insert_user" class="btn btn-warning"
onclick="showForm()">Insert</button>
    <div id="form_show" style="display: none;">
        <form action="{{route('users.store')}}" method="POST"
onsubmit="return Config()">
            @csrf
            <div class="form-group">
                <label for="exampleInputEmail1">First Name</label>
                <input type="text" class="form-control" id="firstName"
name="firstName" aria-describedby="emailHelp">
            </div>
            <div class="form-group">
                <label for="exampleInputPassword1">Last Name</label>
                <input type="text" class="form-control" id="LastName"
name="LastName">
            </div>
            <div class="form-group">
                <label for="exampleInputEmail1">Email address</label>
                <input type="email" class="form-control" id="email"
name="email" aria-describedby="emailHelp" >
            </div>
            <div class="form-group">
                <label for="exampleInputEmail1">Username</label>
                <input type="text" class="form-control" id="username"
name="username" aria-describedby="emailHelp" >
            </div>
            <div class="form-group">
                <label for="exampleInputEmail1">Password</label>
                <input type="password" class="form-control"
id="password" name="password" aria-describedby="emailHelp" >
            </div>
            <div class="form-group">
                <label for="exampleInputEmail1">Confirm
Password</label>
                <input type="password" class="form-control"
id="confirm_pass" name="confirm_pass" aria-describedby="emailHelp" >
            </div>
            <div class="form-group">
                <label for="exampleInputEmail1">Role</label>
                <select class="custom-select" name="role">
                    <option value="0">Select</option>
                    @foreach($role as $r)
                        <option value="{{ $r->id_role }}">{{ $r-
>name }}</option>
                    @endforeach
                </select>
            </div>
            <input type="submit" name="sub_user" class="btn btn-
primary" value="Submit"/>
        </form>
    </div>

</div>
</div>
</div>

```

```

        <!-- /.container-fluid -->

    </div>
    <!-- /.content-wrapper -->
@endsection

@section('back_script')
    @parent

    <script type="text/javascript">

        function deleteUser(id) {

            $.ajax({
                type:"GET",
                url:'/users/'+id+'/delete',
                dataType:'json',
                success:function() {

                },
                error:function () {

                }
            });
        }

        function Config() {

            var confirm_pass = $('#confirm_pass').val();

            var pass = $('#password').val();

            if (confirm_pass !== pass) {

                alert("Passwords don't match");
                return false;
            }else{

                return true;
            }

        }

        function showForm() {

            $('#form_show').slideToggle('slow');

        }

    </script>

@endsection

```

```

@extends('admin.layout.backEnd')

@section('news')

    <div id="content-wrapper">

        <div class="container-fluid">

            <!-- DataTables Example -->
            <div class="card mb-3">
                <div class="card-header">
                    <i class="fas fa-table"></i>
                    News</div>
                @if(session('update_news_success'))
                    <div class="alert alert-success">
                        {{session('update_news_success')}}
                    </div>
                @endif
                @if(session('update_news_error'))
                    <div class="alert alert-danger">
                        {{session('update_news_error')}}
                    </div>
                @endif
                <div class="card-body">
                    <div class="table-responsive">
                        <table class="table table-bordered" id="dataTable"
width="100%" cellpadding="0">
                            <thead>
                                <tr>
                                    <th>Headline</th>
                                    <th>Small picture</th>
                                    <th>Date Published</th>
                                    <th>Update</th>
                                    <th>Delete</th>
                                </tr>
                            </thead>
                            @foreach($news as $post)
                                <tbody>
                                    <td>{{ $post->headline}}</td>
                                    <td>alt }}"></td>
                                    <td>{{date('M d Y',strtotime($post-
>date_published))}}</td>
                                    <td><a href="{{route('admin_news.edit',['id' => $post-
>id ])}}" style="color: green;"><i class="fas fa-exchange-alt"></i></a></td>
                                    <td><a href="" style="color: red;"
onclick="deleteNews({{$post->id}})"><i class="fas fa-trash-alt"></i></a></td>
                                </tbody>
                            @endforeach
                        </table>

                        @if(session('insert_post_success'))
                            <div class="alert alert-success">
                                {{session('insert_post_success')}}
                            </div>
                        @endif
                        @if(session('insert_post_error'))
                            <div class="alert alert-danger">
                                {{session('insert_post_error')}}
                            </div>
                        @endif
                    </div>
                    {{--{{ $news->links() }}--}}
                </div>
            </div>
        </div>
    </div>

```

```

        <button name="insert_news" class="btn btn-warning"
onclick="showForm()">Insert</button>
        <div id="form_show" style="display: none;">
            <form action="{{route('admin_news.store')}}" method="POST"
enctype="multipart/form-data">
                @csrf
                <div class="form-group">
                    <label for="exampleInputEmail1">Headline</label>
                    <input type="text" class="form-control" id="title"
name="title" aria-describedby="emailHelp">
                </div>
                <div class="form-group">
                    <label for="exampleInputPassword1">Text</label><br/>
                    <textarea name="text" cols="200"></textarea>
                </div>
                <div class="form-group">
                    <label for="exampleInputEmail1">Image</label>
                    <input type="file" class="form-control" id="picture"
name="picture" aria-describedby="emailHelp" >
                </div>
                <div class="form-group">
                    <label for="exampleInputEmail1">Category</label>
                    <select class="custom-select" name="catId">
                        <option value="0">Select</option>
                        @foreach($category as $r)
                            <option value="{{ $r->id_cat }}">{{ $r-
>name}}</option>
                        @endforeach
                    </select>
                </div>
                <input type="submit" name="sub_user" class="btn btn-
primary" value="Submit"/>
            </form>

            @if ($errors->any())
                <div class="alert alert-danger">
                    <ul>
                        @foreach ($errors->all() as $error)
                            <li>{{ $error }}</li>
                        @endforeach
                    </ul>
                </div>
            @endif

        </div>

    </div>
<!-- /.container-fluid -->

</div>

@endsection

@section('back_script')
    @parent
    <script type="text/javascript">

        function deleteNews(id) {

            $.ajax({
                type:"GET",

```

```

        url: '/admin_news/'+id+'/delete',
        dataType: 'json',
        success: function () {

        },
        error: function () {

        }
    });

}

function showForm() {

    $("#form_show").slideToggle('slow');

}

</script>
@endsection

```

video.blade.php

```

@extends('admin.layout.backEnd')

@section('video')

    <div id="content-wrapper">

        <div class="container-fluid">

            <!-- DataTables Example -->
            <div class="card mb-3">
                <div class="card-header">
                    <i class="fas fa-table"></i>
                    Video</div>
                @if(session('update_video_success'))
                    <div class="alert alert-success">
                        {{session('update_video_success')}}
                    </div>
                @endif
                @if(session('update_video_error'))
                    <div class="alert alert-danger">
                        {{session('update_video_error')}}
                    </div>
                @endif
                <div class="card-body">
                    <div class="table-responsive">
                        <table class="table table-bordered" id="dataTable"
width="100%" cellspacing="0">
                            <thead>
                                <tr>
                                    <th>Title</th>
                                    <th>Video</th>
                                    <th>Update</th>
                                    <th>Delete</th>
                                </tr>
                            </thead>
                            @foreach($video as $clip)
                                <tbody>
                                    <tr>
                                        <td>{{ $clip->title }}</td>
                                        <td><iframe src="{{ $clip->url }}"></iframe></td>
                                        <td><a href="{{ route('admin_video.edit', ['id' =>

```



```

$clip->id ]}}}" style="color: green;"><i class="fas fa-exchange-alt"></i></a></td>
      <td><a href="" style="color: red;"
onclick="deleteVideo({{$clip->id}})"> <i class="fas fa-trash-alt"></i></a></td>
    </tbody>
  </table>

  @endforeach

  </table>

  @if(session('insert_video_success'))
    <div class="alert alert-success">
      {{session('insert_video_success')}}
    </div>
  @endif

  @if(session('insert_video_error'))
    <div class="alert alert-danger">
      {{session('insert_video_error')}}
    </div>
  @endif
</div>

  <button name="insert_gallery" class="btn btn-warning"
onclick="showForm()">Insert</button>
  <div id="form_show" style="display: none;">
    <form action="{{route('admin_video.store')}}" method="POST">
      @csrf
      <div class="form-group">
        <label for="exampleInputEmail1">Title</label>
        <input type="text" class="form-control" id="title"
name="title" aria-describedby="emailHelp">
      </div>
      <div class="form-group">
        <label for="exampleInputEmail1">URL</label>
        <input type="url" class="form-control" id="video_url"
name="video_url" aria-describedby="emailHelp" >
      </div>
      <input type="submit" name="sub_user" class="btn btn-
primary" value="Submit"/>
    </form>

    @if ($errors->any())
      <div class="alert alert-danger">
        <ul>
          @foreach ($errors->all() as $error)
            <li>{{ $error }}</li>
          @endforeach
        </ul>
      </div>
    @endif
  </div>
</div>
<!-- /.container-fluid -->

</div>
@endsection

@section('back_script')
  @parent
  <script type="text/javascript">

    function deleteVideo(id) {

```

```

        $.ajax({
            type:"GET",
            url:'/admin_video/'+id+'/delete',
            dataType:'json',
            success:function() {

            },
            error:function () {

            }
        });
    }

    function showForm() {

        $("#form_show").slideToggle('slow');

    }

</script>
@endsection

```

#### footer.blade.php

```

<!-- /.container-fluid -->

<!-- Sticky Footer -->
<footer class="sticky-footer">
    <div class="container my-auto">
        <div class="copyright text-center my-auto">
            <span>Copyright © Your Website 2019</span>
        </div>
    </div>
</footer>

</div>
<!-- /.content-wrapper -->

</div>
<!-- /#wrapper -->

<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>

<!-- Logout Modal-->
<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Ready to Leave?</h5>
                <button class="close" type="button" data-dismiss="modal" aria-
label="Close">
                    <span aria-hidden="true">x</span>
                </button>
            </div>
            <div class="modal-body">Select "Logout" below if you are ready to end your
current session.</div>

```

```

        <div class="modal-footer">
            <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>
            <a class="btn btn-primary" href="{{asset('/logout')}}">Logout</a>
        </div>
    </div>
</div>
</div>
</div>

@section('back_script')
<!-- Bootstrap core JavaScript-->
<script src="{{asset('js/jquery.min.js')}}"></script>
<script src="{{asset('/bootstrap/js/bootstrap.bundle.js')}}"></script>

<!-- Core plugin JavaScript-->
<script src="{{asset('/jquery-easing/jquery.easing.min.js')}}"></script>

<!-- Page level plugin JavaScript-->
{{--<script src="{{asset('/datatables/jquery.dataTables.js')}}"></script>--}}
<script src="{{asset('/datatables/dataTables.bootstrap4.js')}}"></script>

<!-- Custom scripts for all pages-->
<script src="{{asset('js/sb-admin.min.js')}}"></script>

<!-- Demo scripts for this page-->
{{--<script src="{{asset('js/demo/datatables-demo.js')}}"></script>--}}
<script src="{{asset('js/demo/chart-area-demo.js')}}"></script>
@show

</body>
</html>

```

#### head.blade.php

```

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>NBA News | Admin</title>

    <!-- Custom fonts for this template-->
    <link href="{{asset('/fontawesome-free/css/all.css')}}" rel="stylesheet"
type="text/css">

    <!-- Page level plugin CSS-->
    <link href="{{asset('/datatables/dataTables.bootstrap4.css')}}" rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="{{asset('css/sb-admin.css')}}" rel="stylesheet">

</head>

```

#### nav.blade.php

```

<body id="page-top">

```

```

<nav class="navbar navbar-expand navbar-dark bg-dark static-top">

    <a class="navbar-brand mr-1" href="{{route('users.index')}}">Admin Panel</a>

    <button class="btn btn-link btn-sm text-white order-1 order-sm-0"
id="sidebarToggle" href="#">
        <i class="fas fa-bars"></i>
    </button>

    <!-- Navbar Search -->
    <form class="d-none d-md-inline-block form-inline ml-auto mr-0 mr-md-3 my-2 my-md-0">

    </form>

    <!-- Navbar -->
    <ul class="navbar-nav ml-auto ml-md-0">

        </li>
        <li class="nav-item dropdown no-arrow">
            <a class="nav-link dropdown-toggle" href="#" id="userDropdown"
role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                <i class="fas fa-user-circle fa-fw"></i>
            </a>
            <div class="dropdown-menu dropdown-menu-right" aria-
labelledby="userDropdown">
                <a class="dropdown-item" href="{{route('profile',['username' =>
session('user')->username])}}">Profile</a>
                <div class="dropdown-divider"></div>
                {{--MODAL SE NALAZI U FOOTERU--}}
                <a class="dropdown-item" href="#" data-toggle="modal" data-
target="#logoutModal">Logout</a>
            </div>
        </li>
    </ul>

</nav>

<div id="wrapper">

```

#### side\_bar.blade.php

```

<!-- Sidebar -->
<ul class="sidebar navbar-nav">
    <li class="nav-item">
        <a class="nav-link" href="{{route('users.index')}}">
            <i class="fas fa-users"></i>
            <span>Users</span>
        </a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="{{route('admin_gallery.index')}}">
            <i class="fas fa-images"></i>
            <span>Gallery</span></a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="{{route('admin_news.index')}}">
            <i class="far fa-newspaper"></i>
            <span>News</span></a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="{{route('admin_category.index')}}">
            <i class="fab fa-slack"></i>
            <span>Category</span></a>
    </li>

```

```

<li class="nav-item">
  <a class="nav-link" href="{{route('admin_video.index')}}">
    <i class="fas fa-video"></i>
    <span>Video</span></a>
  </li>
  <li class="nav-item">
    <a class="nav-link" href="{{asset('/activities')}}">
      <i class="fas fa-chart-line"></i>
      <span>Activities</span></a>
    </li>
</ul>

```

#### update\_caterogy.blade.php

```

@extends('admin.layout.backEnd')

@section('cat_update_form')

  <div class="card-body">

    <form action="{{route('admin_category.update',['id' => $one_cat->id_cat])}}"
method="POST" enctype="multipart/form-data" >
      @method('PUT')
      @csrf
      <div class="form-group">
        <label for="exampleInputEmail1">Category Name</label>
        <input type="text" class="form-control" id="title" name="title" aria-
describedby="emailHelp" value="{{ $one_cat->name }}">
      </div>
      <input type="submit" name="sub_user" class="btn btn-primary"
value="Submit"/>

    </form>
    @if ($errors->any())
      <div class="alert alert-danger">
        <ul>
          @foreach ($errors->all() as $error)
            <li>{{ $error }}</li>
          @endforeach
        </ul>
      </div>
    @endif
  </div>
@endsection

```

#### update\_form.blade.php

```

@extends('admin.layout.backEnd')

@section('update_form')

  <div class="card-body">

    <form action="{{route('users.update',['id' => $one_user->UserId])}}"
method="POST" enctype="multipart/form-data" >
      @method('PUT')
      @csrf
      <div class="form-group">
        <label for="exampleInputEmail1">First Name</label>
        <input type="text" class="form-control" id="firstName" name="firstName"
aria-describedby="emailHelp" value="{{ $one_user->first_name }}" >
      </div>
      <div class="form-group">
        <label for="exampleInputPassword1">Last Name</label>
        <input type="text" class="form-control" id="LastName" name="LastName"
value="{{ $one_user->last_name }}" >
      </div>

```

```

        <div class="form-group">
            <label for="exampleInputEmail">Email address</label>
            <input type="email" class="form-control" id="email" name="email" aria-
describedby="emailHelp" value="{{ $one_user->email }}" >

        </div>
        <div class="form-group">
            <label for="exampleInputEmail">Username</label>
            <input type="text" class="form-control" id="username" name="username"
aria-describedby="emailHelp" value="{{ $one_user->username }}" >

        </div>
        <div class="form-group">
            <label for="exampleInputEmail">Password</label>
            <input type="password" class="form-control" id="password" name="password"
aria-describedby="emailHelp" >
        </div>
        <div class="form-group">
            <label for="exampleInputEmail">Role</label>
            <select class="custom-select" name="role">
                <option value="0">Select</option>
                @foreach($role as $r)
                    <option value="{{ $r->id_role }}" selected="{{ $r->name }}">
                @endforeach
            </select>
        </div>
        <div class="form-group">
            <label for="exampleInputEmail">Image</label>
            <input type="file" class="form-control" id="picture" name="picture" aria-
describedby="emailHelp" >
            
        </div>

        <input type="submit" name="sub_user" class="btn btn-primary" value="Submit"/>
    </form>
    @if ($errors->any())
        <div class="alert alert-danger">
            <ul>
                @foreach ($errors->all() as $error)
                    <li>{{ $error }}</li>
                @endforeach
            </ul>
        </div>
    @endif
</div>
@endsection

```

update\_gallery.blade.php

```

@extends('admin.layout.backEnd')

@section('gallery_update_form')

    <div class="card-body">

        <form action="{{ route('admin_gallery.update', ['id' => $one_pic->id]) }}"
method="POST" enctype="multipart/form-data" >
            @method('PUT')
            @csrf
            <div class="form-group">
                <label for="exampleInputEmail">Title</label>
                <input type="text" class="form-control" id="title"
name="title" aria-describedby="emailHelp" value="{{ $one_pic->title }}">

```

```

        </div>
        <div class="form-group">
            <label for="exampleInputEmail1">Image</label>
            <input type="file" class="form-control" id="picture"
name="picture" aria-describedby="emailHelp" >
            
        </div>
        <input type="submit" name="sub_user" class="btn btn-primary"
value="Submit"/>

    </form>
    @if ($errors->any())
        <div class="alert alert-danger">
            <ul>
                @foreach ($errors->all() as $error)
                    <li>{{ $error }}</li>
                @endforeach
            </ul>
        </div>
    @endif
</div>
@endsection

```

#### update\_news.blade.php

```

@extends('admin.layout.backEnd')

@section('news_update_form')

    <div class="card-body">

        <form action="{{route('admin_news.update',['id' => $one_post->id])}}"
method="POST" enctype="multipart/form-data" >
            @method('PUT')
            @csrf
            <div class="form-group">
                <label for="exampleInputEmail1">Headline</label>
                <input type="text" class="form-control" id="title" name="title" aria-
describedby="emailHelp" value="{{ $one_post->headline }}" />
            </div>
            <div class="form-group">
                <label for="exampleInputPassword1">Text</label><br/>
                <textarea name="text" cols="200">{{ $one_post->text }}</textarea>
            </div>
            <div class="form-group">
                <label for="exampleInputEmail1">Image</label>
                <input type="file" class="form-control" id="picture" name="picture"
aria-describedby="emailHelp" >
                alt }}" />
            </div>
            <div class="form-group">
                <label for="exampleInputEmail1">Category</label>
                <select class="custom-select" name="catId">
                    <option value="0">Select</option>
                    @foreach($category as $r)
                        <option value="{{ $r->id_cat }}" @if($one_post->cat_id ==
$r->id_cat) selected @endif>{{ $r->name }}</option>
                    @endforeach
                </select>
            </div>
            <input type="submit" name="sub_user" class="btn btn-primary"
value="Submit"/>
        </form>
        @if ($errors->any())

```

```

        <div class="alert alert-danger">
            <ul>
                @foreach ($errors->all() as $error)
                    <li>{{ $error }}</li>
                @endforeach
            </ul>
        </div>
    @endif
</div>
@endsection

```

#### update\_video.blade.php

```

@extends('admin.layout.backEnd')

@section('video_update_form')

    <div class="card-body">

        <form action="{{route('admin_video.update',['id' => $one_video->id])}}"
method="POST" enctype="multipart/form-data" >
            @method('PUT')
            @csrf
            <div class="form-group">
                <label for="exampleInputEmail">Title</label>
                <input type="text" class="form-control" id="title" name="title" aria-
describedby="emailHelp" value="{{ $one_video->title }}">
            </div>
            <div class="form-group">
                <label for="exampleInputEmail">Title</label>
                <input type="url" class="form-control" id="video_url" name="video_url"
aria-describedby="emailHelp" value="{{ $one_video->url }}">
            </div>
            <input type="submit" name="sub_user" class="btn btn-primary"
value="Submit"/>
        </form>
        @if ($errors->any())
            <div class="alert alert-danger">
                <ul>
                    @foreach ($errors->all() as $error)
                        <li>{{ $error }}</li>
                    @endforeach
                </ul>
            </div>
        @endif
    </div>
@endsection

```



## FronEnd

frontEnd.blade.php

```
@include('partials.head')
@include('partials.nav')

@include('partials.side_nav')

    @yield('search')
    @yield('profile')
    @yield('single_post')
    @yield('about')
    @yield('contact')
    @yield('gallery')
    @yield('reg')
    @yield('login')
    @yield('home')

    {{--BACKEND--}}
@yield('post_form')
@include('partials.footer')
@include('partials.script')
```

footer.blade.php

```
<!--/Footer-->
<div class="footer">
    <div class="footer-top">
        <div class="col-md-4 footer-grid">
            <h4>Lorem sadipscing </h4>
            <ul class="bottom">
                <li>Consetetur sadipscing elitr</li>
                <li>Magna aliquyam erat sed diam</li>
            </ul>
        </div>
        <div class="col-md-4 footer-grid">
            <h4>Message Us Now</h4>
            <ul class="bottom">
                <li><i class="glyphicon glyphicon-home"></i>Available 24/7 </li>
                <li><i class="glyphicon glyphicon-envelope"></i><a
href="mailto:info@example.com">mail@example.com</a></li>
            </ul>
        </div>
        <div class="col-md-4 footer-grid">
            <h4>Address Location</h4>
            <ul class="bottom">
                <li><i class="glyphicon glyphicon-map-marker"></i>2901 Glassgow Road,
WA 98122-1090 </li>
                <li><i class="glyphicon glyphicon-earphone"></i>phone: (888) 123-456-
7899 </li>
            </ul>
        </div>
        <div class="clearfix"> </div>
    </div>
</div>
<div class="copy">
    <p>&copy; 2019. All Rights Reserved | Stefan Drobnjak</p>
</div>
<div class="clearfix"> </div>
</div>
<div class="clearfix"> </div>
</div>
```

head.blade.php

```

<!DOCTYPE HTML>
<html>
<head>
    @section('header')
    <title>NBA News | @yield('title')</title>
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <meta name="keywords" content="Blogger Responsive web template, Bootstrap Web
Templates, Flat Web Templates, Android Compatible web template,
Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG,
SonyEricsson, Motorola web design" />
    <script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
    <link href="{{asset('css/bootstrap.css')}}" rel='stylesheet' type='text/css' />
    <link
href="//fonts.googleapis.com/css?family=Open+Sans:700,700italic,800,300,300italic,400i
talic,400,600,600italic" rel='stylesheet' type='text/css'>
    <!--Custom-Theme-files-->
    <link href="{{asset('css/style.css')}}" rel='stylesheet' type='text/css' />
    <script src="{{asset('js/jquery.min.js')}}"> </script>
    <!--/script-->
    <script type="text/javascript" src="{{asset('js/move-top.js')}}"></script>
    <script type="text/javascript" src="{{asset('js/easing.js')}}"></script>
    <script type="text/javascript">

        jQuery(document).ready(function($) {
            $(".scroll").click(function(event){
                event.preventDefault();
                $('html,body').animate({scrollTop:$(this.hash).offset().top},900);
            });
        });
    </script>
    @show
</head>

```

nav.blade.php

```

<body>
<!-- header-section-starts -->
<div class="h-top" id="home">
    <div class="top-header">
        <ul class="cl-effect-16 top-nag">
            @if(!session('user'))
            <li><a href="{{asset('/registration')}}" data-
hover="Registration">Registration</a></li>
            <li><a href="{{asset('/login')}}" data-hover="Login">Login</a></li>
            @else
            <li><a href="{{asset('/logout')}}" data-hover="Logout">Logout</a></li>
            <li><a href="{{route('profile', ['username'=>session('user')-
>username])}}" data-hover="Profile">Profile</a></li>
            @if(session('user')->name == 'admin')
            <li><a href="{{route('users.index')}}" data-
hover="Logout">Admin</a></li>
            @endif
            @endif
        </ul>
        <div class="search-box">
            <div class="b-search">
                <form action="{{asset('/search')}}" method="get">
                    <input type="text" name="search_value"/>
                    <input type="submit" name="search" value="" />
                </form>
            </div>
        </div>
        <div class="clearfix"></div>
    </div>

```

```

    </div>
</div>

@section('script')

@endsection

```

#### script.blade.php

```

<!--//footer-->
<!--start-smooth-scrolling-->
@section('script')
<script type="text/javascript">
    $(document).ready(function() {
        /*
        var defaults = {
            containerID: 'toTop', // fading element id
            containerHoverID: 'toTopHover', // fading element hover id
            scrollSpeed: 1200,
            easingType: 'linear'
        };
        */

        $().UItoTop({ easingType: 'easeOutQuart' });

    });
</script>
@show
<a href="#home" id="toTop" class="scroll" style="display: block;"> <span
id="toTopHover" style="opacity: 1;"> </span></a>

</body>
</html>

```

#### side\_nav.blade.php

```

<div class="full">
<div class="col-md-3 top-nav">
    <div class="logo">
        <a href="/"><h1>NBA NEWS</h1>
        <p>National Basketball Association</p>
    </a>

    </div>
    <div class="top-menu">
        <span class="menu"> </span>

        <ul class="cl-effect-16">
            @foreach($meni as $link)
                <li><a href="{{asset($link->nav)}}" data-hover="HOME">{{ $link->name}}</a></li>
            @endforeach
        </ul>
        <!-- script-for-nav -->
        <script>
            $( "span.menu" ).click(function() {
                $( ".top-menu ul" ).slideToggle(300, function() {
                    // Animation complete.
                });
            });
        </script>
        <!-- script-for-nav -->
        <ul class="side-icons">
            <li><a class="fb" href="https://www.facebook.com"></a></li>
            <li><a class="twitt" href="https://twitter.com"></a></li>
            <li><a class="goog" href="https://www.google.com"></a></li>

```

```

        <li><a class="drib" href="https://dribbble.com"></a></li>
    </ul>
</div>
</div>
<div class="col-md-9 main">

```

about.blade.php

```

@extends('layouts.frontEnd')
@section('title')
    About
@endsection
@section('about')

    <div id="autor">
        <div id="autor_centar">
            <h3 class="tittle">About <i class="glyphicon glyphicon-user"></i></h3>
            <div id="autor_slika">
                
            </div>
            <div id="tekst_autor">
                <p>
                    My name is Stefan Drobnjak.This is my first website in
                    Laravel.Hope you enjoy it.
                </p>
            </div>
        </div>
    </div>
    @endsection

```

contact.blade.php

```

@extends('layouts.frontEnd')
@section('title')
    Contact
@endsection
@section('contact')
    <div class="contact">
        <h3 class="tittle">Find Us <i class="glyphicon glyphicon-map-marker"></i></h3>
        <div class="contact-left">
            <iframe
src="https://maps.google.com/maps?f=q&source=s_q&hl=en&geocode=&q=Purwokerto,+Central+Java,+Indonesia&aq=0&oq=purwo&sll=37.0625,-95.677068&sspn=50.291089,104.238281&ie=UTF8&hq=&hnear=Purwokerto,+Banyumas,+Central+Java,+Indonesia&ll=-7.431391,109.24783&spn=0.031022,0.050898&t=m&z=14&output=embed"></iframe>

            </div>
            <div class="contact-right">
                <p class="phn">+9100 2481 5842</p>
                <p class="phn-bottom">4578 Marmora
                    <span>Road, Glasgow D04 89GR</span></p>
                <p class="lom">Nullam ac urna velit. Pellentesque in arcu tortor.
                    Pellentesque nec est et elit varius pulvinar eget vitae sapien.
                    Aenean vehicula accumsan gravida.</p>
            </div>
            <div class="clearfix"> </div>
            <div class="contact-left1">
                <h3>Contact Us With <span>Any questions</span></h3>
                @if ($errors->any())
                    <div class="alert alert-danger">
                        <ul>
                            @foreach ($errors->all() as $error)
                                <li>{{ $error }}</li>
                            @endforeach
                        </ul>
                    </div>
                @endif
            </div>
        </div>
    </div>

```

```

        </ul>
    </div>
    @endif

    @if(session('email_success'))
        <div class="alert alert-success">
            {{session('email_success')}}
        </div>
    @endif

    @if(session('email_error'))
        <div class="alert alert-danger">
            {{session('email_error')}}
        </div>
    @endif

    <div class="in-left">
        <form action="{{asset('/contact')}}" method="POST">
            @csrf
            <p class="your-para">Your Name :</p>
            <input type="text" name="name">
            <p class="your-para">Your Mail :</p>
            <input type="text" name="mail">
            <p class="your-para">Subject:</p>
            <input type="text" name="subject">

        </div>
        <div class="in-right">

            <textarea cols="77" rows="6" name="message"></textarea>
            <input type="submit" value="Submit" name="sub_mail">

        </form>
    </div>

    <div class="clearfix"> </div>
</div>
<div class="contact-right1">
    <h3><span>Social Websites</span></h3>
    <h4>Nullam ac urna velit pellentesque in <label>arcu tortor
        Pellentesque nec</label></h4>
    <p>Nullam ac urna velit. Pellentesque in arcu tortor.
        Pellentesque nec est et elit varius pulvinar eget vitae sapien.
        Aenean vehicula accumsan gravida. Cum sociis natoque penatibus
        et magnis dis parturient montes, nascetur ridiculus mus. Phasellus
        et lectus in urna consequat consectetur ut eget risus.</p>
    <ul class=" side-icons con">
        <li><a class="fb" href="#"></a></li>
        <li><a class="twitt" href="#"></a></li>
        <li><a class="goog" href="#"></a></li>
        <li><a class="drib" href="#"></a></li>
    </ul>
</div>
<div class="clearfix"> </div>
<!-- //contact -->
</div>
<div class="clearfix"> </div>
@endsection

```

gallery.blade.php

```

@extends('layouts.frontEnd')
@section('title')
    Gallery
@endsection
@section('header')
    @parent
    <!--Custom-Theme-files-->

```

```

<link href="css/style.css" rel='stylesheet' type='text/css' />
<link rel="stylesheet" href="css/lightbox.css" type="text/css" media="all" />
<script src="js/modernizr.custom.js"></script>
<script src="js/jquery.min.js"> </script>
    @endsection
@section('gallery')
    <!--grids-->
    <div class="gallery-section">
        <h3 class="tittle">In Game <i class="glyphicon glyphicon-camera"></i></h3>
        <div class="categorie-grids cs-style-1">

            @foreach($gallery as $picture)
                <div class="col-md-4 cate-grid grid">
                    <figure>
                        alt}}}" width="600" height="378">
                        <figcaption>
                            <h3>{{{$picture->title}}}</h3>
                            <a class="example-image-link" href="{{asset($picture->picture_path)}}" data-lightbox="example-1" data-title="Interior Design">VIEW</a>
                        </figcaption>
                    </figure>
                </div>
            @endforeach

            <script src="js/lightbox.js"></script>
            <div class="clearfix"></div>
            {{{$gallery->links()}}}

        </div>
    </div>
    <div class="clearfix"> </div>
    @endsection

```

#### [home.blade.php](#)

```

@extends('layouts.frontEnd')
@section('title')
    Home
    @endsection
@section('home')

    <!--banner-section-->
    <div class="banner-section">
        @if(session('login_success'))
            <div class="alert alert-success">
                {{{session('login_success')}}}
            </div>
        @endif
        {{{--{{dd(session('user')->UserId)}}--}}}
        <h3 class="tittle">Latest news <i class="glyphicon glyphicon-bookmark">
    "></i></h3>
        <div class="banner">
            <div class="callbacks_container">
                <ul class="rslides" id="slider4">
                    @foreach($latest as $post)
                        <li>
                            <a href="{{route('single_post',['id'=>$post->id])}}">alt}}}" /></a>
                            <h5 class="top"><a href="{{route('single_post',['id' => $post->id,'user_id'=>isset(session('user')->UserId)?session('user')->UserId:null])}}">{{{$post->headline}}}</a></h5>
                            <p>{{str_limit($post->text,240)}}</p>
                            <p>{{"On ".date('M d',strtotime($post->date_published))}}<a class="span_link" href="{{route('single_post',['id'=>$post->id])}}"><span class="glyphicon glyphicon-circle-arrow-right"></span></a></p>
                        </li>
                    @endforeach
                </ul>
            </div>
        </div>
    </div>

```

```

        @endforeach
    </ul>
</div>
<!--banner-->
<script src="js/responsiveslides.min.js"></script>
<script>
    // You can also use "$(window).load(function() {"
    $(function () {
        // Slideshow 4
        $("#slider4").responsiveSlides({
            auto: true,
            pager: true,
            nav: true,
            speed: 500,
            namespace: "callbacks",
            before: function () {
                $('.events').append("<li>before event fired.</li>");
            },
            after: function () {
                $('.events').append("<li>after event fired.</li>");
            }
        });
    });
</script>
<div class="clearfix"> </div>
<div class="b-bottom">

        </div>
</div>
<!--//banner-->
<!--//top-news-->
<div class="top-news">
    <div class="top-inner">
        @foreach($pagination as $post)
        <div class="col-md-6 top-text">
            <a href="{{route('single_post', ['id'=>$post->id])}}">alt}}"></a>
            <h5 class="top"><a href="{{route('single_post', ['id' => $post-
>id, 'user_id'=>isset(session('user')->UserId)?session('user')->
UserId:null]}}">{{ $post->headline}}</a></h5>
            <p>{{str_limit($post->text,240)}}</p>
            <p>{{"On ".date('M d',strtotime($post->date_published))}}<a
class="span_link" href="{{route('single_post', ['id'=>$post->id])}}"><span
class="glyphicon glyphicon-circle-arrow-right"></span></a></p>
            </div>
        @endforeach
    </div>
    <div class="clearfix"> </div>
</div>
    <div class="pagination_center">
        {{ $pagination->links() }}
    </div>

</div>

<!--//banner-section-->
<div class="banner-right-text">
    <h3 class="tittle">Highlights <i class="glyphicon glyphicon-facetime-
video"></i></h3>
<!--/general-news-->
<div class="general-news">
    <div class="general-inner">

        <div class="general-text">
            <div class="video-container">

```

```

        <iframe width="853" height="480" src="{{ $random_video->url }}"
frameborder="0" allowfullscreen=""></iframe>
    </div>

    <h5 class="highlight_title">{{ $random_video->title }}</h5>
</div>

    <div class="edit-pics">
        <h4 class="tittle" style="margin-top: 65px;">Most Viewed <i
class="glyphicon glyphicon-eye-open"></i></h4>
        @foreach($most as $late)
            <div class="editor-pics">
                <div class="col-md-3 item-pic">
                    <a href="{{ route('single_post', ['id'=>$late-
>id]) }}"></a>
                </div>
                <div class="col-md-9 item-details">
                    <h5 class="inner two"><a
href="{{ route('single_post', ['id'=>$late->id]) }}">{{ $late->headline }}</a></h5>
                    <div class="td-post-date two"><i class="glyphicon
glyphicon-time"></i>{{ date('M d,Y',strtotime($late->date_published)) }} <a href="#"><i
class="glyphicon glyphicon-eye-open"></i>{{ $late->BrojPregreda }}</a></div>
                    </div>
                    <div class="clearfix"></div>
                </div>
            </div>
        @endforeach
    </div>

    <div class="media">
        <h3 class="tittle media">Post game conference <i class="glyphicon
glyphicon-cog"></i></h3>
        <div class="general-text two">
            @foreach($post_game as $post)
                <a href="{{ route('single_post', ['id'=>$post->id]) }}"></a>
                <h5 class="top"><a href="{{ asset('/post/'. $post->
>id) }}">{{ $post->headline }}</a></h5>
                <p>{{ str_limit($post->text,240) }}</p>
                <p>{{ "On ".date('M d',strtotime($post->date_published)) }}<a
class="span_link" href="{{ route('single_post', ['id'=>$post->id]) }}"><span
class="glyphicon glyphicon-circle-arrow-right"></span></a></p>
            @endforeach
        </div>
    </div>

    <div class="pagination_center">
        {{--{{ $post_game->links() }}--}}
    </div>
    {{--<div class="general-text two">--}}
        {{--<a href="single.html"></a>--}}
        {{--<h5 class="top"><a href="single.html">Consetetur sadipscing
elit</a></h5>--}}
        {{--<p>Consetetur sadipscing elit, sed diam nonumy eirmod tempor
invidunt labore dolore magna aliquyam erat sed diam justo duo dolores rebum.</p>--}}
        {{--<p>On Jun 27 <a class="span_link" href="#"><span
class="glyphicon glyphicon-comment"></span>0 </a><a class="span_link" href="#"><span
class="glyphicon glyphicon-eye-open"></span>56 </a><a class="span_link"
href="single.html"><span class="glyphicon glyphicon-circle-arrow-
right"></span></a></p>--}}
        {{--</div>--}}
    {{--<div class="pagination_center">--}}
        {{--{{ $pagination->links() }}--}}
    {{--</div>--}}

```



```

        </div>
    </div>
    <!--//general-news-->
    <!--/news-->
    <!--/news-->
</div>
<div class="clearfix"> </div>
@endsection

```

login.blade.php

```

@extends('layouts.frontEnd')
@section('title')
    Login
@endsection
@section('login')
    @if (session('reg_success'))
        <div class="alert alert-success">
            {{ session('reg_success') }}
        </div>
    @endif
    @if (session('login_error'))
        <div class="alert alert-danger">
            {{ session('login_error') }}
        </div>
    @endif
    <!-- login-page -->
    <div class="login">
        <div class="login-grids">
            <div class="col-md-6 log">
                <h3 class="tittle">Login <i class="glyphicon glyphicon-log-
in"></i></h3>
                <p>Welcome, please enter the following to continue.</p>
                <form action="{{asset('/login')}}" method="POST" onsubmit="return
Login()">
                    @csrf
                    <h5>User Name:</h5>
                    <input type="text" name="username" id="username">
                    <h5>Password:</h5>
                    <input type="password" name="pass" id="pass">
                    <input type="submit" name="login" id="login" value="Login">

                    </form>
                    <div class="alert alert-danger" id="log_error"></div>
                </div>
                <div class="col-md-6 login-right">
                    <h3 class="tittle">New Registration <i class="glyphicon glyphicon-
registration-mark"></i></h3>
                    <p>If your not registered click on the link below</p>
                    <a href="{{asset('/registration')}}" class="hvr-bounce-to-bottom
button">Create An Account</a>
                </div>
                <div class="clearfix"></div>
            </div>
        </div>
    <!-- //login-page -->
    <div class="clearfix"> </div>

@endsection
@section('script')

    @parent
    <script type="text/javascript">

        function Login() {

```

```

var errors_array = [];
var username = $('#username').val();

var username_reg = /^[A-Za-z0-9]+(?:[ _-][A-Za-z0-9]+)*$/;

if (!username_reg.test(username)) {
    errors_array.push('Bad username');
}

var pass = $('#pass').val();

var pass_reg = /^(?=.*[A-Za-z])(?=.*\d)[A-Za-z\d]{4,}$/;

if (!pass_reg.test(pass)) {
    errors_array.push('Bad Password');
}

if(errors_array.length > 0){

    var error = '<ul>';
    for (var i in errors_array) {

        error += "<li>" + errors_array[i] + "</li>";
    }
    error += '</ul>';

    $('#log_error').html(error);
    $('#log_error').show();
    return false;
}else{

    return true;
}

}

</script>
@endsection

```

profile.blade.php

```

@extends('layouts.frontEnd')

@section('title')
    Profile
@endsection
@section('script')
    @parent
@endsection

@section('profile')
    {{--{{dd($commented_views)}}--}}

<div class="container">
    <div class="row profile">
        <div class="col-md-3">
            <div class="profile-sidebar">
                <!-- SIDEBAR USERPIC -->
                <div class="profile-userpic">
                    
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        <!-- END SIDEBAR USERPIC -->
        <!-- SIDEBAR USER TITLE -->
        <div class="profile-usertitle">
            <div class="profile-usertitle-name">
                {{session('user')->username}}
            </div>
        </div>
        <!-- END SIDEBAR USER TITLE -->
        <!-- SIDEBAR BUTTONS -->
        <div class="profile-userbuttons">
            <button type="button" class="btn btn-success btn-sm"
id="btn_edit_pic">Edit Picture</button>
        </div>
        <!-- END SIDEBAR BUTTONS -->
        <!-- SIDEBAR MENU -->
        <div class="profile-usermenu">
            <ul class="nav">
                <li class="active">
                    <a href="#" class="viewed">
                        <i class="glyphicon glyphicon-home"></i>
                        Viewed Posts </a>
                </li>
                <li>
                    <a href="#" class="prof_settings">
                        <i class="glyphicon glyphicon-user"></i>
                        Account Settings </a>
                </li>
            </ul>
        </div>
        <!-- END MENU -->
    </div>
</div>
<div class="col-md-9">
    @if ($errors->any())
        <div class="alert alert-danger">
            <ul>
                @foreach ($errors->all() as $error)
                    <li>{{ $error }}</li>
                @endforeach
            </ul>
        </div>
    @endif
    @if(session('success_edit'))
        <div class="alert alert-success">
            {{session('success_edit')}}
        </div>
    @endif
    @if(session('failed_edit'))
        <div class="alert alert-danger">
            {{session('failed_edit')}}
        </div>
    @endif
    <div class="profile-content">
        {{--EDIT PICTURE--}}
        <div id="edit_pic" style="display: none; margin-bottom: 30px;">
            <h3>Edit picture</h3>
            <br>
            <form action="{{route('edit_pic', ['id' => session('user')->UserId])}}" method="post" enctype="multipart/form-data">
                @csrf
                <p>Image</p>
                <input type="file" id="edit_picture" name="edit_picture">
                <input type="submit" id="btnEditPic" name="btnEditPic"
value="Edit" class="btn btn-success btn-sm"/>
            </form>

```

```

        </div>
        @if($commented_views->count() == 0)
        <div id="viewed_posts">
            <h3>Commented Posts</h3>
            <br>
            You didn't comment any posts so far
            <br>
            <a href="{{asset('/')}}" class="btn btn-success btn-sm">Home
Page</a>

        </div>
        @else
            <h3>Commented Posts</h3>
            <div class="container_com_post">
                <div class="row">
                    @foreach($commented_views as $com_view)
                        <div class="col-sm-4" style="text-align: center;">
                            <div class="card">
                                alt }}" width="150">
                                <div class="card-body text-center">
                                    <h5 class="card-title">{{ $com_view->headline}}</h5>
                                    <a href="{{route('single_post', ['id' =>$com_view->id_p, 'user_id'=>$com_view->id_u])}}" class="btn btn-success">View
Post</a>

                                </div>
                            </div>
                        </div>
                    @endforeach
                </div>
                <div class="text-align: right">
                    <a href="{{route('commented_posts')}}" class="btn btn-success btn-sm">{{ $commented_views->links() }}
                </div>
            </div>

        @endif

        <div id="profile_settings" style="display: none; margin-top: 20px">
            <h3>Account Settings</h3>
            <br>

            <div class="form-group row">
                <div class="col-sm-2 col-form-label">First Name</div>
                <div class="col-sm-10">
                    <input type="text" class="form-control-plaintext"
id="profile_first" name="first_name" value="{{session('user')->first_name}}">
                </div>
            </div>
            <div class="form-group row">
                <div class="col-sm-2 col-form-label">Last Name</div>
                <div class="col-sm-10">
                    <input type="text" class="form-control-plaintext"
id="profile_last" name="last_name" value="{{session('user')->last_name}}">
                </div>
            </div>
            <div class="form-group row">
                <div class="col-sm-2 col-form-label">Email</div>
                <div class="col-sm-10">
                    <input type="text" class="form-control-plaintext"
id="profile_email" name="email" value="{{session('user')->email}}">
                </div>
            </div>
            <div class="form-group row">
                <div class="col-sm-2 col-form-label">Username</div>
                <div class="col-sm-10">
                    <input type="text" class="form-control-plaintext"
id="profile_username" name="username" value="{{session('user')->username}}">
                </div>
            </div>
        </div>
    </div>
</div>

```

```
<div class="col-sm-10">
    <input type="text" class="form-control plaintext"
id="profile_username" name="username" value="{{session('user')->username}}">
    </div>
</div>
<div class="form-group row">
    <div class="col-sm-10">
        <button name="profile_edit" class="btn btn-success
btn-sm" onclick="editProfile('{{session('user')->UserId}})">Edit Profile</button>
    </div>
</div>
<div id="ajax_ispis"></div>

</div>
</div>
</div>
</div>
@endsection

@section('script')
    @parent
    <script type="text/javascript">

function editProfile(id){

var first_name = $('#profile_first').val();
var last_name = $('#profile_last').val();
var email = $('#profile_email').val();
var username = $('#profile_username').val();


$.ajax({

    type:'POST',
    url:"/profile/"+id+"/edit",
    data:{
        first_name:first_name,
        last_name:last_name,
        email:email,
        username:username
    },
    dataType:'json',
    success:function (data) {

        $('#profile_first').val(first_name);
        $('#profile_last').val(last_name);
        $('#profile_email').val(email);
        $('#profile_username').val(username);
        alert(data.msg);

    },
    error:function (xhr,Status,ErrMsg) {

        let errors = JSON.parse(xhr.responseText).errors;

        let status = xhr.status;

        if(status == 422){

            var ispis = "<ul>";
            for(var i in errors){

                ispis += '<li>'+errors[i]+'</li>';


```

```

    }
    ispis += '</ul>';

    $('#ajax_ispis').html(ispis);

} else {

    alert('Application is not working, please come back later');

}

}

});
}

```

```

$('li > a').click(function() {
    $('li').removeClass();
    $(this).parent().addClass('active');
});

$('#btn_edit_pic').click(function() {

    $('#edit_pic').show();
    $('#viewed_posts').hide();
    $('#profile_settings').hide();

});

$('.viewed').click(function () {

    $('#edit_pic').hide();
    $('#viewed_posts').show();
    $('#profile_settings').hide();
});

$('.prof_settings').click(function () {

    $('#edit_pic').hide();
    $('#viewed_posts').hide();
    $('#profile_settings').show();
});

```

```

</script>
@endsection

```

registration.blade.php

```

@extends('layouts.frontEnd')
@section('title')
    Registration
@endsection
@section('reg')
    <!-- register -->
    <div class="sign-up-form">
        <h3 class="tittle">Registration <i class="glyphicon glyphicon-registration-
mark"></i></h3>

```

```

        <div class="sign-up">
            <form action="{{asset('/registration')}}" method="post" onsubmit="return
Registration()">
                @csrf
                <h3 class="tittle reg">Personal Information <i class="glyphicon glyphicon-
user"></i></h3>
                <div class="sign-u">
                    <div class="sign-up1">
                        <h4 class="a">First Name* :</h4>
                    </div>
                    <div class="sign-up2">
                        <input type="text" class="text" name='first' id='first' />
                    </div>
                    <div class="clearfix"> </div>
                </div>
                <div class="sign-u">
                    <div class="sign-up1">
                        <h4 class="b">Last Name* :</h4>
                    </div>
                    <div class="sign-up2">
                        <input type="text" class="text" name="last" id="last" />
                    </div>
                    <div class="clearfix"> </div>
                </div>
                <div class="sign-u">
                    <div class="sign-up1">
                        <h4 class="c">Email Address* :</h4>
                    </div>
                    <div class="sign-up2">
                        <input type="text" class="text" name="email" id="email" />
                    </div>
                    <div class="clearfix"> </div>
                </div>
                <h3 class="tittle reg">Login Information <i class="glyphicon glyphicon-
log-in"></i></h3>
                <div class="sign-u">
                    <div class="sign-up1">
                        <h4 class="d">Username* :</h4>
                    </div>
                    <div class="sign-up2">
                        <input type="text" class="text" name="username" id="username"
/>
                    </div>
                    <div class="clearfix"> </div>
                </div>
                <div class="sign-u">
                    <div class="sign-up1">
                        <h4 class="d">Password* :</h4>
                    </div>
                    <div class="sign-up2">
                        <input type="password" class="Password" name="pass" id="pass"
/>
                    </div>
                    <div class="clearfix"> </div>
                </div>
                <div class="sign-u">
                    <div class="sign-up1">
                        <h4>Confirm Password* :</h4>
                    </div>
                    <div class="sign-up2">
                        <input type="password" class="Password" name="confirm_pass"
id="confirm_pass" />
                    </div>

```

```

        <div class="clearfix"> </div>
    </div>
    <input type="submit" name="registration" value="Submit">

</form>
<div class="alert alert-danger" id="reg_errors" ></div>
@if ($errors->any())
    <div class="alert alert-danger">
        <ul>
            @foreach ($errors->all() as $error)
                <li>{{ $error }}</li>
            @endforeach
        </ul>
    </div>
@endif
@if(session('reg_error'))
    <div class="alert alert-warning">
        {{ session('reg_error') }}
    </div>
@endif
</div>

</div>
<!-- //register -->
@endsection
@section('script')
    @parent
    <script type="text/javascript">

        function Users() {

            var errors_array = [];

            var first = $('#first').val();

            var first_reg = /^[A-ZČĆŠĐŽ][a-zčćšđž]{2,19}$/;

            if (!first_reg.test(first)) {

                errors_array.push('Bad first name');

            }

            var last = $('#last').val();

            var last_reg = /^[A-ZČĆŠĐŽ][a-zčćšđž]{2,14}$/;

            if (!last_reg.test(last)) {

                errors_array.push("Bad last name");

            }

            var email = $('#email').val();

            var email_reg = /^[a-zA-Z0-9-_.]+@[a-zA-Z0-9]+(?:\.[a-zA-Z0-9]+)*$/;

            if (!email_reg.test(email)) {

                errors_array.push('Bad Email');

            }

            var username = $('#username').val();

            var username_reg = /^[A-Za-z0-9]+(?:[ _-][A-Za-z0-9]+)*$/;

            if (!username_reg.test(username)) {

```



```

        errors_array.push('Bad username');
    }

    var pass = $('#pass').val();

    var pass_reg = /^(?=.*[A-Za-z])(?=.*\d)[A-Za-z\d]{4,}$/;

    if (!pass_reg.test(pass)) {

        errors_array.push('Bad Password');
    }

    var confirm_pass = $('#confirm_pass').val();

    var confirm_pass_reg = /^(?=.*[A-Za-z])(?=.*\d)[A-Za-z\d]{4,}$/;

    if (!confirm_pass_reg.test(confirm_pass)) {

        errors_array.push('Bad Confirm Password');
    }

    if (confirm_pass !== pass) {

        alert("Passwords don't match");
        return false;
    }

    if (errors_array.length !== 0) {

        var error = '<ul>';
        for (var i in errors_array) {

            error += "<li>" + errors_array[i] + "</li>";
        }
        error += '</ul>';

        $('#reg_errors').html(error);
        $('#reg_errors').show();
        return false;
    }
    else {

        return true;
    }

}

```

```

</script>
@endsection

```

search.blade.php

```

@extends('layouts.frontEnd')

@section('title')
    Search
@endsection

@section('search')
    {{--{{dd($search_found)}}--}}
    <div class="card-group">
        @if(isset($search_found))
            <div class="card text-center">
                <div class="card-header">

```

```

        <h3 class="card-title">Results</h3>
    </div>
</div>
@foreach($search_found as $found)
    <div class="search_block">
        <div class="gsc-thumbnail-inside">
            <div class="gs-title"><a href="{{route('single_post',['id'
=>$found->id])}}">{{ $found->headline}}</a>
            </div>
        </div>
        <div class="gsc-url-top">
        </div><table class="gsc-table-result"><tbody><tr><td class="gsc-
table-cell-thumbnail gsc-thumbnail" style="">
            <div class="gs-image-box gs-web-image-box gs-web-
image-box-landscape">
                <a class="gs-image"
href="{{route('single_post',['id' =>$found->id])}}">
                    </a></td><td class="gsc-table-cell-
snippet-close"><div class="gs-title gsc-table-cell-thumbnail gsc-thumbnail-
left"><a></a>
                </div>
                <div class="ltr">{{str_limit($found-
>text,240)}}</div>
                <div class="gsc-url-bottom">
                </div>
                <div class="gs-richsnippet-box" style="display:
none;"></div>
                <div class="gs-per-result-labels" ><a
href="{{route('single_post',['id' =>$found->id])}}" class="btn btn-success btn-
sm">View Post </a></div></td></tr></tbody></table>
            </div>
        @endforeach
        <div class="pagination_center">
            {{ $search_found->appends(['search_value' => 'zion' , 'search' =>
'Submit'])->links() }}
        </div>
        @else
        <div class="spacing">
        <div class="card text-center">
            <div class="card-body">
                <h5 class="card-title">{{ $search_not_found}}</h5>
                <p class="card-text">No results found for your current search</p>
                <a href="{{asset('/')}}>Home
Page</a>
            </div>
        </div>
        </div>
    @endif
</div>
@endsection

```

single\_post.blade.php

```

@extends('layouts.frontEnd')

{{--@section('header')--}}
    {{--@parent--}}
    {{--<meta property="og:url" content="{{route('single_post',['id' =>
$post->id])}}>" />--}}
    {{--<meta property="og:type" content="article" />--}}
    {{--<meta property="og:title" content="{{ $post->headline}}>" />--}}
    {{--<meta property="og:description" content="{{ $post->small_text}}>" />--}}

```

```

{{!--<meta property="og:image"                content="{{ $post->picture }}" />--}}

{{!--@endsection--}}

@section('title')
    {{ $post->headline }}
@endsection
@section('header')
    @parent
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.0/js/bootstrap.min.js"></script>
    @endsection
@section('single_post')

    <!--banner-section-->
    <div class="banner-section">
        @if ($errors->any())
            <div class="alert alert-danger">
                <ul>
                    @foreach ($errors->all() as $error)
                        <li>{{ $error }}</li>
                    @endforeach
                </ul>
            </div>
        @endif
        @if(session('delete_error'))
            <div class="alert alert-danger">
                {{session('delete_error')}}
            </div>
        @endif
        @if(session('sub_comment_success'))
            <div class="alert alert-success">
                {{session('sub_comment_success')}}
            </div>
        @endif
        @if(session('sub_comment_error'))
            <div class="alert alert-danger">
                {{session('sub_comment_error')}}
            </div>
        @endif
        <h3 class="tittle">{{ $post->headline }}</h3>
        <div class="single">
            
            <div class="b-bottom">
                <p class="sub">{{ $post->text }}</p>
                <p>{{"On ".date('M d',strtotime($post->date_published))}}<a
class="span_link" ><span class="glyphicon glyphicon-
comment"></span>{{ $count_comments }}</a><a class="span_link"><span class="glyphicon
glyphicon-eye-open"></span>{{ $count_visits }}</a></p>

            </div>
        </div>
        <div class="single-bottom">
            {{!--<div class="single-middle">--}}
            {{!--<ul class="social-share">--}}
            {{!--<li><span>SHARE</span></li>--}}
            {{!--<li><a href="#"><i> </i></a></li>--}}
            {{!--<li><a href="#"><i class="tin"> </i></a></li>--}}
            {{!--<li><a href="#"><i class="message"> </i></a></li>--}}
            {{!--</ul>--}}
            {{!--<a href="#"><i class="arrow"> </i></a>--}}
            {{!--<div class="clearfix"> </div>--}}
            {{!--</div>--}}

```

```

</div>
<div class="response">
  <div id="response_tag"></div>
  <h4>Responses</h4>
  <div class="media response-info">

                                                                    {{--COMMENT--}}

    @isset($comments)
    @foreach($comments as $com)
      <div class="media-left response-text-left " >
        <a>
          alt}}}" width="80px"/>
        </a>
        <h5><a> {{{$com->username}}}</a></h5>
      </div>
      <div class="media-body response-text-right ">
        <div id="comment_ajax_{{{$com->com_id}}}">
          <p>{{{$com->com}}}</p>
        </div>
        <div id="update_comment_ajax_{{{$com->com_id}}}" style="display:
none;">

          </div>
          <ul>
            <li>{{(date('M d,Y',strtotime($com->date_comment))}}</li>
            @isset(session('user')->UserId)
            <li><a href="#response_tag" class="rep_com"
onclick="show('{{{$com->com_id}}}" data-id="{{{$com->com_id}}}">Reply</a></li>
            <div id="rep_form_{{{$com->com_id}}}" style="display: none;">
              <div class="media response-info">
                <div class="media-body response-text-right">
                  <form action="{{route('reply_comment', ['id'=>$com-
>com_id])}}}" method="POST">

                    @csrf
                    <textarea rows="4" cols="67" id="text_rep"
name="text_rep"></textarea>

                    <input type="hidden" name="user_id"
value="{{session('user')->UserId}}"/>

                    <input type="submit" id="sub_rep"
value="Reply"/>

                  </form>
                </div>
                <div class="clearfix"> </div>
              </div>

            </div>

            @if($com->id u == session('user')->UserId)
            <li><a href="{{route('del_comment', ['id'=>$com-
>com_id])}}}">Delete</a></li>
            <li><a data-toggle="modal" href="#myModal">Update</a></li>
              <div id="myModal" class="modal fade" role="dialog">
                <div class="modal-dialog">

                  <!-- Modal content-->
                  <div class="modal-content">
                    <div class="modal-header">
                      <button type="button" class="close"
data-dismiss="modal">&times;</button>

                      <h4 class="modal-title">Update
Comment</h4>

                    </div>
                    <div class="modal-body">
                      <textarea rows="4" cols="67"

```

```
id="update_comment_modal" >{{ $com->com }}</textarea>
    <input type="hidden" id="com_id"
value="{{ $com->com_id }}" />
    </div>
    <div class="modal-footer">
        <button type="button" class="btn btn-
default" data-dismiss="modal" id="btn_modal_update" onclick="update_com('{{ $com-
>com_id }})'>Save</button>
    </div>
</div>
</div>
</div>
@endif
@endisset

{{--REPLAY--}}

@foreach($reply as $rep)
    @if($com->com_id == $rep->id_c)
    <div class="media response-info">
        <div class="media-left response-text-left">
            <a>
                alt }}" width="80px" />
            </a>
            <h5><a href="#">{{ $rep->username }}</a></h5>
        </div>
        <div class="media-body response-text-right">
            <span id="reply_ajax_{{ $rep->rep_id }}"><p>{{ $rep-
>reply }}</p></span>
            <span id="update_reply_ajax_{{ $rep->rep_id }}"
style="display: none;"></span>
            <ul>
                <li>{{ date('M d,Y',strtotime($rep-
>date_comment)) }}</li>
                @isset(session('user')->UserId)
                    @if($rep->id_user == session('user')->
                    UserId)
                        <li><a href="{{ route('reply_del', ['id'=>$rep-
                        >rep_id]) }}">Delete</a></li>
                        <li><a data-toggle="modal"
href="#myModalReply">Update</a></li>
                        <div id="myModalReply" class="modal fade"
role="dialog">
                            <div class="modal-dialog">
                                <!-- Modal content-->
                                <div class="modal-content">
                                    <div class="modal-header">
                                        <button type="button"
class="close" data-dismiss="modal">&times;</button>
                                        <h4 class="modal-title">Update
Comment</h4>
                                    </div>
                                    <div class="modal-body">
                                        <textarea rows="4" cols="67"
id="update_reply_modal" >{{ $rep->reply }}</textarea>
                                        <input type="hidden"
id="rep_id" value="{{ $rep->rep_id }}" />
                                    </div>
                                    <div class="modal-footer">
                                        <button type="button"
class="btn btn-default" data-dismiss="modal" id="btn_modal_reply"
onclick="update_rep('{{ $rep->rep_id }})'>Save</button>

```

```

        </div>
    </div>

    </div>
</div>
@endif
@endisset
</ul>
</span>
<div class="clearfix"> </div>
</div>

    @endif
    @endforeach
</ul>
</div>
    <div class="clearfix"> </div>
    @endforeach
    @endisset
</div>
@if(session('user'))
<div class="coment-form">
    <h4>Leave your comment</h4>
    <form action="{{route('sub_comment', ['id' => $post->id])}}" method="POST">
        <textarea name="comment_area" id="comment_area" placeholder="Your
comment..."></textarea>
        <input type="hidden" name="user_id" id="user_id"
value="{{session('user')->UserId}}"/>
        <input type="submit" id="sub_com" value="submit comment"/>
    </form>
</div>
    <div id="com_success" class="alert alert-success" style="display:
none;"></div>
    @else
    <div id="comment_no_auth">
        <p>SAMO ULOGOVANI KORISNICI MOGU DA KOMENTARISU</p>
    </div>

    @endif
    <div class="clearfix"></div>
</div>

</div>

<!--//banner-->
<!--//banner-section-->
<div class="banner-right-text">
    <h3 class="tittle">News <i class="glyphicon glyphicon-facetime-
video"></i></h3>
    <!--//general-news-->
    <div class="general-news">
        <div class="general-inner">
            <div class="general-text">
                <div class="video-container">

                    <iframe width="853" height="480" src="{{ $random_video->url }}"
frameborder="0" allowfullscreen=""></iframe>
                </div>

                <h5 class="highlight_title">{{ $random_video->title }}</h5>
            </div>

```

```

        <div class="edit-pics">
            <h4 class="tittle" style="margin-top: 25px;">Most Viewed <i
class="glyphicon glyphicon-eye-open"></i></h4>

            @foreach($most as $late)
                <div class="editor-pics">
                    <div class="col-md-3 item-pic">
                        <a href="{{route('single_post', ['id'=>$late-
>id])}}"></a>
                    </div>
                    <div class="col-md-9 item-details">
                        <h5 class="inner two"><a
href="{{route('single_post', ['id'=>$late->id])}}">{{ $late->headline}}r</a></h5>
                        <div class="td-post-date two"><i class="glyphicon
glyphicon-time"></i>{{date('M d,Y',strtotime($late->date_published))}} <a href="#"><i
class="glyphicon glyphicon-eye-open"></i>{{ $late->BrojPregreda}}</a></div>
                    </div>
                    <div class="clearfix"></div>
                </div>

            @endforeach

        </div>
        <div class="media">
            <h3 class="tittle media">Post game conference <i class="glyphicon
glyphicon-cog"></i></h3>
            <div class="general-text two">
                @foreach($post_game as $post)
                    <a href="{{route('single_post', ['id'=>$post->id])}}"></a>
                    <h5 class="top"><a href="{{asset('/post/'. $post->
>id)}}">{{ $post->headline}}</a></h5>
                    <p>{{str_limit($post->text,240)}}</p>
                    <p>{{"On ".date('M d',strtotime($post->
>date_published))}}<a class="span_link" href="{{route('single_post', ['id'=>$post->
>id])}}"><span class="glyphicon glyphicon-circle-arrow-right"></span></a></p>
                @endforeach
            </div>
        </div>
        {{--<div class="general-text two">--}}
        {{--<a href="#"></a>--}}
        {{--<h5 class="top"><a href="#">Consetetur sadipscing
elit</a></h5>--}}
        {{--<p>Consetetur sadipscing elit, sed diam nonumy eirmod tempor
invidunt labore dolore magna aliquyam erat, sed diam justo duo dolores rebum.</p>--}}
        {{--<p>On Jun 27 <a class="span_link" href="#"><span
class="glyphicon glyphicon-comment"></span>0 </a><a class="span_link" href="#"><span
class="glyphicon glyphicon-eye-open"></span>56 </a><a class="span_link" href="#"><span
class="glyphicon glyphicon-circle-arrow-right"></span></a></p>--}}
        {{--</div>--}}
    </div>
<!--//general-news-->
<!--//news-->
<!--//news-->
</div>
<div class="clearfix"> </div>
@endsection

@section('script')
    @parent
    <script type="text/javascript">

        $('#btn_modal_update').click(function () {

```

```

var com_id = $('#com_id').val();
var text = $('#update_comment_modal').val();

$.ajax({
    type: 'PUT',
    url: '/comment/'+com_id,
    data: {
        text: text
    },
    dataType: 'json',
    success: function (data) {
        alert(data.msg);
    },
    error: function (xhr, Status, ErrMsg) {

        var status = xhr.status;

        switch(status) {
            case 422:
                alert('The given data was invalid.');
```

break;

```
            case 500:
                alert('Server error, please come back later');
```

break;

```
            default:
                alert('Application is not working, please come back later');
```

}

```
        }
    }
});
})

$('#btn_modal_reply').click(function () {

    var rep_id = $('#rep_id').val();
    var text = $('#update_reply_modal').val();

    $.ajax({
        type: 'PUT',
        url: '/reply/'+rep_id,
        data: {
            text: text
        },
        dataType: 'json',
        success: function (data) {
            alert(data.msg);
        },
        error: function (xhr, Status, ErrMsg) {

            var status = xhr.status;

            switch(status) {
                case 422:
                    alert('The given data was invalid.');
```

break;

```
                case 500:
                    alert('Server error, please come back later');
```

break;

```
                default:
                    alert('Application is rep_comnot working, please come back
later');
```

}

```
            }
        }
    }
});
})

```



```
    });  
  })  
  
  function update_com(id) {  
  
    $('#comment_ajax_'+id).hide();  
  
    var text = $('#update_comment_modal').val();  
  
    var ispis = '<p>'+text+'</p>';  
    $('#update_comment_ajax_'+id).html(ispis);  
    $('#update_comment_ajax_'+id).show();  
  }  
  
  function update_rep(id) {  
  
    $('#reply_ajax_'+id).hide();  
  
    var text = $('#update_reply_modal').val();  
  
    var ispis = '<p>'+text+'</p>';  
    $('#update_reply_ajax_'+id).html(ispis);  
    $('#update_reply_ajax_'+id).show();  
  }  
  
  function show(id) {  
    $('#rep_form_'+id).show();  
  }  
}
```

```
</script>  
@endsection
```