Visoka ICT skola

DOKUMENTACIJA

Predmet: PHP2

Student: Stefan Drobnjak 14/16 Beograd, Februar 2019

UVOD

Korisceni programski jezici

Za izradu ovog sajta koriscene su sledece tehnologije:


- PHP
- HTML
- CSS
- JavaScript
- Jquery
- AJAX

Funkcionalnosti sajta


- Izbor ponude
- Registracija
- Logovanje
- Izmena profila ulogovanih korisnika
- Admin panel
- Dinamicko ispisivanje:
 - tekstova na vrhu sajta
 - trenera
 - raspored treninga
 - ponuda
 - galerije
 - zadovoljni clanovi
- Anketa
- Kontaktiranje admina

Napomena: Da bi se korisnika registrovao mora da izabere ponudu koja cemu se nakon logovanja prikazati na profilu zajedno sa periodom trajanje izabrane ponude.


Dizajn baze podataka:




Stranice:



Pocetna stranica za administratora na kojoj samo on ima pristup. U sekciji Korisnici administrator ima mogucnost izmene, brisanje I unosa novog korisnika(unos sve izvrsava kao normalna registracija na osnovu teksta navedonog u napomeni)



Forma za izmenu korisnika




U sekciji Ponuda administrator moze da dodaje(klik na + pored ponude), izmeni I obrise ponude




Dodati ponudu
Naziv Ponude
Cena
Body Step
BodyPump
Yoga
Cardio Box
Zumba
DODAJ
Nazad


Forma za unos nove ponude



Forma za izmenu ponude




U sekciji treneri administrator ima mogucnost da dodaje, izmeni I obrise trenere




Forma za unos novog trenera




	Izmeni trenera	
lme		
Nina		
Prezime		
Ninic		
Choose File No fi Uloga Fitnes Instruktor	le chosen	
Sport		100
Yoga		~
	IZMENI	




U sekciji Galerija administrator ima mogucnost da dodaje, izmeni I obrise slike koje ce se prikazivati u galeriji. Administrator takodje moze da izabere koje ce slike biti prikazane na pocetnoj stranici sajta. To moze da uradi cekiranjem odredjene slike I klikom na dugme Aktiviraj







Forma za izmenu slike




U sekciji Index Tekst administrator ima mogucnost da dodaje, izmeni I obrise tekstove koji ce se prikazivati na vrhu pocetne stranice




Forma za dodavanje teksta




Forma za izmenu teksta




U sekciji Raspored Treninga administrator ima mogucnost dodaje(max broj termina iznosi 56 tj. 8 termina za svaki dan u nedelji)




Klikom na neki dan izbacuju svi svi termini za taj dan uz informacije sporta koji ce biti, vremena odrzavanja I ko drzi svaki trening. Svaki trening moze da se izmeni, obrise I doda.



Forma za unos termina




Forma za izmenu odredjenog termina




U sekcijia Statistika administratoru su neke opste informacije vezane za sajt kao I prosecnu ocenu ankete I spisak korisnika koju su glasali(I njihova ocena). Anketa se nalazi na stranici Autor


Pocenta










Treneri





NAJBOLJA TERETANA U BEOGRADU POCNITE VEC DANAS





Kodovi:

index.php

```
<?php
session_start();
require "php/config.php";
require 'php/metode.php';
if(isset($ GET['page'])){
require "include/head.php";
require "include/nav.php";
        require "include/pocetna.php";
        break;
        require "include/galerija.php";
        break;
        require "include/treneri.php";
        require "include/kontakt.php";
        break;
        require "include/autor.php";
        break;
        require "include/registracija.php";
        break;
        require "include/login.php";
        break;
        require "include/admin panel.php";
        require "include/galerija insert.php";
        break;
        require "include/ponuda_insert.php";
        require "include/treneri insert.php";
```

```
case "Korisnik insert":
        break;
        break;
        require "include/termin insert.php";
    default:
        require "include/pocetna.php";
        break;
require "include/pocni danas.php";
require "include/footer.php";
```

```
admin panel.php
??php if(isset($ SESSION['korisnik'])):?>
    <?php if($ SESSION['korisnik']->uloga == 'admin'):?>
<div class="admin-panel">
           <a href="" name="tab4"><i class="fa fa-picture-
   </div>
              Prezime
              Email
           <?php
               $upit sel = $konekcija->query($upit)->fetchAll();
```

```
<?= $koe->prezime?>
>KorId?>" >Obrisi</a>
          <?php endforeach;?>
href="index.php?page=Ponuda insert">+</a></span></h2>
                 Ponuda
             <?php
             $upit sel = $konekcija->query($upit)->fetchAll();
              <?php endforeach;?>
                 Izmeni
              <?php
```

```
$upit sel = $konekcija->query($upit)->fetchAll();
                      <a class='obrisi'
              <?php endforeach;?>
           Aktivna
              <?php
              $upit sel = $konekcija->query($upit)->fetchAll();
$galerija slika->id<mark>?>" id="aktivan" <?php</mark>
                             echo "checked";
                          ?>/>
              <?php endforeach;?>
                  Izmeni
              <?php
```

```
foreach ($rez as $tekst):
    <?php endforeach;?>
    <?php
    <a class='dan' href="#" data-id="<?= $dan->id dani?>"><?= $dan-
    <?php endforeach;?>
<?php endforeach;?>
<?php endforeach;?>
<?php
<?php endforeach;?>
<?php endforeach;?>
<?php
    <h5>Ukupan broj slika u galeriji: <?= $slika->UkupnoSlika?></h5>
```

autor.php

```
<div class="button-box">
           <button <?php if(isset($ SESSION['korisnik'])):?>
                   <?php else:?>
                   <?php endif;?>
</div>
```

footer.php

```
<footer id="fh5co-footer" class="fh5co-bg" style="background-image:</pre>
                       Email
```

```
</div>
<script src="js/smooth-scroll.js"></script>
```

```
case "404":
    break;
    break;
```

```
default:
```

```
var marker = false;
    if(pol[j].checked == true) {
    return false;
if(ponuda == "0"){
```

```
if(uloga == "0"){
<?php if(isset($_GET['id'])):?>
<?php else:?>
<?php endif;?>
    if(pol[j].checked == true) {
```

```
<?php if(isset($_GET['id'])):?>
<?php else:?>
<?php endif;?>
return true;
for (var i in nizGresaka) {
```

```
return false;
        if(slika == ""){
            return false;
function ponuda insert() {
   if(!reNaziv.test(naziv)){
```

```
function mail() {
   var prezime = $("#prezime").val();
```

```
for(var i in nizGresaka) {
return false;
```

```
if(slika == ""){
if(uloga == "0") {
```

```
for (var i in nizGresaka) {
```

```
break;
```

```
for(var i in data) {
    default:
```

galerija.php

```
<div class="row">
    </div>
      $upit gal = $konekcija->query($upit)->fetchAll();
        <?php endforeach;?>
<?php
foreach($upit gal as $slika):
<?php endforeach;?>
```

galerija_insert.php

```
<?php else:?>
            <?php endif;?>
    <?php
    <?php endif;?>
<?php else:?>
    <?php require "include/pocetna.php";?>
<?php endif;?>
```

head.php

```
<!DOCTYPE HTML>
      <title>Zevs <?php if(isset($_GET['page'])){ echo "| ".$page;}?></title> <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
kontakt.php
<header id="fh5co-header" class="fh5co-cover fh5co-cover-sm" role="banner"
            </div>
        </div>
            <div class="col-md-5 col-md-push-1 animate-box">
```

```
</div>
</div>
</div>
```

korisnik_insert.php

```
<form action="php/<?php echo
                <input type="text" placeholder name='ime' id='ime' value="<?php</pre>
<label>Godine</label>
value="<?php if(isset($ GET['id'])) echo $izmena->godine?>">
value="<?php if(isset($_GET['id'])) echo "0".$izmena->telefon?>">
                <label>Email</label>
<?php if(isset($ GET['id'])): ?>
<php if($izmena->pol id == '1'){echo 'checked';}?>> Zenski
                <input type="radio" placeholder name='pol' id='2' value="2" <?php</pre>
                <?php else:?>
                <?php endif;?>
                <?php if(isset($ GET['id'])):?>
                       <?php
                          if($ponuda->id == $izmena->ponuda id):
                          <?php endif;?>
                      <?php endforeach;?>
                <?php else:?>
```

```
<?php endforeach;?>
    <?php endif;?>
    <?php if(isset($ GET['id'])):?>
            <?php
                if($uloga->id == $izmena->uloga id):
                <?php else:?>
                <?php endif;?>
            <?php endforeach;?>
        <?php else:?>
        <?php
        <?php endforeach;?>
    <?php endif;?>
<?php if(!isset($_GET['id'])):?>
<?php else:?>
<?php endif;?>
```

login.php

nav.php

```
<?php if(!isset($ SESSION['korisnik'])):?>
                       <?php else:?>
                       <?php endif;?>
      <div class="top-menu">
<?php if(isset($ SESSION['korisnik'])):?>
                       <?php if($ SESSION['korisnik']->uloga == "admin"):?>
                       <?php endif;?>
                       <?php endif;?>
                       <a href="index.php?page=Kontakt">KONTAKT</a>
```

pocenta.php

```
<div class="container">
       <?php
           foreach ($rez as $tekst):
               <?= $tekst->tekst?>
               <a href="#termini" class="btn btn-primary btn-outline btn-
       <?php endforeach;?>
   <div class="row animate-box">
       <?php
       foreach ($treneri as $trener):
                   </div>
       <?php endforeach;?>
```

```
<div class="row animate-box">
                   <a href="" data-tab="1"><span class="visible-</pre>
xs">S</span><span class="hidden-xs">Ponedeljak</span></a>
                   <?php
                   <?php endforeach;?>
                           <?php
                          foreach ($rez as $termin):
                              <h4><?= $termin->sport?></h4>
>prezime?></small>
                           <?php endforeach;?>
```

```
<div class="fh5co-tab-content tab-content active" data-tab-</pre>
                             <?php
                                 ?>
                                      <span><img src="images/<?= $termin->ikonica?>"
                                      <h4><?= $termin->sport?></h4>
>prezime?></small>
                             <?php endforeach;?>
                             <?php
                                      <small><?= $termin->ime ." ".$termin-
>prezime?></small>
                             <?php endforeach;?>
                     <div class="fh5co-tab-content tab-content active" data-tab-</pre>
                             <?php
```

```
<?php endforeach;?>
                             foreach ($rez as $termin):
                                     <span><imq src="images/<?= $termin->ikonica?>"
                                    <h4><?= $termin->sport?></h4>
                                     <small><?= $termin->ime ." ".$termin-
>prezime?></small>
                            <?php endforeach;?>
                    <div class="fh5co-tab-content tab-content active" data-tab-</pre>
                             <?php endforeach;?>
```

```
<h4><?= $termin->sport?></h4>
                            <?php endforeach;?>
            </div>
                <?php
                    $upit ponuda = $konekcija->query($upit)->fetchAll();
                ?>
>cena?><small>/mesec</small></div>
```

```
<?php endforeach;?>
             <h2>Galerija</h2>
                <?php
                    $upit order = $konekcija->query($upit)->fetchAll();
                style="background-image: url(images/<?= $order->slika naziv?>); ">
                <?php endforeach;?>
<div id="fh5co-testimonial" class="fh5co-bg-section">
      <div class="row">
          <div class="col-md-10 col-md-offset-1">
                           </figure>
```

pocni_danas.php

ponuda.php

```
</div>
<div class="row animate-box">
        <h2>Cenovnik</h2>
</div>
        <?php
            $ponuda dohvati = $konekcija->query($upit)->fetchALl();
        <div class="col-md-3 animate-box">
            <div class="price-box">
        <?php endforeach;?>
```

ponuda insert.php

```
<legend><?php echo isset($ GET['id'])?'Izmeniti ponudu':'Dodati</pre>
           <form action="php/<?php echo
<label>Cena</label>
               <input type="text" placeholder name='cena' id='cena' value="<?php</pre>
if(isset($ GET['id'])) echo $izmena->cena?>">
value="<?php if(isset($ GET['id'])) echo $izmena->bodystep?>">
               <label>BodyPump</label>
               <input type="text" name='BodyPump' id='BodyPump' value="<?php</pre>
if(isset($ GET['id'])) echo $izmena->bodypump?>" >
               <label>Yoga</label>
               <input type="text" placeholder name='Yoga' id='Yoga' value="<?php</pre>
if(isset($ GET['id'])) echo $izmena->yoga?>">
value="<?php if(isset($ GET['id'])) echo $izmena->cardio box?>">
               <input type="text" placeholder name='Zumba' id='Zumba' value="<?php</pre>
if(isset($ GET['id'])) echo $izmena->zumba?>">
               <?php if(!isset($ GET['id'])):?>
               <?php else:?>
               <?php endif;?>
       </div>
       <?php
```

```
if(isset($_SESSION['ponuda_insert_greske'])){

    NizGreske($_SESSION['ponuda_insert_greske'], 'ponuda_insert_greske');
}

    TekstGreske('ponuda_insert');
    TekstGreske('ponuda_insert_tekst');
    ?>
    </div>
    <div id="reg_greske"></div>
    <?php endif;?>

<?php else:?>
    <?php require "include/pocetna.php";?>
    <!--<hl>DOSLO JE DO GRESKE</hl>-->
<?php endif;?>
```

profile.php

```
<?php if(isset($ SESSION['korisnik'])):?>
                   <label>Email</label>
                   <label>Vazi do:<?= $ SESSION['korisnik']->vazi do?></label>
```

registracija.php

Tekst_insert.php

```
<?php endforeach;?>
                                   <?php
                                    <?php endforeach;?>
                               </select>
                          <textarea name='tekst' id='tekst' rows="4" cols="80"><?php
                 <?php if(!isset($ GET['id'])):?>
                 <?php else:?>
                 <?php endif;?>
                 </form>
            <?php
             if(isset($ SESSION['tekst update error'])){
        </div>
   <?php endif;?>
<?php else:?>
   <?php require "include/pocetna.php";?>
<!--<h1>DOSLO JE DO GRESKE</h1>-->
?php endif;?>
```

termin_insert.php

```
$izmena = $konekcija->query($upit)->fetch();
                <form action="php/<?php echo
        <?php if(!isset($ GET['id'])):?>
                                <?php
                                <?php endforeach;?>
        <?php endif;?>
                                <?php
                                     <?php else:?>
                                    <?php endif;?>
                                <?php endforeach;?>
                        <?php else:?>
                                 <?php
>sport?></option>
                                <?php endforeach;?>
                        <?php endif;?>
```

```
<label>Vreme</label>
<?php if(isset($ GET['id'])):?>
        <?php
            <?php else:?>
            <?php endif;?>
        <?php endforeach;?>
    </select>
<?php else:?>
        <?php
        <?php endforeach;?>
    </select>
<?php if(isset($ GET['id'])):?>
        <?php
            <?php else:?>
            <?php endif;?>
        <?php endforeach;?>
<?php else:?>
        <?php
        <?php endforeach;?>
<?php endif;?>
```

treneri.php

```
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

</div>
</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>
</div>

</div>

</div>

</div>

</div>

<p
```

treneri insert.php

```
value="<?php if(isset($ GET['id'])) echo $izmena->prezime?>">
                <?php if(isset($_GET['id'])):?>
                <?php endif;?>
                <php if(isset($_GET['id'])):?>
                        <?php
                            if($uloga->id == $izmena->ul tr id):
                            <?php else:?>
                            <?php endif;?>
                        <?php endforeach;?>
                <?php else:?>
                        <?php
                        <?php endforeach;?>
                <?php endif;?>
                        <?php
                            <?php else:?>
                            <?php endif;?>
                        <?php endforeach;?>
```

```
<?php else:?>
                   <?php endif;?>
              </div>
              <?php if(!isset($ GET['id'])):?>
              <?php else:?>
              <?php endif;?>
    </div>
    <?php
    <?php endif;?>
<?php else:?>
    <?php require "include/pocetna.php";?>
<!--<h1>DOSLO JE DO GRESKE</h1>-->
<?php endif;?>
```

galerija_delete.php

```
<?php
session_start();
if(isset($_GET['id'])){

    $del_gal = $_GET['id'];

    $upit = "DELETE FROM `galerija` WHERE id = ".$del_gal;

    require '../config.php';
    $upit_delete = $konekcija->query($upit);

try{

    if($upit_delete){

        header("location: ../../index.php?page=Admin");
    }else{
```

kor_delete.php

```
<?php
   require '../config.php';
   try{
           $upit delete 2 = $konekcija->query($upit);
else{
```

```
?php
   require '../config.php';
$upit_delete = $konekcija->query($upit);
   try{
              $upit delete 2 = $konekcija->query($upit);
```

tekst_delete.php

```
<!php
session_start();
if(isset($_GET['id'])){

    $del_tek = $_GET['id'];

    $upit = "DELETE FROM `pocetna_tekst` WHERE id = ".$del_tek;

    require '../config.php';
    $upit_delete = $konekcija->query($upit);

try{

    if($upit_delete){

        header("location: ../../index.php?page=Admin");
    }else{
```

```
}else{
```

termin_delete.php

```
<?php
   $upit delete = $konekcija->query($upit);
 try{
       $ SESSION['del kor greska'] = "Serverksa greska".$e->getMessage();
else{
```

```
trener_delete.php
<?php
if(isset($ GET['id'])){
   require '../config.php';
      $upit del= $konekcija->query($upit dva);
  try{
  if($upit del){
          $upit delete = $konekcija->query($upit);
         if($upit delete) {
           $upit delete 2 = $konekcija->query($upit);
         if($upit delete 2){
                   $upit delete 3 = $konekcija->query($upit);
                   if($upit delete 3){
```

```
}else{
```

galerija_update.php

```
<?php
if(isset($ POST['izmena'])) {
   $dozvoljeni formati = array("image/jpg","image/jpeg","image/png", "image/gif");
  if(count($errors) > 0){
```

```
try{
       else {
else {
```

kor_update.php

```
<?php
session_start();
if($_SERVER['REQUEST_METHOD'] != "POST") {
    header("Location:../index.php?page=Pocetna");
}
if(isset($_POST['izmena'])) {
    $errors = [];
    $id = $_POST['id'];
    $uloga = $_POST['uloga'];
    if($uloga == "0") {
        $errors[] = "Niste izabrali ulogu";
    }
    $ponuda = $_POST['ponuda'];</pre>
```

```
$ko izmena->bindParam(":ime",$ime);
       $ko izmena->bindParam(":prezime", $prezime);
       $ko izmena->bindParam(":godine", $godine);
       $ko izmena->bindParam(":tel",$tel);
       $ko izmena->bindParam(":email", $email);
            $rez = $ko izmena->execute();
            if($rez) {
}else{
```

ponuda_update.php

```
<?php if(isset($_POST['Ponuda'])) {
    session_start();
    $errors = [];

    $id = $_POST['id'];

    $naziv= $_POST['naziv'];
    $reNaziv = "/^[A-Z][a-z] {2,10}$/";

    if(!preg_match($reNaziv,$naziv)) {

        $errors[] = "Naziv u losem formatu";
    }
}</pre>
```

tekst_update.php

termin_update.php

```
$upit tekst->bindParam(':vreme', $vreme);
            $upit tekst->bindParam(':trener', $trener);
            if($rez) {
            }else{
}else{
```

trener_update.php

```
<?php
if(isset($ POST['izmena'])){
```

```
$dozvoljeni formati = array("image/jpg","image/jpeg","image/png", "image/gif");
if($uloga == "0"){
if(count($errors) > 0){
else {
         $upit= $konekcija->prepare($upit galerija update 2);
         $upit->bindParam(":ime",$ime);
         $upit->bindParam(":slika",$nova_putanja);
         $upit->bindParam(":ime_slike",$ime_slike);
$upit->bindParam(":alt",$alt);
         $upit->bindParam(":uloga", $uloga);
         $upit->bindParam(":id",$id);
         try{
              if($rez slika unos 2){
```

```
>getMessage();
}else {
```

aktivan.php

```
<?php
$data = null;
$status = 404;
if(isset($_POST['posalji'])){

    $cekirano = $_POST['cekiran'];

    $svi = $_POST['svi'];</pre>
```

```
require 'config.php';
$ocisti = $konekcija->query($upit);
if($ocisti) {
    $data = null;
```

anketa.php

```
<?php
$data = null;
$staus = 404;
if(isset($_POST['posaji'])){

    $id = $_POST['id'];
}</pre>
```

```
require 'config.php';
  $kor = $konekcija->query($upit dva);
              $data = null;
      $data = null;
http_response code($staus);
echo json encode ($data);
```

anketa_insert.php

```
if(isset($_POST['anketa_insert'])){
    session_start();
    $errors = [];

    $anketa = $_POST['anketa'];

    $anketa_reg = "/^[A-Z0-9][a-Z0-9]{1,254}$/";

    if(!preg_match($anketa_reg,$anketa)){

        $errors[] = 'Los popunjen tekst. Pitanje mora da pocne velikim slovom!';
    }

    if(count($errors) > 0){

        $ SESSION['anketa_insert_error'] = $errors;
```

galerija_insert.php

```
include "config.php";
           $upit= $konekcija->prepare($upit galerija insert);
           $upit->bindParam(":naziv", $naziv);
           $upit->bindParam(":alt", $naziv);
           try{
       else {
}else {
```

korisnik unos.php

```
<?php
session_start();

if($_SERVER['REQUEST_METHOD'] != "POST") {
    header("Location:../index.php?page=Pocetna");
}
if(isset($_POST['registracija'])) {
    $errors = [];</pre>
```

```
if($ponuda == "0"){
```

```
if(!preg match($re pass, $pass)){
if(count($errors) != 0){
else {
      include "config.php";
      $upit_unos->bindParam(":nrezime", $nrezime);
$upit_unos->bindParam(":prezime", $prezime);
$upit_unos->bindParam(":god", $godine);
$upit_unos->bindParam(":tel", $tel);
$upit_unos->bindParam(":email", $email);
      $upit unos->bindParam(":uloga", $uloga);
      $upit unos->bindParam(":ponuda", $ponuda);
      $upit unos->bindParam(":od", $vazi od);
      $upit unos->bindParam(":do", $vazi do);
      try{
            $rez = $upit unos->execute();
            if($rez) {
```

```
header("Location:../index.php?page=Pocetna");
}
```

login.php

```
<?php
       $upit log->bindParam(":pass",$pass);
       try{
           if($rez) {
```

metode.php

```
function TekstGreske($tekst) {
    if (isset($_SESSION[$tekst])) {
        echo $_SESSION[$tekst];
        unset($_SESSION[$tekst]);
    }
}
function NizGreske($niz,$tekst) {

    //     $niz_greske = $_SESSION[$niz];
    echo "<div class="ser_reg'>";
    echo "<div";
    foreach($niz as $red) {

        echo "</li>
        if (isset($_SESSION[$niz]);
        echo "
        if (isset($_SESSION[$niz]);
        echo "
        if (isset($_SESSION[$niz]);
        echo "
        if (isset($_SESSION[$niz]);
        echo "
        if (isset($_SESSION[$tekst]);
        if (isset
```

ponuda_insert.php

```
<?php if(isset($_POST['Ponuda'])) {
session_start();
    $errors = [];

$naziv= $_POST['naziv'];
    $reNaziv = "/^[A-Z0-9][a-z0-9\s]{2,20}$/";

if(!preg_match($reNaziv,$naziv)) {</pre>
```

```
$upit_unos->bindParam(":ponuda", $naziv);
$upit_unos->bindParam(":cena", $cena);
$upit_unos->bindParam(":step", $BodyStep);
         $upit unos->bindParam(":pump", $BodyPump);
         $upit_unos->bindParam(":yoga", $Yoga);
          $upit unos->bindParam(":box", $Cardio Box);
         $upit unos->bindParam(":zumba",$Zumba);
         try{
               $ SESSION['ponuda greske tekst'] = "Serverska greska".$e->getMessage();
}else{
```

profile_update.php

```
</php
$data = null;
$status = 404;

if(isset($_POST['izmeni'])){

    $errors = [];

    $id = $_POST['id'];

    $ime = $_POST['ime'];

    $ime_reg = "/^[A-ZČĆŠĐŽ][a-zčćšđŽ]{2,9}$/";

    if(!preg_match($ime_reg,$ime)){

        $errors[] = "Ime_nije_u_dobrom_formatu!";

}
</pre>
```

```
if(count($errors) != 0){
   $upit update = $konekcija->prepare($upit);
    $upit update->bindParam(":id",$id);
```

```
'msg' => 'Uspesno izmenjeni podaci'
```

reg.php

```
if(count($errors) != 0){
```

```
// Supit_unos = $konekcija->prepare($upit);
// Supit_unos->bindParam(":ime",$ime);
$upit_unos->bindParam(":prezime",$prezime);
$upit_unos->bindParam(":god",$godine);
$upit_unos->bindParam(":ell",$tel);
$upit_unos->bindParam(":email",$email);
$upit_unos->bindParam(":pass",$pass);
$upit_unos->bindParam(":poss",$pass);
$upit_unos->bindParam(":poss",$ponuda);
$upit_unos->bindParam(":do",$vazi_do);
// $upit_unos->bindParam(":do",$vazi_do);
// $upit_unos->bindParam(":do",$vazi_do);
// try{

$rez = $upit_unos->execute();
// if($rez){
    header("location: ../index.php?page=Login");
    }
else {
    $_SESSION['reg_greske_tekst'] = "Nije uspela registracija";
    header("location: ../index.php?page=Registracija&&id=$ponuda");
}
// }
}
// $_locatch(PDoException $e) {

$_SESSION['reg_greske_tekst'] = "Serverska greska".$e->getMessage();
    header("location: ../index.php?page=Registracija&&id=$ponuda");
}
}
letse{

header("Location: ../index.php?page=Registracija&&id=$ponuda");
}
}
letse{

header("Location: ../index.php?page=Registracija&&id=$ponuda");
}
}
}else{
```

tekst_insert.php

termin insert.php

```
<?php
   include "config.php";
   $br redova = $konekcija->query($upit)->fetch();
  if($br int == 56){
       if($dan == '0'){
```

```
if($sport == '0'){
if($vreme == '0') {
if($trener == '0'){
if(count($errors) > 0){
    $upit tekst->bindParam(':trener',$trener);
    $rez = $upit tekst->execute();
        if($res){
```

```
}
}else{
   header("Location:../index.php");
}
```

termin.php

```
$data= nul;
$status = 404;
if(isset($_POST['posalji'])){

    $id = $_POST['id'];

    $upit = 'SELECT *,rt.id AS RasTr FROM dani d LEFT JOIN raspored_dani rd ON

    d.id_dani = rd.id_d LEFT JOIN raspored_treninga rt ON rd.id_r = rt.id INNER JOIN vreme
    v ON rt.id_vreme = v.id INNER JOIN sport s ON rt.id_sport = s.id INNER JOIN treneri t

ON rt.id_trener = t.id WHERE d.id_dani = '.$id.' ORDER BY RasTr';

    require 'config.php';

    $dani = DohvatiSve($upit);

    if($dani) {

        $data = $dani;
        $status = 200;
    }else {

        $data = null;
        $podaci = 400;
    }
}

http_response_code($status);
echo json_encode($data);
}
```

trener_insert.php

```
<!php

if(isset($_POST['trener'])){
    session_start();

    $errors = [];

    $ime = $_POST['ime'];

    $ime_reg = "/^[A-ZČĆŠĐŽ][a-zčćŠđŽ]{2,9}$/";

    if(!preg_match($ime_reg,$ime)){

        $errors[] = "Ime_nije_u_dobrom_formatu!";
}
</pre>
```

```
$dozvoljeni formati = array("image/jpg","image/jpeg","image/png", "image/gif");
if(count($errors) > 0){
 else {
```

```
$upit= $konekcija->prepare($upit galerija insert);
                       $upit->bindParam(":ime",$ime);
                       $upit >bindraram(':me', fime');
$upit ->bindParam(":prezime", $prezime);
$upit ->bindParam(":slika", $nova_putanja);
$upit ->bindParam(":ime_slike", $ime_slike);
$upit ->bindParam(":alt", $alt);
$upit ->bindParam(":uloga", $uloga);
                       try{
                                               $trener vez = $konekcija->query($upit vez);
               else {
}else {
```