# 2015-2016 Influenza Report


## Week 43

October 25 - October 31, 2015

#### About our flu activity reporting

MSDH relies upon selected sentinel health practitioners across the state to report the percentage of total patient visits consistent with an influenza-like illness (ILI: fever of 100°F or higher AND cough and/or sore throat). Also, providers are supplied with specimen collection kits. Samples are submitted to the Mississippi Public Health Laboratory for influenza PCR testing. Reports are used to estimate the state's ILI rate and the magnitude of the state's influenza activity. Reports represent only the distribution of flu in the state, not an actual count of all flu cases statewide. *Information is provisional only and may change depending on additional reporting from sentinel providers.* 

#### **State ILI Surveillance**



During week **43** (10/25/15-10/31/15), the overall state ILI rate (**2.5%**) was **comparable** to the previous week (**2.6%**), and to this time last year (**2.8%**).

| Figure 1


Total number of patients treated by sentinel providers in the last three weeks. | Table 1

### 2015-2016 Influenza Season


CDC Week	Week Ending	<b>Total patients</b>	ILI symptoms	ILI Rate (%)
43	Oct. 31	19153	481	2.5%
42	Oct. 24	19577	513	2.6%
41	Oct. 17	19670	493	2.5%

During week 43, two districts (2 and 6) had an increase in ILI activity, while one district (3) had a

decrease. **Six** districts (1, 4, 5, 7, 8, and 9) remained about the same. *Information is provisional only and may change depending* on additional reporting from sentinel providers. | **Table 2** 



MSDH District ILI Rates (%) 2015-2016					
District	Week 42	Week 43			
State	<i>2</i> .6	2.5			
I	1.5	1.4			
II	1.6	4.7			
III	8.3	4.5			
IV	2.0	2.3			
V	2.2	1.8			
VI	4.0	5.4			
VII	2.4	1.9			
VIII	1.5	1.9			
IX	3.6	3.2			





Overall, the percentage of reported ILI cases has been highest among those in the **5-24** years of age group.
However, during week


**43**, the

percentage of cases was slightly higher among the **0-4 years** of age. | Figure 2

The 2015-16 state ILI rate was **above** the national and Region 4 baselines, but was **below** the state baseline for week 43. | Figure 3







### **Flu Testing Reports**

During week **43** (week ending October 31<sup>st</sup>), there were no laboratory confirmed influenza cases identified by MSDH Public Health Laboratory.

### **National and Mississippi Pediatric Mortality Surveillance**

Nationally, no influenza-associated pediatric deaths were reported to CDC during week 43.

Mississippi has had **no** influenza-associated pediatric deaths reported during this influenza season. For additional information on influenza-associated pediatric deaths, please refer to the <u>CDC's FluView</u>.


#### **National ILI Surveillance**

For week **43**, the MS ILI rate (2.5%) was **above** the national ILI rate (1.4%).

Mississippi reported "No Activity" flu activity for week 43. | Table 3

Level of Flu Activity	Definition	
No Activity	Overall clinical activity remains low and there are no lab confirmed cases.	
Sporadic	Isolated cases of lab confirmed influenza in the state; ILI activity is not increased <u>OR</u> A lab-confirmed outbreak in a single institution in the state; ILI activity is not increased.	
Local	Increased ILI within a single region <b>AND</b> recent (within the past 3 weeks) laboratory evidence of influenza in that region. ILI activity in other regions is not increased <u>OR</u> two of more institutional outbreaks (ILI or lab confirmed) within a single region <b>AND</b> recent (within the past 3 weeks) lab confirmed influenza in that region. Other regions do not have increased ILI and virus activity is no greater than sporadic in those regions	
Regional	Increased ILI in at least 2 regions but fewer than half of the regions <b>AND</b> recent (within the past 3 weeks) lab confirmed influenza in the affected regions <u>OR</u> Institutional outbreaks (ILI or lab confirmed) in at least 2 regions but fewer than half of the regions <b>AND</b> recent lab confirmed influenza in the affected regions.	
Widespread	Increased ILI and/or institutional outbreaks (ILI or lab confirmed) in at least half of the regions <b>AND</b> recent (within the past 3 weeks) lab confirmed influenza in the state.	

During week **43**, influenza activity was **low** in the United States. <sup>1</sup> | Figure 5



<sup>&</sup>lt;sup>1</sup>For up-to-date information on flu activity nationwide, please refer to the CDC's website: <a href="http://www.cdc.gov/flu/weekly/fluactivitysurv.htm">http://www.cdc.gov/flu/weekly/fluactivitysurv.htm</a>.

#### **Additional information:**

Centers for Disease Control and Prevention	http://cdc.gov/flu/
Centers for Disease Control and Prevention FluView	http://www.cdc.gov/flu/weekly/
Flu.gov	http://www.flu.gov/
MSDH Flu and Pneumonia	http://msdh.ms.gov/msdhsite/ static/14,0,199.html
World Health Organization FluNet	http://www.who.int/influenza/gisrs_laboratory/flunet/en/

# **Appendix**

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5

