



To Assess The Role Of Homoeopathic Medicine In Management Of Migraine In Patient Aged 18-40 Years: A Randomized Control Trial.

Pooja Chandrakant Patil,

Dhanvantari Homoeopathic Medical College And Hospital & Research Centre, Nashik , Maharashtra.

- ¹. Dr. Mohit P. Jain (*Assistant Professor of Department of Homoeopathic Pharmacy*)
 - ². Dr. Snehal M. Nikam (*Assistant Professor of Department of Homoeopathic Repertory*)
 - ³. Dr. Mateen Shaikh (*Associate Professor of Department of Homoeopathic Repertory*)
 - ⁴. Dr. Gulfisha Mirza (*Assistant Professor of Department of Homoeopathic Surgery*)
- Corresponding Author: 1. Dr. Mohit P. Jain

Date of Submission: 09-04-2025

Date of Acceptance: 19-04-2025

Abstract

Introduction:

Definition-It Is Defined By The Presence Of Headache On 15 Or More Days A Month, Of Which At Least Must Meet The Criteria Of Migraine Without Aura For A Minimum Of Three Months. In Addition They Must Not Be Due To Medication Abuse Or Attributable To Any Other Cause.

Objectives (Primary Objective) - To Assess The Role Of Homoeopathic Medicine In Management Of Migraine In Patient Aged 18-40 Years.

Method: Study Design: A Randomized Controlled Trialstudy Setting: Dhmc College Opd Nashik, Peripheral Opd. Sample Size: 30 Cases Sampling Technique:Total 16 Samples With Complaints Of Migraine Selected By Simple Random Sampling Technique.

Result: : In The Homoeopathic Group, 14 Out Of 15 Patients (93.3%) Showed Significant Improvement, While 1 Patient Did Not Respond. In The Allopathic Group, 12 Out Of 15 Patients (80%) Improved, And 3 Patients Showed No Response. The Results Indicate A Slightly Higher Response Rate With Individualized Homoeopathic Treatment Compared To Allopathic Treatment.

Keyword: Migraine, Headache Disorders, Neurological Condition, Primary Headache Migraine Prevalence, Migraine With Aura. Migraine Without Aura, Chronic Migraine, Nsaids, 11 Point Pain Scale, Homoeopathic Medicine.

Review of Literature

Definition-

It Is Defined By The Presence Of Headache On 15 Or More Days A Month, Of Which At Least Eight

Must Meet The Criteria Of Migraine Without Aura For A Minimum Of Three Months. In Addition They Must Not Be Due To Medication Abuse Or Attributable To Any Other Cause.¹

The Term Migraine Is Originated From The Greek Word Hemicrania Meaning The One Side Of The Head .Migraine Headache Is An Episodic Neurovascular Phenomenon Is Characterized By Recurrent Attacks Of Unilateral Headache.¹³

Prevalence Of Migraine-

The Prevalence Of Migraine In The General Population Has Been Calculated Using A Standard Mailed Questionnaire, Which Inquired About Headache And The Individual Features Of Migraine, And Which Previously Had Been Compared With A Clinical Diagnosis. In Three Separate Epidemiological Surveys The Prevalence In The Preceding Year Was Found To Be Between 23 And 29% In Women And Between 15 And 20% In Men. The Prevalence Declined With Age In Both Men And Women. These Surveys Show That Migraine Is Much More Prevalent Than The Frequently Quoted Figure Of About 10% Of The Population Which Does Not Seem To Be Based On Any Particular Survey.²

Types Of Migraine –

1.Common Migraine (Without Aura)

Migraine Without Aura (Hemicrania Simplex ,Common Migraine)Is A Specific Neurological Disorder Characterised By Unilateral, Pulsating Quality,Aggravation On Movement,And Moderate To Severe Headache ,Nausea And Photophobia .

Most Migraineurs Suffer From This Subtype Of Migraine And There Are Higher Frequency And



More Severe Attacks In Comparison With Migraine With Aura. 2. Classical Migraine - (With Aura)- Migraine With Aura (Ophthalmic ,Hemiplegic Migraine)Is Defined As A Recurrent Disorder Involving Headache Attacks Appearing Gradually Over 5-20 Minutes And Lasting Forv 60 Minutes.Aura Can Involve Reversible Visual And Sensory Symptoms And Speech Weakness.³

Pathophysiology Of Migraine-

Migraine Is A Common, Disabling Disorder Of The Central Nervous System. The Disorder Has Three Key Features. The Tendency Is Largely Inherited, The Sufferer Is Sensitive To Exogenous And Endogenous Triggers That Very Often Involve Challenges To Normal Homeostatic Biology, And The Attack Phenotype, When Severe, Is The Stereotypical Migraine Attack. The Attack Itself Consists Of An Abnormal Perception Of Otherwise Normal Circumstances, Such As Pain Without Evidence Of Primary Nociceptive Activation, And Light And Sound Sensitivity Without Change In Ambient Stimuli. The Disturbance In The Brain Is Of The Subcortical Aminergic Sensory Modulatory Systems, And Probably Includes Brainstem, Hypothalamic, And Thalamic Changes That Produce The Rich Clinical Presentation Seen In Practice.⁶

Allopathic Treatment-

Oral Option In Acute Management

Non Specific Treatment	Specific Treatment
Aspirin 900mg	Ergot Derivatives(Ergotamine 1-2mg)
Paracetamol 1000mg And Steroids	Triptans

Homoeopathic Treatment-

The Principle Of Homoeopathy Is Similia Similibus Curenture Which Is Base To Treat The Disease In Homoeopathy Only Single Simple Medicine Should Given To Patient At One Time.⁵

Homoeopathic Remedy For Migraine - Sanguinaria Canadensis -

—

For Migraine Of Right Sidesanguinaria Canadensis Works Wonderfully Well To Settle Down Migraine On The Rightside. The Characteristic Symptom To Administer This Medicine Is Pain Which Starts In The Back Of The Head (Occipital Region), And Then It Goes Up And Sits Right Over The Right Eye. Lying Down Quietly In A Dark Room Or Sleep Brings Relief.⁷

Natrum Mur-

Mind.--Psychic Causes Of Disease; Ill Effects Of Grief, Fright, Anger, Etc. Depressed, Particularly In Chronic Diseases. *Consolation Aggravates.* Irritable; Gets Into A Passion About Trifles. Awkward, Hasty. Wants To Be Alone To Cry. Tears With Laughter.

Head.--Throbs. *Blinding* Headache. Aches As If A Thousand Little Hammers Were Knocking On The Brain, In The Morning On Awakening, *After Menstruation*, From *Sunrise To Sunset*. Feels Too Large; Cold. Anemic Headache Of School-Girls; Nervous, Discouraged, Broken Down. Chronic Headache, Semi-Lateral, Congestive, From Sunrise To Sunset, With Pale Face, Nausea, Vomiting; Periodical; From Eyestrain; Menstrual. Before Attack, Numbness And Tingling In Lips, Tongue And Nose, Relieved By Sleep. Frontal Sinus Inflammation.⁸

Nux Vomica -

Head

Vertigo; Brain And Other Objects Turn In Circle; With Momentary Loss Of Consciousness; With Black Spell; On Empty Stomach. Bruised Sensation Of The Brain. Dizzy And Faint In A Crowd Or Where Many Lights Are Burning. Headache In The Sunshine. Sensitive Scalp. Swelled Forehead. Head Seems Larger Than Body. Takes Cold Better Wrapping Head Warmly. Migraine. Frontal Headache With Desire To Lean It On Something.⁹

Ignatia-

Head

Ache As If A Nail Were Driven Out Through The Sides; End In Yawning And Vomiting; Alternate With Backache. Headache Worse Or Better By Stooping. Throws Head Backwards; From Weight At Occiput; Or During Spasms. Vertigo, With Sparks Before The Eyes. Loud Talking Worse Headache. Headache; From Abuse Of Snuff, Tobacco Smoke, Coffee, From Close Attention.¹⁰

Belladonna-

Head

Throbbing, Hammering, Headache Worse Temples; Worse Motion; Better Letting Hair Down; Laying The Hand On Head; Bending Head Backwards. Feeling In The Brain Like Swashing Of Water. It Rises And Falls In Waves. Cold Sensation In Head At The Middle Of The Forehead. Vertigo Worse Stooping And Rising From Stooping. Hydrocephalus, With Boring Of Head In The Pillows. Hairs Split, Are Dry And Come Out. Rolls Head. Pulls Her Hair. Meningitis. Sunstroke. Pains



Go Downward From Head. Head Sensitive To Drafts And Cold, Or Washing Hair.¹¹

Spigelia-

Mind.--Afraid Of Sharp, Pointed Things, Pins, Needles, Etc.

Head.--Pain Beneath Frontal Eminence And Temples, Extending To Eyes (Onos). Semi-Lateral, Involving Left Eye; Pain Violent, Throbbing; Worse, Making A False Step. Pain As If A Band Around Head (Carbol Ac; Cact; Gels). Vertigo, Hearing Exalted.¹²

Methods Of Measurement—

1.Before Treatment:

4-Point Pain Scale

11-Point Pain Scale

Ability To Function-

Emotion-

2. At 2 H After Treatment

4-Point Pain Scale

11-Point Pain Scale

Ability To Function

Emotion

3.At 4 H After Treatment

4-Point Pain Scale

11-Point Pain Scale

Ability To Function

Emotion¹⁴

[Book] Organon Of Medicine
N Jain - 2004 - Books.Google.Com¹⁵

Materials And Methods:

1.Study Design:A Randomized Controlled Trial

2.Study Setting:Dhmc College Opd Nashik, Peripheral Opd .

3.Study Population:Adult Population (18 To 40)

4. Sample Size: 30 Cases

5. Sampling Technique: Stratified Random Sampling

6.Method Of Selection Of Study Subjects:

A.Inclusion Criteria:

1. Adult Population
2. All Age (18 To 40 Years)
3. Both Sex Of 18-40 Years

B. Exclusion Criteria:

- 1.Under 18 Years Of Age

2. Immunodeficient Patients.

3. Idiosyncratic Patients

4.Alcoholic Patients

C. Withdrawal Criteria:

1.Patients Not Giving Consent

2. Patients Not Giving Follow Ups On Time

Improvement:Out Of 30 Cases 26 Cases Are Improved

No Improvement: 4 Ases Are Not Improved

9.Study Instruments/Data Collection Tools:1. History Taking ,2. Case Vrecord Format ,3. Materia Medica

10.Method Of Data Collection: Case Recording Format Ms Word And Ms Excel

11.Data Management And Analysis Procedure:Data Would Be Compiled In Ms Excel

12.Data Analysis Plan And Methods:

Paired T Test.

13. Outcome Assessment Criteria:




Figure No.1

Less Than 3 Is Improved

More Than 3 Is Not Improved

14. Treatment Details:

Homoeopathic Medicine Given In Powder Form Single Dose Or Sos Dose Given And Mostly Given 30 Or 200 Potency.

Sac Lac Was Given In Globule Form Of 40 Number In 2-Drambottle.

Allopathic Standard Treatment Of Migraine Given

Selection Of Potency:Potency Selected On The Basis Of Symptoms Severity,And Susceptibility, And Sensitivity Of Patient. Most Common Selected Potency Was 30 Or 200.

Repetition Schedule:

Repetition Done In Some Cases According To Symptoms Severity Of Patient.

Dietetic & Hygienic Measures:

Patient Were Advised To Avoid Coffee,Raw Garlic, Raw Onion As They Tend To Lower The Action Of Homoeopathic Medicines.



Observations & Result

Figure No.2




Table No. 1

Age Of The Patients	No Of Patients
18-25	14
26-30	6
31-35	5
36-40	5



Figure No.3





Table No. 2

Gender Of The Patients	No. Of Patients
Male	20
Female	10

Figure No.4






Marriatal Status	No. Of Patients
Married	17
Unmarried	8

Table No.3

Figure No.5



Homoeopathy	No .Of Patients	Allopathy	No .Of Patients
Improved	14	Improved	12
Not Improved	1	Not Improved	3

Table No.4

Statistical Analysis: Student's T - Test Was Applied
For Statistical Analysis.

$$T = \frac{5.266}{\frac{1.907}{3.872}}$$

$$T = 10.73$$

1) For Homoeopathic Treatment-
Before Treatment: 8.76 After Treatment: 4
T Test

$$X_{diff} = \text{Before Treatment} - \text{After Treatment} = 5.266$$

$$\text{Standard Deviation} = 1.907$$

$$\sqrt{n} = 15$$

After Substituting These Values Into The Formula
For T We Have:

$$T = \frac{X_{diff}}{\frac{\text{standard deviation}}{\sqrt{n}}}$$

$$T = \frac{5.266}{\frac{1.907}{\sqrt{15}}}$$

Determine Critical Value For T With Degrees Of
Freedom = 10.73 And A = 0.05.

In This Critical Value Is 1.812 (See The Table
Below).

The Calculated T Exceeds The Critical Value (10.73
> 1.812), So The Means Are Significantly Different.

2) For Allopathic Treatment-

Before Treatment: 8.8

After Treatment: 5.53

T Test

$$X_{diff} = \text{Before Treatment} - \text{After Treatment} = 3.2$$

$$\text{Standard Deviation} = 1.014$$



$$\sqrt{n} = 15$$

After Substituting These Values Into The Formula

For T We Have:

$$T = \frac{x \text{ diff}}{\frac{\text{standard deviation}}{\sqrt{n}}}$$

$$T = \frac{3.2}{\frac{1.014}{\sqrt{15}}}$$

$$T = \frac{3.2}{\frac{1.014}{3.872}}$$

$$T = \frac{3.2}{0.262}$$

$$T = 12.21$$

Determine Critical Value For T With Degrees Of Freedom = 10 And $\alpha = 0.05$.

In This Critical Value Is 1.782 (See The Table Below).

The Calculated T Exceeds The Critical Value ($12.21 > 1.782$), So The Means Are Significantly Different.

t-test table											
cum. prob	$t_{.50}$	$t_{.75}$	$t_{.80}$	$t_{.85}$	$t_{.90}$	$t_{.95}$	$t_{.975}$	$t_{.99}$	$t_{.995}$	$t_{.999}$	$t_{.9995}$
one-tail	0.50	0.25	0.20	0.15	0.10	0.05	0.025	0.01	0.005	0.001	0.0005
two-tails	1.00	0.50	0.40	0.30	0.20	0.10	0.05	0.02	0.01	0.002	0.001
df											
1	0.000	1.000	1.376	1.963	3.078	6.314	12.71	31.82	63.66	318.31	636.62
2	0.000	0.816	1.061	1.386	1.886	2.920	4.303	6.965	9.925	22.327	31.599
3	0.000	0.765	0.978	1.250	1.638	2.353	3.182	4.541	5.841	10.215	12.924
4	0.000	0.741	0.941	1.190	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	0.000	0.727	0.920	1.156	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	0.000	0.718	0.906	1.134	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	0.000	0.711	0.896	1.119	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	0.000	0.706	0.889	1.108	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	0.000	0.703	0.883	1.100	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	0.000	0.700	0.879	1.093	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	0.000	0.697	0.876	1.088	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	0.000	0.695	0.873	1.083	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	0.000	0.694	0.870	1.079	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	0.000	0.692	0.868	1.076	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	0.000	0.691	0.866	1.074	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	0.000	0.690	0.865	1.071	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	0.000	0.689	0.863	1.069	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	0.000	0.688	0.862	1.067	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	0.000	0.688	0.861	1.066	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	0.000	0.687	0.860	1.064	1.325	1.725	2.086	2.528	2.845	3.552	3.850
21	0.000	0.686	0.859	1.063	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	0.000	0.686	0.858	1.061	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	0.000	0.685	0.858	1.060	1.319	1.714	2.069	2.500	2.807	3.485	3.768
24	0.000	0.685	0.857	1.059	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	0.000	0.684	0.856	1.058	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	0.000	0.684	0.856	1.058	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	0.000	0.684	0.855	1.057	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	0.000	0.683	0.855	1.056	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	0.000	0.683	0.854	1.055	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	0.000	0.683	0.854	1.055	1.310	1.697	2.042	2.457	2.750	3.385	3.646
40	0.000	0.681	0.851	1.050	1.303	1.684	2.021	2.423	2.704	3.307	3.551
60	0.000	0.679	0.848	1.045	1.296	1.671	2.000	2.390	2.660	3.232	3.460
80	0.000	0.678	0.846	1.043	1.292	1.664	1.990	2.374	2.639	3.195	3.416
100	0.000	0.677	0.845	1.042	1.290	1.660	1.984	2.364	2.626	3.174	3.390
1000	0.000	0.675	0.842	1.037	1.282	1.646	1.962	2.330	2.581	3.098	3.300
Z	0.000	0.674	0.842	1.036	1.282	1.645	1.960	2.326	2.576	3.090	3.291
	0%	50%	60%	70%	80%	90%	95%	98%	99%	99.8%	99.9%
	Confidence Level										

Discussion

The Present Randomized Control Trial Was Conducted To Assess The Role Of Individualized Homoeopathic Medicine In The Treatment Of Migraine In Patients Of Aged 18 To 40 Years. Migraine, Being A Chronic

Neurovascular Disorder, Significantly Impairs Daily Functioning And Quality Of Life. Primarily The Study Shows The Patient With Migraine Are Almost The Age Of 18-25 Years . Conventional Allopathic Treatment Often Provides Symptomatic Relief But May Not Address The Constitutional Or



Individual-Specific Factors Contributing To The Condition. Homoeopathy, On The Other Hand, Emphasizes A Holistic And Individualized Approach, Aiming To Stimulate The Body's Inherent Healing Capacity. In This Study, 15 Patients Received Individualized Homoeopathic Treatment, Out Of Which 14 Patients (93.3%) Showed Significant Improvement, While Only 1 Patient Did Not Respond. In Comparison, Out Of 15 Patients Treated With Allopathic Medicines, 12 Patients (80%) Showed Improvement And 3 (20%) Did Not Respond To The Treatment. These Results Suggest A Slightly Higher Rate Of Improvement In The Homoeopathic Group Compared To The Allopathic Group. The Individualized Approach In Homoeopathy, Where Remedies Are Prescribed Based On The Totality Of Symptoms And The Patient's Constitutional Make-Up, May Have Contributed To The Higher Success Rate. Moreover, The Absence Of Side Effects In The Homoeopathic Group Is Another Potential Advantage, Considering The Long-Term Nature Of Migraine Management. It Is Also Worth Noting That While Both Systems Showed Positive Outcomes, The Effectiveness Of Homoeopathy In This Trial Underlines Its Potential As A Viable Alternative Or Complementary Therapy For Migraine Sufferers, Especially Those Who May Not Respond Well To Conventional Treatments Or Experience Side Effects. In Conclusion, Individualized Homoeopathic Treatment Demonstrated Promising Results In The Management Of Migraine Than Allopathic Treatment In This Study.

Conclusion

This Randomized Control Trial Was Conducted To Assess The Role Of Individualized Homoeopathic Medicine In The Treatment Of Migraine In Patients Of Aged 18 To 40 Years, With A Higher Representation From The 18–25 Age Group. Out Of 15 Patients Treated With Individualized Homoeopathic Medicines, 14 (93.3%) Showed Marked Improvement, While Only 1 Patient Did Not Respond. In Comparison, 12 Out Of 15 Patients (80%) In The Allopathic Group Showed Improvement, And 3 Did Not. These Results Suggest That Individualized Homoeopathic Treatment May Offer Effective Relief In The Management Of Migraine, Showing A Slightly Higher Success Rate Than Conventional Allopathic Treatment. The Holistic And Patient-Specific Approach Of Homoeopathy Appears To Play A Significant Role In Achieving Better Outcomes.

Conflict To Intrest : None

References:

- [1]. Carod-Artal Fj, Irimia P, Ezpeleta D. Chronic Migraine: Definition, Epidemiology, Risk Factors And Treatment. *Revista De Neurologia*. 2012 May 1;54(10):629-37.
- [2]. 2. Waters We, O'connor Pj. Prevalence Of Migraine. *Journal Of Neurology, Neurosurgery & Psychiatry*. 1975 Jun 1;38(6):613-6.
- [3]. Olesen J. International Classification Of Headache Disorders. *The Lancet Neurology*. 2018 May 1;17(5):396-7.
- [4]. Intern Med J 2003;33:436-442 Goadsby Pj. Migraine: Diagnosis And Management. *Internal Medicine Journal*. 2003 Sep;33(9-10):436-42.
- [5]. Intern Med J 2003;33:436-442 Goadsby Pj. Migraine: Diagnosis And Management. *Internal Medicine Journal*. 2003 Sep;33(9-10):436-42.
- [6]. Goadsby Pj. Pathophysiology Of Migraine. *Neurologic Clinics*. 2009 May 1;27(2):335-60.
- [7]. Agawane S, Bondre R. Migraine And Homoeopathy. *Journal Of Medical And Pharmaceutical Innovation*. 2023;10(55).
- [8]. [Http://Homeoint.Org/Books/Boericmm/N/Nat-M.Htm](http://Homeoint.Org/Books/Boericmm/N/Nat-M.Htm)
- [9]. [Https://Autismasha.Com/The-Book/](https://Autismasha.Com/The-Book/)
- [10]. [Https://Homeopathybooks.In/Concise-Materia-Medica-By-S-R-Phatak/Ignatia-Amara-8/](https://Homeopathybooks.In/Concise-Materia-Medica-By-S-R-Phatak/Ignatia-Amara-8/)
- [11]. [Https://Homeopathybooks.In/Concise-Materia-Medica-By-S-R-Phatak/Belladonna-25/](https://Homeopathybooks.In/Concise-Materia-Medica-By-S-R-Phatak/Belladonna-25/)
- [12]. [Http://Www.Homeoint.Org/Books/Boericmm/S/Spig.Htm](http://Www.Homeoint.Org/Books/Boericmm/S/Spig.Htm)
- [13]. Ansari M, Rafiee K, Emamgholipour S, Fallah Ms. Migraine: Molecular Basis And Herbal Medicine. *Advanced Topics In Neurological Disorders*. London: Intechopen. 2012 Mar 16:187-214.
- [14]. Kwong W, Pathak D. Validation Of The Eleven-Point Pain Scale In The Measurement Of Migraine Headache Pain. *Cephalalgia*. 2007;27(4):336-342. Doi:10.1111/J.1468-2982.2007.01283.X $P < 0.01$ For H_0 ; $P = 0$.
- [15]. Jain N. *Organon Of Medicine*. B. Jain Publishers; 2004.