

Insert here your thesis' task.



**FACULTY
OF INFORMATION
TECHNOLOGY
CTU IN PRAGUE**

Master's thesis

A Case Study and Proof of Concept of the Application of Machine Learning to Polarion's ALM Software

Bc. Michal Sláma

Katedra . . . softwarového inženýrství

Supervisor: Ing. Jurij Černíkov

May 21, 2018

Acknowledgements

I would like to thank to my supervisor for his extraordinary leading and valuable advices during the whole process of writing this thesis.

Declaration

I hereby declare that the presented thesis is my own work and that I have cited all sources of information in accordance with the Guideline for adhering to ethical principles when elaborating an academic final thesis.

I acknowledge that my thesis is subject to the rights and obligations stipulated by the Act No. 121/2000 Coll., the Copyright Act, as amended. In accordance with Article 46(6) of the Act, I hereby grant a nonexclusive authorization (license) to utilize this thesis, including any and all computer programs incorporated therein or attached thereto and all corresponding documentation (hereinafter collectively referred to as the “Work”), to any and all persons that wish to utilize the Work. Such persons are entitled to use the Work in any way (including for-profit purposes) that does not detract from its value. This authorization is not limited in terms of time, location and quantity. However, all persons that makes use of the above license shall be obliged to grant a license at least in the same scope as defined above with respect to each and every work that is created (wholly or in part) based on the Work, by modifying the Work, by combining the Work with another work, by including the Work in a collection of works or by adapting the Work (including translation), and at the same time make available the source code of such work at least in a way and scope that are comparable to the way and scope in which the source code of the Work is made available.

In V Praze on May 21, 2018

.....

Czech Technical University in Prague

Faculty of Information Technology

© 2018 Michal Sláma. All rights reserved.

This thesis is school work as defined by Copyright Act of the Czech Republic. It has been submitted at Czech Technical University in Prague, Faculty of Information Technology. The thesis is protected by the Copyright Act and its usage without author's permission is prohibited (with exceptions defined by the Copyright Act).

Citation of this thesis

Sláma, Michal. *A Case Study and Proof of Concept of the Application of Machine Learning to Polarion's ALM Software*. Master's thesis. Czech Technical University in Prague, Faculty of Information Technology, 2018.

Abstrakt

Diplomová práce obsahuje přehled možných použití strojového učení v aplikaci Polarion ALM. Práce začíná analýzou funkcí Polarionu následovanou recenzí nejběžnějších ML frameworků a algoritmů vhodných pro použití v prostředí Polarionu. Následuje popis důležitých případů použití s cílem najít nejvhodnějšího případu užití pro aplikaci ML. Pro dva vybrané případy použití je vytvořen prototyp s využitím produkčních dat a následně je diskutována náročnost budoucího nasazení do produkce spolu s komplikací ve formě nové GDPR směrnice.

Klíčová slova Strojové učení, životní cyklus softwarových aplikací, ALM, GDPR, AWS, Amazon web services, LDA, Latent Dirichlet allocation

Abstract

Master thesis contains an overview of possible ways how to use Machine learning (ML) in Polarion ALM software. Thesis begins with analysis of Polarion functionality and is followed by a review of ML frameworks and algorithms suitable for using in Polarion environment. Followed by description of important user cases with business value appropriate for ML implementation. For two selected user cases is created a prototype based on production data.

Finally we are discussing deployment to production and its problems in the light of new GDPR regulation.

Keywords Machine learning, application lifecycle management, ALM, GDPR, AWS, Amazon web services, LDA, Latent Dirichlet allocation

Contents

Todo list	1
Introduction	3
1 The aim of this thesis	5
2 Polarion	7
2.1 ALM	7
2.2 A unified solution	8
2.3 Development process in complex or regulated environments . .	12
2.4 Accelerate collaboration	14
2.5 Medical domain	16
3 Machine learning	19
3.1 TensorFlow	21
3.2 PyTorch	22
3.3 Keras	22
3.4 Caffe2	22
3.5 Amazon web services	22
3.6 Microsoft Cognitive Toolkit	25
3.7 Apache Spark MLlib	26
3.8 MxNet	27
3.9 Latent Dirichlet allocation	27
4 Polarion's use cases for ML	29
4.1 OCR for image attachments	29
4.2 Advanced Search in Polarion	30
4.3 Suggestion for optimization of Polarion configuration	30
4.4 Suggesting of how to split a document Space	31
4.5 Translating documents	33

4.6	Estimations and expectations	33
4.7	Defect recommendations	34
4.8	Chat bot	35
4.9	The most complained parts of Polarion	37
4.10	Detection of duplicated defects	37
5	Proof of concept prototypes	39
5.1	Prototype - suggesting of how to split a document Space	39
5.2	Prototype - defect recommendations	45
6	ML in Polarion production	49
6.1	ML future	53
6.2	Changes to environment	53
	Conclusion	57
	Bibliography	59
A	List of abbreviations used	61
B	CD contains	63

List of Figures

2.1	A unified solution for ALM [1]	9
2.2	Document workflow [1]	11
2.3	Companies expectation from using Agile[1]	13
2.4	Collaboration traceability workflow [1]	14
2.5	Medical risk management workflow [1]	17
3.1	Deep learning concept of Tensorflow [2]	21
3.2	AWS ML stack [3]	24
3.3	Amazaon machine learning stack [3]	25
3.4	CNTK architecture [4]	25
3.5	Spark ecosystem [5]	27
3.6	Plate notation (Bayesian inference) for LDA [6]	28
4.1	Attachments in Polarion	29
4.2	Search work item in Polarion	30
4.3	Document space in Polarion	32
4.4	Estimations in Polarion	34
4.5	Properties of defect work item in Polarion	35
4.6	Help page in Polarion	36
4.7	Similar defect suggestion in Polarion	37
5.1	Tree chart of documents	41
5.2	Topics distribution in external database documents	42
5.3	Topics distribution in variant management documents	42
5.4	Circle representation of all topics	43
5.5	Detail of topics in circle representation	44
5.6	Communication scheme	46
5.7	Practical use	47
6.1	GDPR consumer rights [8]	50
6.2	GDPR consumer rights in detail [8]	52

6.3	Expected IT budget for ML[7]	54
6.4	Technologies trends over next 3 years[7]	55

Todo list

Introduction

“The revolution is just beginning, but it’s real – and the time to act is now. In fact, it is yours for the taking to harness a broad platform, services and ecosystem to transform your business. A unified approach to application lifecycle management is not a futuristic technology trend. It’s here today, and the good news is that you don’t have to completely stop and reset, but can smoothly transition from squeezing the most out of your existing business processes to making your organization thrive.”

Kurt Bittner
Analyst
Forrester Research

The author of this thesis has been working in software development for more than 10 years. During this time, he has explored the question of how to manage and keep up-to-date info, for a large project where more than a dozen people are involved. This is also why he chooses to work as a developer for Polarion.

We live in the world that is changing rapidly. No part of life can escape these changes, the software development sector included. In fact it needs to adapt on a daily basis to new requirements and technologies. This demand leads to a new level of management for software development, where tools, processes, implementation, testing and reporting are organized in a single place with continuously improving traceability and productivity. This comes hand in hand with automation in the form of ML that elevates the user experience and reporting to the next level. One such product is Polarion[1] and this work will analyze its use cases and find out what areas are good candidates for using ML techniques to improve the business value of the product.

The aim of this thesis

The aim of this thesis is to analyze and identify machine learning (ML) use cases that would prove valuable for Polarion's application lifecycle management (ALM) software. A proof of concept prototype will be supplied for each selected use case.

1. Analyze and describe Polarion in order to identify suitable use cases to apply ML to.
2. Provide a review of ML frameworks and algorithms that are relevant for such an application.
3. Describe several use cases for ML and define their benefit to both ALM as a business and the users that deploy it.
4. Choose a scenario from the previous investigation and implement a proof of concept prototype.
5. Discuss the possibility of the full implementation and deployment of the previous prototype into the production environment.

Polarion

Organizations are often struggling with the old processes of doing things. They focus on isolated process optimization instead of driving business value through comprehensive synchronization. With Polarion, customers have been able to get their teams out of their silos and orchestrate development efforts across the entire application lifecycle. This approach has empowered stakeholders to better perform tasks in context and quickly make sound decisions based on real-time access to information.

You can try Polarion on <https://polarion.plm.automation.siemens.com/>.

Now let's take a look what Polarion comes with and how it improves upon old fashion processes.

2.1 ALM

“ALM is a paradox in the software engineering world, where engineers recognize the need for requirements management, change and configuration management, QA and test management, and so on, but are not familiar with the term ALM. This is a serious problem because ALM is necessary to manage software complexity, and the rise of embedded software in engineered products needs mature management processes and tools.”

Michael Azoff
Principal Analyst

Polarion is an ALM enterprise solution that deals with modern-day challenges. It has emerged with the intent to fast-track innovation, while safeguarding quality, functional safety, and compliance. Its ability to speed up the development and delivery of innovative applications is becoming essential to the success of businesses in any industry.

ALM points to these three aspects:

1. An application has to be delivered as fast as possible and time itself is a new strategy weapon.
2. Information technologies are the fuel accelerating business success.
3. Errors are not forgiven and can go viral in an instant. QA rules must be set and obeyed.

2.2 A unified solution

Polarion is a single solution that provides all the tools needed to build whole application from the ground up. At the same time it ensures that data and logic are in a persistent state during the entire process.

This helps with regulations. This basic word means a lot in the world of software development, where processes are regulated by internal or external subjects and have an essential impact on the cost of a product, not only during its development, but after its release.

What ALM comes with?

The main advantages attributed to the ALM process (graphically shown in the picture 2.1):

- Agility through improved collaboration.
- Productivity through process integration.
- Auditability through traceability and accountability.
- Quality through transparency and automation.
- Innovation through unlocked team synergy.
- Predictability through better estimation and reporting.

Let's a look a little closer at some of these advantages.

2.2.1 Agility through improved collaboration

If faster time-to-market is a key success factor in today's competitive environment, real-time collaboration and the contextual performance of tasks are the means to stay ahead. In many cases, lightweight Agile software development methods have replaced or augmented incremental waterfall methods to release products more frequently.

Polarion provides flexible support for Agile or Lean, as well as traditional and hybrid environments, including any customized Scrum, feature-driven development, Kanban, extreme programming, or rational unified process methodologies.



Figure 2.1: A unified solution for ALM [1]

Polarion’s 100 percent browser-based architecture makes information universally accessible from anywhere for any collaborator. Collaboration is easy and teams divided around the world can communicate to each other and solve tasks together.

2.2.2 Productivity through process integration

A large number of Polarion customers apply a combination of Agile and DevOps methodologies. Polarion’s ALM solution is the perfect conduit for DevOps, allowing for the easy synchronization of development and delivery processes spanning requirements definition, feature development, quality testing, and maintenance. Any problem can be easily tracked back to its source and maintenance time is significantly reduced. (Right up to real-time fixes).

Polarion integrates with other tools. This is either done using an extension or through native integrations. This means that customers can still use their own tools and data repositories and then integrate them with Polarion. Polarion has been on the market for many years and in this time many extensions have been created by customers or professional services and placed on the official Polarion marketplace where they can be freely downloaded. The average customer will find all they with regards to third-party integration on Polarion's marketplace.

2.2.3 Auditability through traceability and accountability

"We chose Polarion ALM at Phoenix Contact in the Business Unit Automation to consolidate our very heterogeneous tool landscape – PVCS, Bugzilla, OneTree. With Polarion ALM we achieved transparency on all levels of development and we got fast acceptance in the teams. We now see exactly and in detail the status and the progress in our projects in the different project phases."

Andreas Deuter
Phoenix Contact Electronics

Every change is stored. Polarion stores all you need to track down what, how and by whom a change was made. In an enterprise environment where hundreds of people are working, it is hard to keep in touch with who does what. A place where you see it all is priceless and helps minimize the risk of black holes where a task is left or forgotten without any notice. Such a missing task can have a very serious impact on cost or even the release date itself.

2.2.4 Quality through transparency and automation

A big problem with this approach is that team members usually get the information about what they need to accomplish from static documents that tend to go out-of-date as quickly as they were created. But perhaps worst of all, changes and ad hoc decisions often fail to take into account the downstream impact.

Polarion's processes provide way to track all requirement changes to help to keep in touch with the actual state of what needs to be done. For instance if a Product Owner changes a task, developers are informed and can react by accepting the task or request for more information about the change. In both cases, all sides know what is happening and what comes next.

The time when all operations were done by humans is over and automation plays important role in IT management. Polarion provides an environment to

run automatic jobs to build, test, check, ... or whatever a customer may need. Customers are free to implement their own job and run them in the same way as native ones.

2.2.5 Automating proof of compliance

One of the most important aspects is document workflow and it will be discussed in further detail, later in this thesis.

Think of a Polaron document like a Word document that contains a number of externally referenced tasks called 'Work Items'. Each document has its own text (headings descriptions etc.), but also contains the dynamic headings and descriptions of up to a million external, standalone Work Items. When another user updates the description of, for example, a requirement Work Item, then its description is automatically updated in any document that contains it. The reverse can also be done. With the appropriate permissions, someone can update a Work Item from within a document and it will update the standalone external Work Items and its description in all other documents that contain it. Let's look at the workflow shown in 2.2.




Figure 2.2: Document workflow [1]

Figure ?? shows two separate workflows. One for documents and one for Work Items. The workflows themselves do not need explanation but it is important to understand the relationship between them. A Document can not move to the next 'Status' state unless all its Work Items have also been moved to a desired state. This keeps traceability and collaboration consistent

by pushing a team to accept their work and minimizing undesired drafts, fakes and time wasted on unrelated work.

2.2.6 Innovation through unlocked team synergy

We live in an information age. Information is all around us and its hard to determine what is important for us or our company and what is not. A Team is a great way how to share information but what if it has a lot of members? Polarion contains way how to cooperate and improve your know how as fast possible and share it with other co-workers. The wasted solving an already solved issue is rapidly reduced and a new task can be done based on the results of previous work. This leads to more accurate estimations and risk assessment.

2.3 Development process in complex or regulated environments

Most collaborators don't have the unified tools environment necessary to get them on the same page at the same time, however, and resulting disconnects have increasingly negative impact, disrupting industries with new records of regulatory warning letters, product failures, recalls, legal sanctions, loss in market position and associated cost explosions.

Topping the list of challenges in the new world of software driven innovation are the need for tight orchestration across disparate teams, growing regulatory demands and the increasing role of suppliers as innovation partners. Companies that are able to shift gears to meet the growing complexity will be well positioned to secure new market opportunities.

Common first step is to welcome agile approach. Companies have different expectations about it's benefits shows in the picture below 2.3.

Result is clear. Companies feel that IT is starting to be more and more complex and demands from business is harder to satisfy. Polarion support all agile methods and is ready to help company improves its environment. More importantly this agile templates (how are called) can be modified based on customers demands to fit their needs and specify requirements.

“Siemens PLM Software’s Polarion products presents the opportunity to allocate our complex and formal development rules via one state-of-the-art tool. The modularity and flexibility make the adjustment to our needs simple and effective. The traceability and workflow features are convincing and really assist the everyday activities.”

Christian Kettl
MTU Aero Engines

2.3. Development process in complex or regulated environments




Figure 2.3: Companies expectation from using Agile[1]

2.3.1 Integration of ALM and PLM

All the time we are talking about ALM but the main goal is to provide entire solution for product application lifecycle PLM where ALM is just a part of it. Where ALM is concentrated around application there PLM is the process of managing the lifecycle of a product itself from inception to final real item. Polarion is able to provide this functionality by integration with external tool that can use Polarion as the source of ALM work flow.

ALM-PLM integration benefits include:

- Integrated processes make cross-discipline synchronization very easy.
- Access to product and software requirements supports comprehensive understanding of the product definition.
- Bi-directional linking enables cross-discipline lifecycle management and audit readiness.
- Change propagation and automatic notification enable comprehensive change impact analysis.
- Synchronized testing and reporting support cross-functional defect management.
- Linked, versioned data architecture without data duplication delivers closed-loop decision making.
- Integration makes holistic compliance reporting for every aspect of the manufacturing process a reality.

2.4 Accelerate collaboration

Development environments to synchronize team efforts have proliferated. But most of them are cobbled together, posing a wide range of disadvantages. Leveraging Polarion flexibility, customers can choose from different configurations to provide all collaborators with the level of information and functionality they need, while keeping the total cost of ownership the lowest in the industry.

These are the most common:

- Difficulty linking and tracing artifacts across differently structured repositories.
- Problems of low visibility into project status, impact of changes and release predictability.
- Lack of a cohesive feedback loop that brings important context to every stakeholder.



Figure 2.4: Collaboration traceability workflow [1]

2.4.1 The dilemma of requirements documentation

We need to be sure that all side speaks with dialect that respect specify domain. This requirement typically encompass varying pieces of content, including:

- Paragraphs to provide overviews and explain details.
- Lists and tables to detail structured data and rules.
- Images and models to illustrate requirements.
- Flow charts to describe a series of events.

2.4.2 "easy-as-Word functionality"

If we spoke that the base object in Polarion is Document we shall expect that customers will use document in the same way as if they were using in the Microsoft Word. Fortunately behaviour of document in Polarion is very similar in both using and how looks like.

Customers can use known buttons and tools from Microsoft Word to edit and interact with document and this speed up learning curve a lot.

2.4.3 Real-time access to content

Instead of Microsoft word document is Polarion document fully online and each change is immediately visible to everyone. Many users can simultaneously edit one item and Polarion then handle merging of changes. Of course that this can lead to conflict and in this case user have to handle his changes by own.

Consequently, companies that use Polarion Requirements are no longer forced to rely on meetings, sending emails, or circulating formal documents to make decisions, even with their partners and other external collaborators.

2.4.4 Tie in domain experts with their tools

As was said previously Polarion is expandable. Extensions can change or improve some existing functions or add completely new, transfer data from or to Polarion or connect it to external tools providing new functionality.

To complete the picture, connectors for popular third-party tools such as HP® Quality Center® and Atlassian® Jira® are available, and so is an open and fully documented Java API. As a result, a strong community of more than 100,000 members has formed and created extensions, integrations and customizations.

2.4.5 Deliver release predictability

Because every artifact change in the Polaron product is tracked and reported using the underlying configuration management system, customers automatically gain a complete audit trail of who did what, when and why, making it impossible to change anything without leaving a trace.

“Visual Diff” functionality is available to easily detect the changes between different states, and customers report that teams that take advantage of change management and impact analysis are much more successful.

2.4.6 Reduce time-to-market

All previous parts have one main purpose to deliver product in the shortest time but ensure its quality and traceability.

2.5 Medical domain

One the strongest part of Polaron is in ability to satisfy regulation demands from various types of institutions that making development more complex then before.

Lets talk about medical domain.

Medical device product development work is a highly integrated and regulated process. Two key standards incorporated into medical device risk management are International Organization for Standardization (ISO) 14971:2009, which specifies the process for a manufacturer to identify the hazards associated with medical devices; and ISO Technical Information Report (TIR) 24971:2013, which provides guidance in addressing specific areas of ISO 14971 when implementing risk management. Europe has added to the mix with EN ISO 14971:2012, which is different in several important aspects, and is required if a company is selling medical devices into Europe. You can see this process in Medical risk management workflow picture 2.5.

It was just a example how problematic and regulated this domain is.

To describe how exactly is Polaron used in medical domain s beyond the scope of this thesis. But one point are data. Data are in medical domain valuable asset whose using is restricted by law and violation has serious financial and social impart. If we want to use this data we have to be use that all rules are obeyed and data are safe before abuse or stolen.




Figure 2.5: Medical risk management workflow [1]

Machine learning

It's over 50 years since the first mention of ML by Arthur Lee Samuel in his study *Some Studies in Machine Learning Using the Game of Checkers*[9]. At that time it was just an idea IT was not ready to support it. But now we are fully in information age. Machines are able to calculate incredible fast and we are able to store all data what we need. From this ML has risen and companies from every corner domains have realised that ML can improve their product significantly or even create entirely new ones.

The path from just a theory to practical usage was long and hard [10].

- 1979 — Students at Stanford University invent the “Stanford Cart” which can navigate obstacles in a room on its own.
 - If you at it from today the achievement is a bit funny but on the other hand it is almost 40 years old.
- 1997 — IBM Deep Blue Beats Kasparov
 - You sure remember this event. It was also moment when author of this thesis heard about ML for the first time along side with public. Machines stopped to be perceived just like calculators and got a status of thinking think.
- 2016 — Beating Humans in Go
 - Google's AlphaGo was able to beat professional human player using a combination of machine learning and tree search techniques. What will be next?

3. MACHINE LEARNING

During MLP 2018 [11] was presented a heartbreaking user case for face recognition. Try to imagine nature disaster leading to thousands and thousands refugees. Families are divided and with all that chaos around it is impossible to find each other. Depression is rising and may lead to panic or violence on himself or someone else. ML comes with simple idea. Just take a picture of yourself and it will find your relatives. How? ML has learnt on data from other families and find out what common family characters are and how can be used. Based on this ML is able to say with high probability if someone is related to someone.

What makes this examples so special? This user case uses ML in a new way but algorithms and frameworks were already here. Data was provided, model was created and it works. Sounds pretty easy and of course reality was a bit complicated but leave us a message where the current state of ML. Companies can use existing implementations without deep knowledge of complicated algorithms and may straightly start with their own problems, business case and see results in a short time.

It was said that with using of existing solutions PoF should not take more than 2 months according to learning task and processed data.

Learning can be done in different ways:

- Supervised learning: relies on data where the data are annotated and algorithm comes through them and tries to find similarities. For example, we want to distinguish between pictures of cats and dogs. Algorithm will go through on lots of annotated pictures and classify them. After it algorithm will be able correctly annotated new pictures but the main disadvantage is need of a large amount of preprocessed data.
- Semi-supervised learning: algorithm does not have any annotations. Again a large amount of data are provided to algorithm and with some characteristics what we want to find. In our case of cats and dogs we want to separate pictures into two groups. During this separation algorithm will learn rules how cats and dogs look like. Compared to the previous one we are good with raw data and no preprocessing is needed.
- Reinforcement learning: Chess play is good example of this learning when want to win. Algorithm gets set of plays with moves and results and it learns on this trying to find best moves leading to victory. In case of games this approach has a great advantage that algorithm can play with himself and play many games in a short time that is for people question of minutes or hours.

For the first Let's see what ML frameworks or libraries are available.

3.1 TensorFlow

TensorFlow[12] is an open source software library with strong support for machine learning and deep learning and the flexible numerical computation core is used across many other scientific domains. Developed by Google for its internal usage but fast became one the most used ML framework. The reason for this is the ease with which developers can build and deploy applications.

Main focused is on deep learning and has more tools to support reinforcement learning and other algorithms. Deep learning concept is shown in the figure 3.1.




Figure 3.1: Deep learning concept of Tensorflow [2]

Tensorflow has much better performance and customizability, but the learning curve is much steeper as you are not just plugging in data and labels into a constructor, but are actually creating the layers which will make up your model. For its using you need solid understanding of machine learning and mathematical concepts especially linear algebra and calculus.

3.2 PyTorch

A Python version of Torch, known as Pytorch, was open-sourced by Facebook in January 2017. It is based on dynamic computation graphs. This has a lot of useful benefits for certain types of RNN, situations where you need to generate weights and things where the very structure of the network changes.

PyTorch[13] also has a really nice interface and has the support of Facebook. And contains lots of modular pieces that are easy to combine. The downsides are that it's a relatively newer framework, so there's not many integrations with it, not much community and not many papers implemented in it. And note that dynamic computational graphs will make many things rather inefficient because lacking static optimizations.

3.3 Keras

Keras was created by Francois Chollet, a software engineer at Google and is a deep-learning library that sits atop TensorFlow and Theano, providing an intuitive AP that is inspired by Torch and its development is fast growing.

On the other hand as Keras[14] is good in rapid prototyping it lack in flexibility.

3.4 Caffe2

Caffe2[15] with C++ engine is a successor to the original Caffe and is the second deep-learning framework to be backed by Facebook after Torch/PyTorch. The main difference is that Caffe2 is more scalable and light-weight but rather limited in flexibility. Good for smartphone inference.

3.5 Amazon web services

AWS provides a low-cost, scalable and highly reliable infrastructure platform in the cloud. This has been adopted by thousands of businesses globally. Australia, the US, Japan, Europe, Singapore and Brazil are among the data center locations. The locations are widespread to make sure the system is robust and secured against the impact of outages or other such problems.

Advantages[16]

- Security.
 - AWS conducts regular audits to ensure its infrastructural security. It has implemented best practices in security and also provides documentation on how to deploy the security features. It ensures the availability,

integrity and confidentiality of your data and provides ‘end to end’ privacy and ‘end to end’ security.

- Cost-Effectiveness
 - You consume only as much storage or computing power as required. No upfront investment or minimum expenditure is required. Generally, it is not easy to predict the requirements for the resources. So, you might allocate fewer resources than required and impact customer satisfaction or you might allocate excessive resources and not be able to maximize return on investment (ROI).
- Flexibility and Openness
 - You can use the programming languages, architectures, operating systems and databases you are familiar with. In this manner, there won’t be any need for your IT personnel to pick up new skills and the overall time to market and productivity will improve.
- Elasticity and Agility
 - allows you experiment and innovate quickly through its huge global cloud infrastructure. You can quickly scale up or scale down on the basis of demand. You can also use new applications, rather than wait for months for hardware.

Common company solves a problems those can be group by[17]

- Overspending on hardware and storage capacity.
- Business leaders want IT to help preserve cash.
- A non-standardized IT environment and platform is expensive from a security, support and training perspective.

All these problems are solved by AWS.

AWS provides wide range of services shown in the picture below 3.2.

3.5.1 Frameworks and infrastructure

At the low end computation customers can choose from the most used frameworks:

- Mxnet
- TensorFlow
- Caffe2
- Keras
- CNTK
- PyTorch
- Gluon

Using is then just about calling united interface without dependence with framework was chosen. It bring great for testing different approaches in a short time.

3. MACHINE LEARNING

AWS ML Stack




Figure 3.2: AWS ML stack [3]

3.5.2 Application services

It is SaaS layer with applications ready for use. Customers do not need to implement their own solutions to test their data in common cases and can start to use it immediately.

3.5.3 Platform services

On this level resides what we can expect except one and this is Amazon SageMaker.

Amazon realized that developers need a fast way how to build, train and deploy machine learning models with as little effort as possible. And for this purpose SageMaker was created.

Let's look closer on Amazon SageMaker.

3.5.4 SageMaker

Amazon SageMaker is a fully-managed platform that enables developers and data scientists to quickly and easily build, train, and deploy machine learning models at any scale with easy to use GUI.

Amazon SageMaker runs on a fully managed elastic compute server. This relieves the data scientist/ developer from DevOps concerns. Amazon SageMaker fully takes care of health checks, and outline infrastructure maintenance tasks via the built-in "Amazon CloudWatch monitoring and logging" service. Machine learning algorithms are provided pre-optimized particularly enhanced




Figure 3.3: Amazaon machine learning stack [3]

to run on Amazon’s compute servers and customers need only simply connect them to their data source. Trained models can be deployed for production directly from Amazon SageMaker thta deploys the model as well as implements a secure HTTPs endpoint for the application. Again from customers point of view DevOps are not needed. The last but not the least billing is based on utilization that are mostly dependent on customer use-case and demand peculiarities.

3.6 Microsoft Cognitive Toolkit

The Microsoft Cognitive Toolkit[4] written in C++ is a unified deep learning toolkit that describes neural networks as a series of computational steps via a directed graph. CNTK allows users to easily realize and combine popular model. CNTK has been available under an open-source license since April 2015 and is Microsoft’s response to Google’s TensorFlow.




Figure 3.4: CNTK architecture [4]

Thanks to architecture it is very flexible, allows distributed training and supports main programming languages but lack visualizations.

3.7 Apache Spark MLlib

MLlib[18] is Apache Spark's scalable machine learning library.

Common[?] problem of prototyping in Python or R is that moving from development to production environments requires extensive re-engineering.

For this Spark provides data engineers and data scientists with a powerful, unified engine that is both fast (100x faster than Hadoop for large-scale data processing) and easy to use. This allows data practitioners to solve their machine learning problems interactively and at much greater scale.

The advantages of MLlib's design include:

- **Simplicity** - Simple APIs familiar to data scientists coming from tools like R and Python. Novices are able to run algorithms out of the box while experts can easily tune the system by adjusting important knobs and parameters.
- **Scalability** - Ability to run the same ML code on your laptop and on a big cluster seamlessly without breaking down. This lets businesses use the same workflows as their user base and data sets grow.
- **Streamlined end-to-end** - MLlib is on top of Spark and it makes possible to tackle these distinct needs with a single tool instead of many disjointed ones. The advantages are lower learning curves, less complex development and production environments, and ultimately shorter times to deliver high-performing models.
- **Compatibility** - Data scientists often have workflows built up in common data science tools, such as R, Python and so on. MLlib provides tooling that makes it easier to integrate these existing workflows with Spark.




Figure 3.5: Spark ecosystem [5]

3.8 MxNet

Along[19] side previous frameworks Apache's MxNet is a modern open-source deep learning framework used to train, and deploy deep neural networks supporting multiple programming languages.

Supports an efficient deployment of a trained model to low-end devices for inference, such as mobile devices, IoT devices, Serverless or containers which should used the models trained on a higher-level environments because of limited CPU an RAM resources.

It has been chosen by AWS be part of their ML on demand infrastructure. Now let's switch to some specific algorithm.

3.9 Latent Dirichlet allocation

LDA[20] is a type of topic modeling algorithm. The purpose of LDA is to learn the representation of a fixed number of topics, and given this number of topics learn the topic distribution that each document in a collection of documents has.

In LDA, each document may be viewed as a mixture of various topics. The sparse Dirichlet priors encode the intuition that documents cover only a small set of topics and that topics use only a small set of words frequently. In practice, this results in a better disambiguation of words and a more precise assignment of documents to topics.

First we need to select number of topics to discover. LDA will go through each of the words in each of the documents, and it will randomly assign the




Figure 3.6: Plate notation (Bayesian inference) for LDA [6]

word to one of the K topics. After this step we will have topic representations (how the words are distributed in each topic) and documents represented in terms of topics. This random form is not very optimal or accurate. To better this representation LDA will analyze per document what is the percentage of words within the document that were assigned to a particular topic. And for each word in the document, LDA will analyze over all the documents, what is the percentage of times that particular word has been assigned to a particular topic.

Polarion's use cases for ML

Polarion serves for customers to plan and evaluate their every day work and if something is used frequently and periodically then there should be places for ML to improve it. Let's find some use cases that can be good candidates for ML.

4.1 OCR for image attachments

Polarion allows users to upload files on work items (see the picture below 4.1) In current image files are treated without processing their contents and it has impact on functions like search engine that can not use information in files. For this case OCR should server well.



Title	File Name	Size	Author	Last Modified	Actions
screenshot-20180219-102	screenshot-20180219-102504.png [direct link]	182 B	Ondřej Chylik	2018-03-02 11:59	Show revisions
screenshot-20180219-102	screenshot-20180219-102726.png [direct link]	182 B	Ondřej Chylik	2018-03-02 11:59	Show revisions
screenshot-20180219-102	screenshot-20180219-102726.png [direct link]	258 B	Ondřej Chylik	2018-03-02 11:59	Show revisions
screenshot-20180219-102	screenshot-20180219-102726.png [direct link]	182 B	Ondřej Chylik	2018-03-02 11:59	Show revisions
screenshot-20180219-102	screenshot-20180219-102726.png [direct link]	264 B	Ondřej Chylik	2018-03-02 11:59	Show revisions
screenshot-20180219-102	screenshot-20180219-102726.png [direct link]	182 B	Ondřej Chylik	2018-03-02 11:59	Show revisions
screenshot-20180219-103	screenshot-20180219-103040.png [direct link]	258 B	Ondřej Chylik	2018-03-02 11:59	Show revisions

Figure 4.1: Attachments in Polarion

What is OCR? OCR is a technology that enables you to convert different types of documents, such as scanned paper documents, PDF files or images captured by a digital camera into editable and searchable data.

Advantages is plenty of free OCR libraries in variety of programming languages ready to integrate with Polarion. Cost of this implementation should

4. POLARION'S USE CASES FOR ML

not be high but will lead to an increase in the index size that can rise rapidly as users using attachments a lot.

4.2 Advanced Search in Polarion

Common problem with large amount of objects is to find that you are searching for. Polarion contains such large amount of objects. For example customers have more than 10 000 different kind of work items and you have to know how to find the specific one. This should be improved no looking just for exactly same expressions but also for similarities and make suggestions based on input data.




Figure 4.2: Search work item in Polarion

Work item's data can contains more specific test like references to another work items, pictures, graphs, stack traces...all these data types should be treated differently. Implementation will be hard as requirements are more unclear but results will lead to improve user experience and less domain experts knowing entire domain and so all work items will be needed.

4.3 Suggestion for optimization of Polarion configuration

Each customer has a special demands and has a specific environment where Polarion runs on. Optimize these configuration is not easy task as only experts across multiple domains (DevOps, Polarion administrators, Polarion experts, ...) can see impact and consequences of different settings.

This can be changed by us as we know wide range of cases where Polarion ALM (Polarion) or customer was stucked and needed help. This experience contains looking into log for a specific behaviour of user cases, memory/CPU/space/...consumption of Polarion or environment itself. Based on this data we should be able to automatically recommend changes to configuration or at least to start resolving problem more proactively before it becomes critical.

Example of log information:

```
2018-05-09 15:09:34,595 [main | u:p] INFO TXLOGGER - Summary for
'Platform startup': transactions: 0, DB: 20.1 s
[97% execute (1341x)] (1575x)
```

4.4. Suggesting of how to split a document Space

```
2018-05-09 15:09:35,347 [main | u:p] INFO TXLOGGER - Summary for
'Context recognition': transactions: 0, svn: 0.436 s [49% getDir2
content (6x), 36% info (8x)] (15x)
2018-05-09 15:09:54,556 [LowLevelDataService-contextInitializer-3
| u:p] INFO TXLOGGER - Summary: Total: 19.2 s, CPU [user: 1.25 s,
system: 1.06 s], Allocated memory: 440.6 MB, transactions: 0, svn:
10.7 s [92% log2 (25x)] (428x), ObjectMaps: 1.59 s
[80% setLastProcessedRevision (451x)] (20180x)
2018-05-09 15:09:54,556 [LowLevelDataService-contextInitializer-5
| u:p] INFO TXLOGGER - Summary: Total: 19.2 s, CPU [user: 5.61 s,
system: 0.859 s], Allocated memory: 3.5 GB, transactions: 0, svn:
8.56 s [61% info (3043x), 28% getFile content (2015x)] (5093x),
ObjectMaps: 1.78 s [67% saveIfNeeded (24679x),
11% getPrimaryObjectLocation (6704x),
11% addLocation (13528x)] (121868x)
2018-05-09 15:09:54,556 [LowLevelDataService-contextInitializer-1
| u:p] INFO TXLOGGER - Summary: Total: 19.2 s, CPU [user: 0.891
s, system: 1.25 s], Allocated memory: 461.9 MB, transactions: 0,
svn: 12 s [94% log2 (45x)] (554x), ObjectMaps: 1.56 s
[77% setLastProcessedRevision (510x), 15% saveIfNeeded (5391x)]
(19414x)
2018-05-09 15:09:54,556 [LowLevelDataService-contextInitializer-4
| u:p] INFO TXLOGGER - Summary: Total: 19.2 s, CPU [user: 1.11 s,
system: 1.5 s], Allocated memory: 596.0 MB, transactions: 0, svn:
13 s [67% log2 (65x), 14% log (1x)] (1445x), ObjectMaps: 1.3 s [72%
setLastProcessedRevision (359x), 18% saveIfNeeded (6218x)] (22872x)
2018-05-09 15:09:54,556 [LowLevelDataService-contextInitializer-2
| u:p] INFO TXLOGGER - Summary: Total: 19.2 s, CPU [user: 1.55 s,
system: 1.8 s], Allocated memory: 705.2 MB, transactions: 0, svn:
13.6 s [88% log2 (56x)] (875x), ObjectMaps: 1.94 s
[79% setLastProcessedRevision (582x), 11% saveIfNeeded (8406x)]
(31707x)
2018-05-09 15:09:54,581 [main | u:p] INFO TXLOGGER - Summary for
'Context initialization': transactions: 0, svn: 57.9 s
[74% log2 (216x), 15% info (4897x)] (8395x), ObjectMaps: 8.17 s
[61% setLastProcessedRevision (1915x), 26% saveIfNeeded (49771x)]
(216041x)
```

4.4 Suggesting of how to split a document Space

Polarion is about working with documents. It is expected that customers have a hundreds of documents separated into document spaces. Document spaces

4. POLARION'S USE CASES FOR ML

are used as folders and make hierarchy. But in some cases customers create too many document under one document space and orientation within this space becomes unclear. Idea is to split documents under one document space into groups based on their topic. This is a job for LDA.




Figure 4.3: Document space in Polarion

As was said before Polarion document contains beside plain text also its work items that contain its own text including title, description, comments, selected properties... All these information should be taken into account for topic creation. Work item can have a reference to another work item and so on that is question how many work items in such chain use.

Welcome topics into Polarion improves user experience on every day basis. If we talk about splitting documents in one document space topics can be

also created for all documents and users will be able to find similar document across entire Polarion which is normally really hard task to do.

LDA is downloadable library and can be easily integrated into existing code base. Changes on the side of Polarion will be much harder but business value of this feature is good enough to balance it.

4.5 Translating documents

Normally customers have all their documents in one language. But there are cases when a document is created in one language and from the document is branched to another one which is translated to different language needed for example for external communication.


Important note is that a source document and a branched document are connected together and so changes to one can be propagated to another. Direction of propagation should be only from source to branched document because it is expected that branched document will contain more information than its source. First translation when branched document is created has no problems but complications come when the source is changed and changes should be propagated to its branched documents. These documents can already have overwriting or context changing changes and the question is how to solve a collision issue.



Anyway problem lies also in translation itself though translation services are widely accessible we can not sent customer's data outside their environment and local translation server must be used.

4.6 Estimations and expectations

Agile planning is built around task estimation, fulfilling expectations and constant improving by learning from estimations. The more experienced developer is, the better estimates has. Average time for a programmer job is in order of years and time to take familiar with Polarion is more than year. That is why estimates from inexperienced programmer are more tips then relevant data. On the other hand Polarion has previous data from all project done before which may give hints with the estimation of a task.

Firstly we need to find similar tasks. We can look for work items with same parameter like category, story type and so on and combine it with similarity of description. Process all estimations from these found work items and show to user advice what estimate should be used.

Type:  **User Story**

*Severity:  **Must Have** 

Author: **Ondřej Chylik**

Categories: **Test Management**

Story Type: **Strategic Feature**

Initial Estimate: **6d**

Time Spent: **7d 3h**

Remaining Estimate:

QA Sprint Estimate: **1/2d**

Dev Sprint Estimate: **1 1/2d**

Figure 4.4: Estimations in Polarion

4.7 Defect recommendations

Defect is a special type of work item in Polarion using to track errors and misbehaviours of the system. Creating of this type is done by whoever found the defect and so the author need to have knowledge about already created defects and how to correctly set all parameters for that type of defect. Polarion can try to find similar defects and help the user to better set properties up.

Similar defects will be searched based on title of the defect that is written by a author and must be so accurate information as possible to ensure better results.




Figure 4.5: Properties of defect work item in Polarion

Properties for recommendations:

- severity
- priority
- assignee
- package
- category

Thanks to this defects will get faster to the responsible person and the time from finding to the first reaction or even fix will be significantly shorter. It has clear business values helps entire company to react faster and with less people to be involved.

4.8 Chat bot

For such a huge product as Polarion is it is natural that users are sometimes lost. Whether it's forgotten of old stuff or looking for new functions or processes. In both cases they have two options. The first is to try search on Polarion help page?? and the second is to bother a colleague. It is true that the better they know the question they get the answer faster and here can help chat bot.

Idea is to take existing help page and index it in a usable format for some of the open-source chat bots. This first line of communication will help users to solve their problems separately and questions to colleagues or even Polarion experts will be reduced leading to more productivity environment.

4. POLARION'S USE CASES FOR ML



Figure 4.6: Help page in Polarion

4.9 The most complained parts of Polarion

Polarion accepts complaints and suggestions every day from wide range of customers. As a results new projects are emerging to add new functionality or to fix the old ones to better satisfy customer's demands poorly analyzed during the first implementation. Creating of new project is done by a management who would like to welcome a tool to track specific parts of Polarion mostly targeted by customer's demands.

We need to take into account not only information but also its sentiment how much is a customer concerned with this problem.

4.10 Detection of duplicated defects

Many new defects are created every day. The standard process describes that before the creation, the user should verify that the same defect does not exists. This is done by searching Polarion and as was said previously it is not as good as should be also because there is no specific specification as to what the new defect should look like and how it should contain information.

Polarion already contains basic duplicate analysis show on 4.7.




Figure 4.7: Similar defect suggestion in Polarion

Analysis of duplicates should be extend to more complex form taking in account also reference work items, similar but not the same text, attachments and so on.

Proof of concept prototypes

We go through ML frameworks and algorithms and useful Polarion user cases expandable with ML. Now it is time to come with PoF prototypes for some of the previous user cases.

From internal discussion came up these two user cases:

- Suggesting of how to split a document Space4.4
- Defect recommendations4.7

Let's move on to their implementation done in a team.

5.1 Prototype - suggesting of how to split a document Space

Task to split documents is a task to find their topics a group them with them. Finding topics is a perfect task for the previously mentioned LDA[?] algorithm.

Technologies used:

- PostgreSQL
- Java
 - Spring
 - LDA from <https://github.com/chen0040/java-lda>
- D3 Data Driven documents[21]

[nosep]

The procedure is as follows:

1. data acquisition and clearing
2. creating topics
3. visualisation

For PoF purposes no integration with Polarion code base will be done.

5.1.1 data acquisition

It is possible to get data from Polarion through its API. But our case required to download data directly from database when data are stored to own database used just for the prototype. For this purpose the production database were cloned and used.

First step is to download all documents data. Then process each document's description and get list of work items contained in the document and download them. After it go through newly downloaded work items and look into their description for a references work items. If there is a referenced work items and download them if the work item was not downloaded previously.

Some problems were encountered:

1. Document has invalid data - reason for this are mainly historical data and these documents were skipped.
2. Incorrect referenced URL - link to referenced work item is in invalid format. Again reason for this is a historical form of link and these links were skipped.
3. Non existing work items - can happen and links were skipped

After application of these restriction we have thousands of documents with tens of thousands work items ready to next stage.

5.1.2 creating topics

This is where LDA library is coming to the scene.

Firstly we need to convert document data to just a plain text suitable for LDA. This processing takes text from document including its title and connects it with text from all his work items. Text from work items again means title plus description and if there is a referenced work item also text from it.

Processing is done in 4 levels when for the first level all documents are taken, topics generated. 5 most common topics are taken a documents suitable for them are put under them. Next level takes just a document under one topic a do the same thing as in previous step and so on for the next levels. Results is a three chart structure of all documents in Polarion??.

First runs revealed problem with interpretation of words so these sets were defined:

- stop words - common words used in language without specific meaning - ignored
- html - html tag commonly used in work item's description but inappropriate for topics modeling - ignored

5.1. Prototype - suggesting of how to split a document Space

- Polaron keywords - keywords from Polaron domain like *workitems*, *dpp*, *wiki* and so on - ignored
- special - command words like *while* or *for* - ignored




Figure 5.1: Tree chart of documents


Using LDA library works flawlessly without any stuck or unexpected behaviour.

5.1.3 Visualisation

Using D3 library provides nice and easy to use visualizations.

Showing the most common topics for documents. More bigger the topic name is, the more topic is common in the documents. You can recognize that some names are redundant it is because topics were named after their most common word. See pictures below *Topics distribution in external database documents*5.2 and *Topics distribution in variant management documents*5.3.

Impressive visualization is a circle graph of all topics. It is circle view of previous tree chart where white circles are documents and depending on how big the white circle is, as a matter of fact, belongs to the topic. See *Circle representation of all topic*5.4 and *Detail of topics in circle representation*5.5.



Word cloud for topics in External database documentation.

Figure 5.2: Topics distribution in external database documents



Word cloud for topics in Variants management.

Figure 5.3: Topics distribution in variant management documents




Figure 5.4: Circle representation of all topics




Figure 5.5: Detail of topics in circle representation

5.2 Prototype - defect recommendations

AWS was used for Machine learning (ML) implementation providing interface for data modeling in a form what is needed. Author also had a previous experiences and participate in the training around A (AWS) helping him to realize this prototype faster.

What was used:

- AWS cloud service and its own ML/AI engine.
- AWS provides a service to import data, store, train ML engine, and setup learning and ML service to cater to specific data sets.
- SCALA was used for a back-end and for extracting and pushing data from Polarion to AWS.
- JavaScript injection via Chrome extension was used to inject JS/HTML into a Polarion UI so you can see the results.
- Asynchronous real-time connection between Polarion UI, SCALA back-end and AWS was used as a connection.

5 categories were selected to recommendation:

- Assignee
- Priority
- Severity
- Category
- Package

Two separated parts were implemented:

- Loading Polarion defect data
- Real-time pull of results based on Polarion input

5.2.1 Loading Polarion defect data

Data was downloaded from Polarion services and processed to AWS cvs input format. Example of such a data file is below. In reality file has thousands and thousands of lines.

```
id,title,assignee,priority,severity,linkedRevisions
DPP-10188, linking a particular historical revision of a wiki
page does not work,Pavel Borovik,105.35,blocker,186728
DPP-10188, linking a particular historical revision of a wiki
page does not work,Pavel Borovik,105.35,blocker,191862
DPP-10110,Polarion program shortcuts do not works since Polarion
3.3 when updated from previous version,Jiri Banszel,60.35,major,
188587
```


5.2. Prototype - defect recommendations

Title: Excel fails to import

Type: Defect

Severity: Normal

Author: Radek Soukup

Categories: not selected

Occurrence: Normal

Detection: Normal

Workaround: not selected

How Found: not selected

When Found: not selected

Assignee(s): automatic

Status: Open

Resolution:

Time Point: not selected

Planned In: not selected

Priority: Low [56.85]

Backlog: not selected

Needs Reprioritization:

Needs Update:

Initial Estimate:

Time Spent:

Possible Duplicate Defects

Please - search always before you create a duplicate, the items might be

Artificial Intelligence Predictions:

Assignee

Jiri Banaš	76%
Tomáš Kráň	11%
Benjamin Engle	4%

Priority

Priority	Severity
highest	65% major
high	35% critical
medium	0% blocker

Category

Export/Import and Printing	92%
Connectors - JIRA/HP QC	3%
Work Items (general)	1%

Package

com.polarion.alm.tracker	59%
com.polarion.alm.tracker.tests	17%
com.polarion.core.util	3%

Similar

Regression: Excel and Word Round-Trip Import fails when changing Time P...

Test Management: Import results from Excel fails with ResourceConflictException

Word import fails

MS Project import fails

Word Import fails in IE

Sentiment

Your defect feels negative

Description

Steps to Reproduce:

- 1.
- 2.

Expected Result:

Expected behaviour of the system.

Actual Result:

How the system actually behaved.

Figure 5.7: Practical use

ML in Polarion production

Both implemented prototypes are in test environment ready for further development together with not implemented ideas that are still on table. Decision to go to production is not so simple as can look like because if your product operate in a regulated environment any violation against these regulation may have fatal impact on Polarion trade mark. The main problem are data and customers must be sure that with data being handled correctly all the time.

Let's look at GDPR regulation coming into force just these days when this thesis is published.

6.0.1 General Data Protection Regulation

Data are fuel for ML but their use can be limited especially if we talk about customer's data with sensitive information. Now we face new regulation in form of GDPR that will change rules how to threat and store data. What GDPR is?

GDPR[22] is a legal framework that sets guidelines for the collection and processing of personal information of individuals within the European Union (EU). Thse GDPR sets out the principles for data management and the rights of the individual, while also imposing fines that can be revenue-based. The General Data Protection Regulation covers all companies that deal with data of EU citizens, so it is a critical regulation for corporate compliance officers at banks, insurers, and other financial companies. GDPR will come into effect across the EU on May 25, 2018.

Data types affected by GDPR are:

- Basic identity information such as name, address and ID numbers
- Web data (location, IP address, cookie data, ...)
- Health and genetic data

6. ML IN POLARION PRODUCTION

- Biometric data
- Racial or ethnic data
- Political opinions
- Sexual orientation

What companies will be affected by:

- A presence in an EU country.
- No presence in the EU, but it processes personal data of European residents.
- More than 250 employees.
- Fewer than 250 employees but its data-processing impacts the rights and freedoms of data subjects, is not occasional, or includes certain types of sensitive personal data. That effectively means almost all companies.

GDPR extends rights of data subjects that can be summarized like:

- the right to access
- the right to be forgotten, a.k.a. right to erasure
- the right to data portability

In more detail look at the picture below 6.1.



Figure 6.1: GDPR consumer rights [8]

- The data subject's right of access which means
 - the right to know whether data concerning him or her are being processed and
 - if so, access it with loads of additional stipulations.

-
- The data subject's right to rectification. When personal data are inaccurate, then controllers need to correct them indeed. The previously mentioned right to erasure or right to be forgotten with additional stipulations, among others if personal data has been made public.
 - The data subject right to restriction of processing. Simply said, the right of the consumer or whatever you call the natural person under the scope of the GDPR, to limit the processing of his/her personal data with, once more, several rules and exceptions of course.
 - The right to be informed. In general, the GDPR asks controllers and so on to inform data subjects on several matters. Providing clear and correct information is a key duty in many regards. Simply said, the GDPR wants consumers to know because if you don't know you can't decide. The controller must inform recipients who got these data, where feasible. And then the data subject also has a right, even if not strictly called a right, to ask *who are all these recipients who got to see my data*.
 - The right to data portability. This is again one of those data subject rights that are in the infographic and which we covered more in depth previously.
 - The data subject's right to object. That does indeed mean what it says: data subjects can say they don't want the personal data processing to be done or going on. Direct marketers and people who do profiling should pay a lot of attention to the right to object as it's a lot about them and certainly profiling with automated means.
 - The data subject right not to be subject to a decision based solely on automated processing, including profiling, which produces legal effects concerning him or her or similarly significantly affects him or her.

What we need to be careful about and is not part of current Data Protection Directive?

- Data breach notification: Controllers and processors are now required to notify supervisory authorities within 72 hours of learning of a breach and to notify the people to whom the data applies *without undue delay*.
- Explicit consent: GDPR requires that at the time you collect personal data, explicit consent must be given by the data subject. This means organisations can no longer bury generic consent in a long form full of legalese. Instead, organisations must offer specific information on what data is collected, how the data will be stored and processed, and must use clear and plain language. Nothing short of opt-in will do, and it must be as easy to withdraw consent as to give it.
- Data transfer out of the EU: Personal data must not leave the EU unless you have approval from the supervisory authority, or where the data subject is informed of the data transfer and associated risks and authorises the transfer.
- Data protection officer (DPO) appointment: If you process data on a




Figure 6.2: GDPR consumer rights in detail [8]

large scale then you must appoint, hire, assign or contract with a DPO, who is your representative to the supervisory authorities that monitor and ensure compliance with the regulation.

IT with ML is very competitive environment where companies around the world fight for primacy in research and business use. And as GDPR affects only EU this can disadvantage EU companies with their world competitors and their moving out of EU borders. Still true impact of GDPR is unclear and only future shows.

For Polarion ALM (Polarion) GDPR leads to more strictly regulation already so strict environment. Transfer data to external services seems to be quite hard and for this Polarion should implement its own ML solution that customers can install in their own secured environment and work with it without sending data to external repositories.

6.1 ML future

ML is no longer in category should have but it quickly move to technology that all system must have in some way and it does not matter if it will voice recognition, chat bot or some sort of data analysis. As you can see in the picture *Expected IT budget for ML*^{6.3} almost all companies invest in ML technologies with vision of improving their profit greatly.

Of course ML is not the only technology changing market and market expectation are seen in the picture *Technologies trends over next 3 years*^{6.4} and ML experts paid in gold.

Important change is the time from idea to PoF implementation. We are no longer talking about years but more likely months and even weeks or days. And ML was about pure mathematical algorithms and equals no it is more about integrations of existing ML solutions and massage it with own data. It helps management to see and recognize benefits ML projects in their product in a shorter time and with a lower cost and make a decision to start with production implementation.

6.2 Changes to environment

The practical impact of GDPR on data manipulation is something what will revealed and in current state it is better to wait and see what happens.

But for sure what we used for Defect recommendation^{5.2} can not be used in production environment. We need to move ML server to Polarion environment by using existing server's implementations or create our own server.

6. ML IN POLARION PRODUCTION




Figure 6.3: Expected IT budget for ML[7]

ML community provides libraries and guides helping with creating own server what is our next target.




Figure 6.4: Technologies trends over next 3 years[7]

Conclusion

We have analyzed and described Polarion main parts and benefits what makes Polarion one of the best ALM solution on the market of large enterprise solutions with strong regulations, that are the reason why the user experience is worse in comparison with others lightweight solutions.

Review of ML existing solutions and algorithms revealed readiness of ML for a fast prototyping and production deployment. Big companies like Facebook, Google or Microsoft continue with developing their own ML frameworks with growing community support and product deployments.

We dig deep into Polarion usage and found several promising user case candidates for ML prototyping. Each of these user cases has a valuable business potential moving Polarion one step above the competitors without the need for drastic changes to the current implementation.

We have chosen two user cases and successfully implemented prototype for each of them. Implementations confirmed that prototyping is no longer task for years, but rather months or even weeks with ML services as SaaS. Both prototypes are now in test environment and ready for next development.

Despite the fact that prototyping is easier than ever before, move to production remains complicated not only from the technologies point of view, but rather regulation new GDPR guideline which slows it down or even makes it impossible.

Nevertheless ML will be more and more common part of any application and companies have to catch up with this trend to survive. Polarion works on it.

Bibliography

- [1] Polarion ALM. [online], [cit. 2018-05-01]. Dostupné z: <https://polarion.plm.automation.siemens.com/>
- [2] Deep Learning with Tensorflow Part 1 theory and setup. [online], [cit. 2018-05-06]. Dostupné z: <https://towardsdatascience.com/deep-learning-with-tensorflow-part-1-b19ce7803428>
- [3] Machine Learning on AWS. [online], [cit. 2018-05-06]. Dostupné z: <https://aws.amazon.com/machine-learning/>
- [4] The Microsoft Cognitive Toolkit. [online], [cit. 2018-05-06]. Dostupné z: <https://www.microsoft.com/en-us/cognitive-toolkit/>
- [5] Why you should use Spark for machine learning. [online], [cit. 2018-05-06]. Dostupné z: <https://www.infoworld.com/article/3031690/analytics/why-you-should-use-spark-for-machine-learning.html>
- [6] Experiments with Latent Dirichlet Allocation. [online], [cit. 2018-05-06]. Dostupné z: <https://mollermara.com/tag/statistics.html>
- [7] Feldman, M.: 10 Real-World Examples of Machine Learning and AI [2018]. [online], [cit. 2018-05-06]. Dostupné z: <https://www.redpixie.com/blog/examples-of-machine-learning>
- [8] Data subject rights and personal information: data subject rights under the GDPR. [online], [cit. 2018-05-06]. Dostupné z: <https://www.i-scoop.eu/gdpr/data-subject-rights-gdpr/>
- [9] Samuel, A. L.: Some Studies in Machine Learning Using the Game of Checkers. [online], [cit. 2018-05-02]. Dostupné z: <https://ieeexplore.ieee.org/document/5392560/>

BIBLIOGRAPHY

- [10] Marr, B.: A Short History of Machine Learning. [online], [cit. 2018-05-03]. Dostupné z: <https://www.forbes.com/sites/bernardmarr/2016/02/19/a-short-history-of-machine-learning-every-manager-should-read/>
- [11] Lanzetta, M.: Social Good at Cloud Scale.
- [12] TensorFlow. [online], [cit. 2018-05-05]. Dostupné z: <https://www.tensorflow.org/>
- [13] PyTorch. [online], [cit. 2018-05-06]. Dostupné z: <https://pytorch.org/>
- [14] Keras. [online], [cit. 2018-05-06]. Dostupné z: <https://keras.io/>
- [15] Caffe2. [online], [cit. 2018-05-06]. Dostupné z: <https://caffe2.ai/>
- [16] What is Amazon Cloud, Its Advantages and Why Should You Consider It. [online], [cit. 2018-05-06]. Dostupné z: <https://www.netsolutions.com/insights/what-is-amazon-cloud-its-advantages-and-why-should-you-consider-it/>
- [17] Benefits of Amazon Web Services (AWS). [online], [cit. 2018-05-06]. Dostupné z: <http://2ndwatch.com/blog/benefits-of-amazon-web-services-aws/>
- [18] Apache Spark MLlib. [online], [cit. 2018-05-06]. Dostupné z: <https://spark.apache.org/mllib/>
- [19]
- [20] Topic modeling with LDA introduction. [online], [cit. 2018-05-06]. Dostupné z: <https://algobbeans.com/2015/06/21/laymans-explanation-of-topic-modeling-with-lda-2/>
- [21] D3 Data Driven Documents. [online], [cit. 2018-05-06]. Dostupné z: <https://d3js.org/>
- [22] General Data Protection Regulation (GDPR). [online], [cit. 2018-05-06]. Dostupné z: <https://www.investopedia.com/terms/g/general-data-protection-regulation-gdpr.asp>

List of abbreviations used

ALM Application lifecycle management

Polarion Polarion ALM

ML Machine learning

pof Proof of Concept

RNN Recurrent neural network

AWS Amazon web services

GUI Graphic user interface

CNTK Microsoft Cognitive Toolkit

LDA Latent Dirichlet allocation

GDPR General data protection regulation

OCR Optical character recognition

D3 D3 Data-driven documents

SaaS Software as a service

CD contains

```

├─ readme.txt ..... stručný popis obsahu CD
├─ thesis ..... zdrojová forma práce ve formátu LATEX
├─ text ..... text práce
├─ thesis.pdf ..... text práce ve formátu PDF
└─ thesis.ps ..... text práce ve formátu PS

```