Using Views Programmatically

Jason Yee - Aten Design Group jason@atendesigngroup.com

Session URL: http://dcco.us/n/42 Module: http://bit.ly/views_prog

Views

- Most installed module. About 250,000 installs in Drupal 6, and 19,000 in Drupal 7.
- Easily allows you to create lists of information in a friendly interface with Views UI
- But...

Views UI Problems

- Views created in Views UI are stored in the database
- Views trades some functionality in order to achieve its streamlined UI

Problem

Views created through the UI are stored in the Database. Why should you care?

- Backups File system backups are easier, faster and can provide better recovery point objectives
- Migration much easier to update files (patches, version control, etc) than databases
- Version Control who changed a view and why was it changed?
 What was changed and when was it changed?
- Speed views in code save you a database query.

Solution

Move your views into code

- Views Exporter module Chaos Tools Bulk Exporter module
- Create custom modules without writing any code.
- Views Exporter module Need to add opening <?php tag and, for Drupal 7 update info to core = 7.x

Problem

Views trades some functionality in order to achieve its streamlined UI

Limitations fall into two categories

- Display/format issues
- Data issues

Solution

- Use the Views UI field rewrite functionality
- Use templates to rewrite output

Solution

- Take advantage of Views hooks to manipulate data
- Understanding the life of a view

views_get_view(\$view_name str)

```
$view->execute_display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj. &$display str. &$args arr)
    arguments added to view object
  $view->display_handler->execute()
    $view->display_handler->build()
       hook views pre build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook views query alter(&$view obj, &$query obj)
       $view->display handler->attach displays()
       hook_views_post_build(&$view obj)
    hook_views_pre_execute(&$view obj)
    $view->display_handler->query->execute()
       hook guery alter($query obj)
       hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj, &$output str, &$cache obj)
```

```
views get view($view name str)
$view->execute_display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj. &$display str. &$args arr)
    arguments added to view object
  $view->display_handler->execute()
    $view->display_handler->build()
      hook views pre build(&$view obj)
      hook views query substitutions()
      arguments, filter, sorting, grouping processed and preliminary query built
      hook views query alter(&$view obj, &$query obj)
      $view->display handler->attach displays()
      hook_views_post_build(&$view obj)
    hook views pre execute(&$view obj)
    $view->display_handler->query->execute()
      hook_query_alter($query obj)
      hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
   $view->set_display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj. &$display str. &$args arr)
    arguments added to view object
  $view->display_handler->execute()
    $view->display_handler->build()
       hook views pre build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook_views_query_alter(&$view obj, &$query obj)
       $view->display handler->attach displays()
       hook_views_post_build(&$view obj)
    hook views pre execute(&$view obj)
    $view->display_handler->query->execute()
       hook guery alter($query obj)
       hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set_display($display str)
   $view->pre execute($args arr)
    hook_views_pre_view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display_handler->execute()
    $view->display_handler->build()
       hook views pre build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook_views_query_alter(&$view obj, &$query obj)
       $view->display handler->attach displays()
       hook_views_post_build(&$view obj)
    hook views pre execute(&$view obj)
    $view->display_handler->query->execute()
       hook_query_alter($query obj)
       hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
      hook_views_pre_view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display_handler->build()
      hook views pre build(&$view obj)
      hook views query substitutions()
      arguments, filter, sorting, grouping processed and preliminary query built
      hook views query alter(&$view obj, &$query obj)
      $view->display handler->attach displays()
      hook_views_post_build(&$view obj)
    hook views pre execute(&$view obj)
    $view->display handler->query->execute()
      hook_query_alter($query obj)
      hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook_views_pre_view(&$view obj, &$display str, &$args arr)
       arguments added to view object
  $view->display handler->execute()
    $view->display_handler->build()
       hook_views_pre_build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook views query alter(&$view obj, &$query obj)
       $view->display handler->attach displays()
       hook_views_post_build(&$view obj)
    hook_views_pre_execute(&$view obj)
    $view->display handler->query->execute()
       hook_query_alter($query obj)
       hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
   $view->display handler->execute()
    $view->display_handler->build()
       hook_views_pre_build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook_views_query_alter(&$view obj, &$query obj)
       $view->display handler->attach displays()
       hook_views_post_build(&$view obj)
    hook views pre execute(&$view obj)
    $view->display handler->query->execute()
       hook guery alter($query obj)
       hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
       $view->display_handler->build()
       hook_views_pre_build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook views query alter(&$view obj, &$query obj)
       $view->display handler->attach displays()
       hook_views_post_build(&$view obj)
    hook_views_pre_execute(&$view obj)
    $view->display_handler->query->execute()
       hook_query_alter($query obj)
       hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display_handler->build()
          hook_views_pre_build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook views query alter(&$view obj, &$query obj)
       $view->display_handler->attach_displays()
       hook_views_post_build(&$view obj)
    hook_views_pre_execute(&$view obj)
    $view->display_handler->query->execute()
       hook_query_alter($query obj)
       hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display handler->build()
       hook_views_pre_build(&$view obj)
          hook_views_query_substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook views query alter(&$view obj, &$query obj)
       $view->display handler->attach displays()
       hook_views_post_build(&$view obj)
    hook_views_pre_execute(&$view obj)
    $view->display_handler->query->execute()
       hook_query_alter($query obj)
       hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display handler->build()
      hook views pre build(&$view obj)
      hook views query substitutions()
          arguments, filter, sorting, grouping processed
          and preliminary query built
      hook_views_query_alter(&$view obj, &$query obj)
      $view->display handler->attach displays()
      hook views post build(&$view obj)
    hook views pre execute(&$view obj)
    $view->display handler->query->execute()
      hook query alter($query obj)
      hook query TAG alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj, &$output str, &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display handler->build()
      hook views pre build(&$view obj)
      hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
          hook views query alter(&$view obj, &$query obj)
      $view->display handler->attach displays()
      hook_views_post_build(&$view obj)
    hook_views_pre_execute(&$view obj)
    $view->display_handler->query->execute()
      hook_query_alter($query obj)
      hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

hook_views_query_alter()

- Views' \$query object is similar to Drupal's \$query object
- Lots of methods, see module to dpm a list or look in views/plugins/views_plugin_query_default.inc

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display handler->build()
       hook views pre build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook views query alter(&$view obj, &$query obj)
          $view->display handler->attach displays()
       hook_views_post_build(&$view obj)
    hook_views_pre_execute(&$view obj)
    $view->display_handler->query->execute()
       hook_query_alter($query obj)
       hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display handler->build()
       hook_views_pre_build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook views query alter(&$view obj, &$query obj)
       $view->display_handler->attach_displays()
          hook views post build(&$view obj)
    hook_views_pre_execute(&$view obj)
    $view->display handler->query->execute()
       hook_query_alter($query obj)
       hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display handler->build()
       hook_views_pre_build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook views query alter(&$view obj, &$query obj)
       $view->display handler->attach displays()
       hook_views_post_build(&$view obj)
       hook_views_pre_execute(&$view obj)
    $view->display_handler->query->execute()
       hook_query_alter($query obj)
       hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display handler->build()
       hook_views_pre_build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook views query alter(&$view obj, &$query obj)
       $view->display handler->attach displays()
       hook_views_post_build(&$view obj)
    hook views pre execute(&$view obj)
       $view->display handler->query->execute()
       hook_query_alter($query obj)
       hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display handler->build()
       hook views pre build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook views query alter(&$view obj, &$query obj)
       $view->display handler->attach displays()
       hook views post build(&$view obj)
    hook views pre execute(&$view obj)
    $view->display_handler->query->execute()
          hook_query_alter($query obj)
       hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display handler->build()
       hook views pre build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook views query alter(&$view obj, &$query obj)
       $view->display handler->attach displays()
       hook views post build(&$view obj)
    hook_views_pre_execute(&$view obj)
    $view->display handler->query->execute()
       hook query alter($query obj)
          hook_query_TAG_alter($query obj)
         views query_views_alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display handler->build()
       hook views pre build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook views query alter(&$view obj, &$query obj)
       $view->display handler->attach displays()
       hook views post build(&$view obj)
    hook views pre execute(&$view obj)
    $view->display handler->query->execute()
       hook query alter($query obj)
       hook query TAG alter($query obj)
              views_query_views_alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display handler->build()
       hook views pre build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook views query alter(&$view obj, &$query obj)
       $view->display handler->attach displays()
       hook views post build(&$view obj)
    hook_views_pre_execute(&$view obj)
    $view->display handler->query->execute()
       hook query alter($query obj)
       hook query TAG alter($query obj)
         views query views alter()
      hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display handler->build()
       hook views pre build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook views query alter(&$view obj, &$query obj)
       $view->display handler->attach displays()
       hook views post build(&$view obj)
    hook_views_pre_execute(&$view obj)
    $view->display handler->query->execute()
       hook query alter($query obj)
       hook_query_TAG_alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
  hook/theme views post render(&$view obj. &$output str. &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display handler->build()
       hook views pre build(&$view obj)
       hook views query substitutions()
       arguments, filter, sorting, grouping processed and preliminary query built
       hook views query alter(&$view obj, &$query obj)
       $view->display handler->attach displays()
       hook views post build(&$view obj)
    hook_views_pre_execute(&$view obj)
    $view->display_handler->query->execute()
       hook query alter($query obj)
       hook guery TAG alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
   hook/theme_views_pre_render(&$view obj)
  hook/theme_views_post_render(&$view obj, &$output str, &$cache obj)
```

```
views get view($view name str)
$view->execute display($display str, $args, arr)
  $view->set display($display str)
  $view->pre execute($args arr)
    hook views pre view(&$view obj, &$display str, &$args arr)
    arguments added to view object
  $view->display handler->execute()
    $view->display handler->build()
      hook views pre build(&$view obj)
      hook views query substitutions()
      arguments, filter, sorting, grouping processed and preliminary query built
      hook views query alter(&$view obj, &$query obj)
      $view->display handler->attach displays()
      hook_views_post_build(&$view obj)
    hook_views_pre_execute(&$view obj)
    $view->display handler->query->execute()
      hook query alter($query obj)
      hook query TAG alter($query obj)
         views query views alter()
    hook views post execute(&$view obj)
$view->render()
  hook/theme views pre render(&$view obj)
   hook/theme_views_post_render(&$view obj, &$output str,
      &$cache obj)
```

hook_views_post_render()

Questions?

Using Views Programmatically

Jason Yee - Aten Design Group jason@atendesigngroup.com

Session URL: http://dcco.us/n/42 Module: http://bit.ly/views_prog