

ATOMIC ANT LIMITED

W W W . A T O M I C A N T . C O . U K

II8n usecase - MyFinePix
Marek Sotak
http://twitter.com/sotak

Představení

Marek Sotak

Developer, designer co-founder of atomic ant ltd web design company based in London

Creator of RootCandy admin theme http://drupal.org/project/rootcandy

MyFinePix.com – i18n usecase

- Portál pro značkovou řadu fotoaparátů FUJI
- .com globální doména
- Později prorážet do dalších zemí (uk, pl, it, es,...)
- Sub-sites myfinepix.co.uk, myfinepix.pl,...



- Jedna země → více jazyků
 - myfinepix.ca → angličtina, francouzština
 - myfinepix.co.uk → angličtina, ?
 - myfinepix.pl, myfinepix.com,...

Sdílený obsah

- Fotogalerie, Soutěže, Články,...

Administrátor země

- vkládat obsah jen do země kam má právo



Diskuzní fórum

- fóra specifická pro zemi
- fóra pro všechny země

myfinepix.com – default - multi-site Sub-domény

- myfinepix.co.uk
- myfinepix.it
- myfinepix.es



settings.php → MyFinepix Default .com

```
**
* Variable overrides:
*/
$conf = array(
  'site_name' => 'Global Demo',
);
```

settings.php → MyFinepix sub-site Italy

```
* Variable overrides:
$conf = array(
 'site name' => 'Italy Demo',
$db prefix = array(
 'default' => ",
 'languages' => 'mfp it.',
```

Sdílený obsah

- sdílené tabulky (kromě .languages) → +

Views pro výpis veškerého obsahu Language filter

Jak zobrazovat obsah určený jen pro např. co.uk a zároveň zobrazovat globální obsah

Jak zobrazovat obsah určený jen pro např. co.uk a zároveň zobrazovat globální obsah

Taxonomy – Slovník "Country"



Jak zobrazovat obsah určený jen pro např. co.uk a zároveň zobrazovat globální obsah

Taxonomy – Slovník "Country"

- Global
- Uk
- It
- Es



Views integrace



Views integrace

Získání \$site_country ← settings.php

settings.php → MyFinepix Default .com

```
**
* Variable overrides:
*/
$conf = array(
  'site_name' => 'Global Demo',
  'site_country' => 'global',
);
```

settings.php → MyFinepix sub-site Italy

W W W . A T O M I C A N T . C O . U K

```
* Variable overrides:
$conf = array(
 'site name' => 'Italy Demo',
 'site country' => 'it',
$db prefix = array(
 'default' => ",
 'languages' => 'mfp it.',
);
        ATOMIC ANT LIMITED
```

Views - taxonomy - argument handler



return variable get('site country','global');



settings.php → MyFinepix sub-site Italy

```
* Variable overrides:
$conf = array(
 'site name' => 'Italy Demo',
 'site country' => 'it',
 'site forums' => array(1, 2, 3, 4, 5, 7, 9),
$db prefix = array(
```

Views - taxonomy - argument handler





Relationship:	
Do not use a relationship	
Title:	
	the title of the view and titles from previous arguments. You can use percent substitution her
replace with argument titles. Use "%1" for the first argument,	"%2" for the second, etc.
Breadcrumb:	
The Breadcrumb title to use when this argument is present. If substitutions.	no breadcrumb is setted here, default Title values will be used, see "Title" for percent
Action to take if argument is not present:	Wildcard:
	all
O Display all values	If this value is received as an argument, the argument will be ignored; i.e
O Hide view / Page not found (404) O Display empty text	values"
O Summary, sorted ascending	Wildcard title:
O Summary, sorted descending	All
Provide default argument	The title to use for the wildcard in substitutions elsewhere.
Fixed entry Node ID from URL PHP Code	
O User ID from URL O User ID from logged in user PHP argument code: \$site_forums = variable_get('site_f if (is_array(\$site_forums)) { return implode('+',\$site_forums); }	Forums','');
O User ID from logged in user PHP argument code: \$site_forums = variable_get('site_f if (is_array(\$site_forums)) { return implode('+',\$site_forums); } Enter PHP code that returns a value to use for this argume	nt. Do not use php ? . You must return only a single value for just this argument.
O User ID from logged in user PHP argument code: \$site_forums = variable_get('site_f if (is_array(\$site_forums)) { return implode('+',\$site_forums); }	
O User ID from logged in user PHP argument code: \$site_forums = variable_get('site_f if (is_array(\$site_forums)) { return implode('+',\$site_forums); } Enter PHP code that returns a value to use for this argume Validator:	==== nt. Do not use php ? . You must return only a single value for just this argument.
O User ID from logged in user PHP argument code: \$site_forums = variable_get('site_f if (is_array(\$site_forums)) { return implode('+',\$site_forums); } Enter PHP code that returns a value to use for this argume Validator options Validator: <basic validation=""> \$ Action to take if argument does not validate:</basic>	==== nt. Do not use php ? . You must return only a single value for just this argument.

Views - taxonomy - argument handler

```
$site_forums = variable_get('site_forums',");
if (is_array($site_forums)) {
   return implode('+', $site_forums);
}
```



