
BOT Chain · chainId 677 · live on mainnet

Tip a creator, skip the address.

Supporters send BOT to a handle — a Telegram or X username — instead of a raw address. Every tip splits 95% creator / 5% treasury, enforced by the contract, not the app.



github.com/DruxAMB/CreatorTips · scan.botchain.ai · 0x7805…265f

The problem

Tipping a creator on-chain means asking for a 42-character address — then hoping there's no typo. A claimed human handle resolves to the wallet *on-chain*: supporters type `@name` and the contract handles the rest.

What CreatorTips is

Claimable handles. One lowercase handle per wallet (2–32 chars, `a-z0-9._-`), enforced on-chain — first come, first served.

Public resolution. Anyone can check `resolveHandle` before sending — the mapping is transparent and composable.

Hard-coded split. Every `tipHandle` payment divides 95% creator / 5% treasury in contract code — no backend could skim it.

Permanently addressed. UUPS + ERC1967 proxy: the implementation can be upgraded while the address integrators reference never changes.

Architecture

Supporter `@handle + BOT` → dApp (Next.js + ethers) → ERC1967 Proxy `0x7805af581EE18e449bd0d4F5b99b9DC1b8a0265f` → 95% creator / 5% treasury

Writes (`setHandle`, `tipHandle` payable, min 0.001 BOT, reentrancy-guarded) are signed transactions; reads (`resolveHandle`, `handleOf`, `totalTipped`) are free calls.

Status & traction

Item	State
Contract	Deployed on BOT Chain mainnet — proxy `0x7805…265f`, verified on scan.botchain.ai
Code	Open source — github.com/DruxAMB/CreatorTips (MIT)
Stage	Mainnet live; handle registry open for first creators

Why it fits BOT Chain

- **Payments UX primitive** — handle-based payouts are infrastructure the whole AI/agent ecosystem can reuse (tip an agent's owner, pay a service).

- **Real transaction surface** — every claim and tip is a user-paid mainnet transaction moving real BOT.
- **Sustainable protocol fee** — the 5% treasury split is recurring, honest protocol revenue from actual utility.
- **Composable** — other contracts can resolve handles on-chain; AgentID and badge/tipping flows can share the namespace.

Roadmap

- Per-creator tip pages (shareable `/@handle` links with pre-filled forms).
- Handle release/transfer via owner-signed messages.
- Event indexer for a full-history leaderboard beyond the 30-event feed.
- AgentID integration — tip a registered agent by its on-chain identity.

CreatorTips · BOT Chain Ecosystem Support Program application · 2026