



```
<!DOCTYPE html>
<html lang=en>
<head>
  <meta charset=UTF-8 />
  <meta name=viewport content=device-width,
initial-scale=1.0 />
  <title>Shot Clip – Animated Coding Website</title>
  <meta name=description content=A cinematic animated
website for a coding shot clip concept. />
  <link rel=preconnect
href=https://fonts.googleapis.com>
  <link rel=preconnect
href=https://fonts.gstatic.com> crossorigin
  <link href=https://fonts.googleapis.com/css2?
family=Space+Grotesk:wght@400;500;700&family=Syne:wght@600;700;800&
display=swap rel=stylesheet>
  <style>
    :root{
      --bg:#07070b;
      --bg-2:#0f1018;
      --panel:rgba(255,255,255,.06);
      --panel-2:rgba(255,255,255,.03);
      --line:rgba(255,255,255,.12);
      --text:#f3f4f8;
      --muted:#a9adbb;
      --cyan:#71f6ff;
      --lime:#b7ff65;
      --violet:#9f7cff;
      --rose:#ff7cb7;
      --shadow:0 20px 80px rgba(0,0,0,.45);
      --radius:24px;
      --max:1280px;
    }

    *{box-sizing:border-box}
    html{scroll-behavior:smooth}
    body{
      margin:0;
      font-family:>Space Grotesk>; sans-serif;
      background:
        radial-gradient(circle at 15% 20%, rgba(113,246,255,.10),
transparent 30%),
        radial-gradient(circle at 80% 15%, rgba(159,124,255,.12),
transparent 28%),
        radial-gradient(circle at 50% 80%, rgba(183,255,101,.08),
```

```

transparent 30%),
    linear-gradient(180deg, #08090d 0%, #090a11 35%, #07070b 100%);
color:var(--text);
overflow-x:hidden;
}

body::before{
    content:&#34;&#34;;
    position:fixed;
    inset:0;
    pointer-events:none;
    background:
        linear-gradient(rgba(255,255,255,.025) 1px, transparent 1px),
        linear-gradient(90deg, rgba(255,255,255,.025) 1px, transparent
1px);
    background-size:36px 36px;
    mask-image:linear-gradient(to bottom, rgba(0,0,0,.35),
rgba(0,0,0,.08));
    z-index:-1;
}

a{text-decoration:none;color:inherit}
button{font:inherit}

.wrap{
    width:min(calc(100% - 2rem), var(--max));
    margin-inline:auto;
}

.site-header{
    position:sticky;
    top:0;
    z-index:50;
    backdrop-filter:blur(18px);
    background:linear-gradient(to bottom, rgba(7,7,11,.82),
rgba(7,7,11,.35));
    border-bottom:1px solid rgba(255,255,255,.07);
}

.nav{
    display:flex;
    align-items:center;
    justify-content:space-between;
    min-height:76px;
    gap:1rem;
}

.brand{
    display:flex;
    align-items:center;

```

```

        gap:.9rem;
        font-weight:700;
        letter-spacing:.04em;
    }

    .brand-mark{
        width:42px;
        height:42px;
        border-radius:14px;
        position:relative;
        overflow:hidden;
        background:
            linear-gradient(135deg, rgba(113,246,255,.18),
            rgba(159,124,255,.18)),
            rgba(255,255,255,.05);
        border:1px solid rgba(255,255,255,.14);
        box-shadow:inset 0 1px 0 rgba(255,255,255,.07), 0 8px 30px
            rgba(113,246,255,.08);
    }

    .brand-mark::before,
    .brand-mark::after{
        content:&#34;&#34;;
        position:absolute;
        inset:9px;
        border:2px solid transparent;
        border-left-color:var(--cyan);
        border-bottom-color:var(--lime);
        transform:skew(-12deg);
    }

    .brand-mark::after{
        inset:16px 11px 11px 16px;
        border-left-color:var(--violet);
        border-bottom-color:var(--rose);
        opacity:.9;
    }

    .brand-name{
        font-family:&#34;Syne&#34;, sans-serif;
        font-size:1rem;
        text-transform:uppercase;
    }

    .nav-links{
        display:none;
        gap:1.5rem;
        color:var(--muted);
        font-size:.95rem;
    }

```

```
.nav-links a{
  transition:color .25s ease, transform .25s ease;
}

.nav-links a:hover{
  color:var(--text);
  transform:translateY(-1px);
}

.nav-cta{
  display:flex;
  align-items:center;
  gap:.75rem;
}

.ghost,
.primary-btn{
  border:none;
  border-radius:999px;
  padding:.9rem 1.2rem;
  cursor:pointer;
  transition:transform .25s ease, box-shadow .25s ease, background
.25s ease, color .25s ease;
}

.ghost{
  color:var(--text);
  background:rgba(255,255,255,.05);
  border:1px solid rgba(255,255,255,.09);
}

.ghost:hover{
  transform:translateY(-2px);
  background:rgba(255,255,255,.08);
}

.primary-btn{
  position:relative;
  color:#071116;
  font-weight:700;
  background:linear-gradient(135deg, var(--lime), var(--cyan));
  box-shadow:0 12px 34px rgba(113,246,255,.2);
}

.primary-btn:hover{
  transform:translateY(-2px) scale(1.02);
  box-shadow:0 18px 44px rgba(113,246,255,.28);
}
```

```
.primary-btn:active,
.ghost:active{
  transform:translateY(0) scale(.985);
}

main{
  position:relative;
  isolation:isolate;
}

.hero{
  padding:clamp(3rem, 5vw, 5rem) 0 2rem;
  min-height:calc(100vh - 76px);
  display:grid;
  align-items:center;
}

.hero-grid{
  display:grid;
  grid-template-columns:1fr;
  gap:2rem;
  align-items:center;
}

.eyebrow{
  display:inline-flex;
  align-items:center;
  gap:.65rem;
  padding:.55rem .9rem;
  border-radius:999px;
  border:1px solid rgba(255,255,255,.11);
  background:rgba(255,255,255,.04);
  color:var(--muted);
  font-size:.82rem;
  letter-spacing:.08em;
  text-transform:uppercase;
  backdrop-filter:blur(12px);
  animation:rise .8s ease both;
}

.eyebrow-dot{
  width:8px;
  height:8px;
  border-radius:50%;
  background:var(--lime);
  box-shadow:0 0 18px var(--lime);
  animation:pulse 1.8s infinite;
}

h1{
```

```
margin:.9rem 0 1rem;
font-family:&#34;Syne&#34;;, sans-serif;
font-size:clamp(3rem, 8vw, 7rem);
line-height:.92;
letter-spacing:-.05em;
max-width:10ch;
animation:rise .9s .1s ease both;
}

.gradient-text{
  background:linear-gradient(90deg, var(--cyan), var(--lime) 45%,
var(--rose));
  -webkit-background-clip:text;
  background-clip:text;
  color:transparent;
}

.lead{
  max-width:58ch;
  color:var(--muted);
  font-size:clamp(1rem, 1.7vw, 1.15rem);
  line-height:1.7;
  animation:rise .9s .2s ease both;
}

.hero-actions{
  display:flex;
  flex-wrap:wrap;
  gap:.9rem;
  margin-top:1.7rem;
  animation:rise .9s .3s ease both;
}

.hero-meta{
  display:grid;
  grid-template-columns:repeat(3, minmax(0,1fr));
  gap:1rem;
  margin-top:2rem;
  animation:rise .9s .4s ease both;
}

.meta-item{
  padding:1rem 0;
  border-top:1px solid rgba(255,255,255,.12);
}

.meta-value{
  font-family:&#34;Syne&#34;;, sans-serif;
  font-size:clamp(1.3rem, 3vw, 2rem);
  display:block;
```

```
        margin-bottom:.2rem;
    }

    .meta-label{
        color:var(--muted);
        font-size:.9rem;
    }

    .visual-stage{
        position:relative;
        min-height:560px;
        display:grid;
        place-items:center;
        animation:rise .95s .2s ease both;
    }

    .orb{
        position:absolute;
        width:320px;
        height:320px;
        border-radius:50%;
        filter:blur(20px);
        opacity:.45;
        mix-blend-mode:screen;
        animation:float 8s ease-in-out infinite;
    }

    .orb.one{
        background:radial-gradient(circle, rgba(113,246,255,.9), transparent
65%);
        top:5%;
        left:8%;
    }

    .orb.two{
        background:radial-gradient(circle, rgba(159,124,255,.85),
transparent 65%);
        right:2%;
        top:18%;
        animation-delay:-2s;
    }

    .orb.three{
        background:radial-gradient(circle, rgba(183,255,101,.6), transparent
65%);
        bottom:5%;
        left:30%;
        animation-delay:-4s;
    }
}
```

```
.code-window{
  width:min(100%, 600px);
  border-radius:28px;
  background:linear-gradient(180deg, rgba(15,16,24,.9),
rgba(10,11,17,.76));
  border:1px solid rgba(255,255,255,.12);
  box-shadow:var(--shadow);
  backdrop-filter:blur(20px);
  overflow:hidden;
  position:relative;
  transform:perspective(1400px) rotateY(-12deg) rotateX(7deg);
}

.window-top{
  display:flex;
  align-items:center;
  justify-content:space-between;
  padding:1rem 1.1rem;
  border-bottom:1px solid rgba(255,255,255,.08);
  background:rgba(255,255,255,.03);
}

.window-dots{
  display:flex;
  gap:.45rem;
}

.window-dots span{
  width:11px;
  height:11px;
  border-radius:50%;
  display:block;
}

.window-dots span:nth-child(1){background:#ff5f57}
.window-dots span:nth-child(2){background:#febc2e}
.window-dots span:nth-child(3){background:#28c840}

.window-title{
  color:var(--muted);
  font-size:.82rem;
  letter-spacing:.08em;
  text-transform:uppercase;
}

.code-body{
  padding:1.15rem 1.2rem 1.4rem;
  font-size:.98rem;
  line-height:1.85;
  color:#d8dcec;
```

```
    font-family:ui-monospace, SFMono-Regular, Menlo, Consolas,
monospace;
    min-height:370px;
    position:relative;
    background:
      linear-gradient(transparent 95%, rgba(255,255,255,.03) 100%);
    background-size:100% 2.1rem;
  }

.code-line{
  display:flex;
  gap:1rem;
  white-space:pre-wrap;
  opacity:0;
  animation:codeIn .55s ease forwards;
}

.code-line:nth-child(1){animation-delay:.2s}
.code-line:nth-child(2){animation-delay:.55s}
.code-line:nth-child(3){animation-delay:.9s}
.code-line:nth-child(4){animation-delay:1.25s}
.code-line:nth-child(5){animation-delay:1.6s}
.code-line:nth-child(6){animation-delay:1.95s}
.code-line:nth-child(7){animation-delay:2.3s}
.code-line:nth-child(8){animation-delay:2.65s}
.code-line:nth-child(9){animation-delay:3s}
.code-line:nth-child(10){animation-delay:3.35s}
.code-line:nth-child(11){animation-delay:3.7s}
.code-line:nth-child(12){animation-delay:4.05s}

.ln{
  width:24px;
  color:rgba(255,255,255,.28);
  flex:0 0 24px;
  text-align:right;
  user-select:none;
}

.token-tag{color:#7ee7ff}
.token-attr{color:#c6ff84}
.token-string{color:#ffb2cf}
.token-fn{color:#a88eff}
.token-key{color:#8df8b2}
.token-comment{color:#6e7386}
.token-text{color:#edf1ff}

.cursor{
  display:inline-block;
  width:10px;
  height:1.2em;
```

```
    transform:translateY(.2em);
    background:var(--lime);
    box-shadow:0 0 18px rgba(183,255,101,.8);
    animation:blink 1s steps(1) infinite;
}

.floating-note{
    position:absolute;
    border:1px solid rgba(255,255,255,.1);
    background:rgba(255,255,255,.05);
    backdrop-filter:blur(14px);
    border-radius:18px;
    padding:.85rem 1rem;
    color:var(--text);
    box-shadow:var(--shadow);
    max-width:200px;
    font-size:.9rem;
}

.note-a{
    top:12%;
    right:-4%;
    animation:float 6s ease-in-out infinite;
}

.note-b{
    left:-6%;
    bottom:10%;
    animation:float 7s ease-in-out infinite reverse;
}

.note-label{
    display:block;
    color:var(--muted);
    font-size:.72rem;
    text-transform:uppercase;
    letter-spacing:.08em;
    margin-bottom:.3rem;
}

.section{
    padding:5rem 0;
}

.section-head{
    display:grid;
    gap:1rem;
    margin-bottom:2.2rem;
    align-items:end;
}
```

```

.section-head h2{
  margin:0;
  font-family:&#34;Syne&#34;; sans-serif;
  font-size:clamp(2rem, 4vw, 4rem);
  line-height:1;
  letter-spacing: -.04em;
}

.section-head p{
  margin:0;
  color:var(--muted);
  max-width:60ch;
  line-height:1.7;
}

.timeline{
  display:grid;
  gap:1.1rem;
  position:relative;
}

.timeline::before{
  content:&#34;&#34;;
  position:absolute;
  left:14px;
  top:0;
  bottom:0;
  width:1px;
  background:linear-gradient(to bottom, rgba(113,246,255,.5),
rgba(255,255,255,.05));
}

.step{
  display:grid;
  grid-template-columns:40px 1fr;
  gap:1rem;
  align-items:start;
  padding:1rem 0;
}

.step-mark{
  width:28px;
  height:28px;
  border-radius:50%;
  margin-top:.2rem;
  border:1px solid rgba(255,255,255,.16);
  background:linear-gradient(135deg, rgba(113,246,255,.18),
rgba(183,255,101,.14));
  box-shadow:0 0 0 6px rgba(255,255,255,.02);
}

```

```

}

.step-content{
  padding:1rem 1rem 1rem 1.15rem;
  border-left:1px solid rgba(255,255,255,.08);
  background:linear-gradient(180deg, rgba(255,255,255,.03),
  rgba(255,255,255,.02));
}

.step-content h3{
  margin:0 0 .45rem;
  font-family:&#34;Syne&#34;;, sans-serif;
  font-size:1.2rem;
  letter-spacing:-.02em;
}

.step-content p{
  margin:0;
  color:var(--muted);
  line-height:1.75;
}

.bento{
  display:grid;
  grid-template-columns:1fr;
  gap:1rem;
}

.panel{
  position:relative;
  overflow:hidden;
  border-radius:var(--radius);
  padding:1.4rem;
  border:1px solid rgba(255,255,255,.09);
  background:
    linear-gradient(180deg, rgba(255,255,255,.05),
  rgba(255,255,255,.025));
  backdrop-filter:blur(16px);
  min-height:220px;
  box-shadow:var(--shadow);
  transition:transform .35s ease, border-color .35s ease, background
  .35s ease;
}

.panel:hover{
  transform:translateY(-6px);
  border-color:rgba(113,246,255,.22);
  background:linear-gradient(180deg, rgba(255,255,255,.07),
  rgba(255,255,255,.03));
}

```

```

.panel h3{
  margin:0 0 .55rem;
  font-family:&#34;Syne&#34;, sans-serif;
  font-size:1.45rem;
  letter-spacing:-.03em;
}

.panel p{
  margin:0;
  color:var(--muted);
  line-height:1.7;
  max-width:42ch;
}

.panel::after{
  content:&#34;&#34;;
  position:absolute;
  inset:auto -15% -30% auto;
  width:180px;
  height:180px;
  border-radius:50%;
  background:radial-gradient(circle, rgba(113,246,255,.12),
transparent 68%);
  pointer-events:none;
}

.mini-wave,
.mini-bars,
.mini-rings{
  margin-top:1.2rem;
  width:100%;
  height:88px;
  opacity:.95;
}

.cta-band{
  padding:1.6rem;
  border-radius:32px;
  border:1px solid rgba(255,255,255,.11);
  background:
    radial-gradient(circle at 20% 10%, rgba(113,246,255,.08),
transparent 30%),
    radial-gradient(circle at 85% 80%, rgba(183,255,101,.08),
transparent 28%),
    linear-gradient(180deg, rgba(255,255,255,.05),
rgba(255,255,255,.03));
  backdrop-filter:blur(18px);
  display:grid;
  gap:1rem;
}

```

```
    align-items:center;
}

.cta-band h2{
  margin:0;
  font-family:&#34;Syne&#34;, sans-serif;
  font-size:clamp(2rem, 4vw, 3.6rem);
  line-height:.98;
  letter-spacing:-.04em;
  max-width:12ch;
}

.cta-band p{
  margin:0;
  color:var(--muted);
  line-height:1.7;
  max-width:56ch;
}

footer{
  padding:2rem 0 3rem;
  color:var(--muted);
}

.footer-row{
  display:flex;
  flex-direction:column;
  gap:1rem;
  padding-top:1.25rem;
  border-top:1px solid rgba(255,255,255,.08);
}

.reveal{
  opacity:0;
  transform:translateY(24px);
  transition:opacity .8s ease, transform .8s ease;
}

.reveal.visible{
  opacity:1;
  transform:translateY(0);
}

@keyframes rise{
  from{opacity:0; transform:translateY(24px)}
  to{opacity:1; transform:translateY(0)}
}

@keyframes float{
  0%,100%{transform:translateY(0) translateX(0)}
```

```

    50%{transform:translateY(-18px) translateX(8px)}
  }

@keyframes pulse{
  0%,100%{transform:scale(1); opacity:1}
  50%{transform:scale(1.35); opacity:.7}
}

@keyframes blink{
  0%,49%{opacity:1}
  50%,100%{opacity:0}
}

@keyframes codeIn{
  from{opacity:0; transform:translateX(-10px)}
  to{opacity:1; transform:translateX(0)}
}

@media (min-width: 860px){
  .nav-links{display:flex}
  .hero-grid{
    grid-template-columns:minmax(0, 1.05fr) minmax(420px, .95fr);
    gap:2rem;
  }
  .section-head{
    grid-template-columns:1fr 1fr;
  }
  .bento{
    grid-template-columns:1.1fr .9fr;
  }
  .bento .panel:nth-child(1){grid-row:span 2; min-height:470px}
  .bento .panel:nth-child(2){min-height:225px}
  .bento .panel:nth-child(3){min-height:225px}
  .cta-band{
    grid-template-columns:1.1fr .9fr auto;
  }
  .footer-row{
    flex-direction:row;
    justify-content:space-between;
    align-items:center;
  }
}

@media (max-width: 859px){
  .nav-cta .ghost{display:none}
  .code-window{transform:none}
  .note-a,.note-b{display:none}
  .hero-meta{grid-template-columns:1fr}
  .visual-stage{min-height:auto}
}

```

```
</style>
</head>
<body>
  <header class=&#34;site-header&#34;>
    <div class=&#34;wrap nav&#34;>
      <a class=&#34;brand&#34; href=&#34;#top&#34; aria-label=&#34;Shot
Clip home&#34;>
        <span class=&#34;brand-mark&#34; aria-
hidden=&#34;true&#34;></span>
        <span class=&#34;brand-name&#34;>Shot Clip</span>
      </a>

      <nav class=&#34;nav-links&#34; aria-label=&#34;Primary&#34;>
        <a href=&#34;#sequence&#34;>Sequence</a>
        <a href=&#34;#motion&#34;>Motion</a>
        <a href=&#34;#launch&#34;>Launch</a>
      </nav>

      <div class=&#34;nav-cta&#34;>
        <button class=&#34;ghost&#34; type=&#34;button&#34;
id=&#34;themePulse&#34;>Pulse UI</button>
        <a class=&#34;primary-btn&#34; href=&#34;#launch&#34;>Start
Clip</a>
      </div>
    </div>
  </header>

  <main id=&#34;top&#34;>
    <section class=&#34;hero&#34;>
      <div class=&#34;wrap hero-grid&#34;>
        <div class=&#34;hero-copy&#34;>
          <div class=&#34;eyebrow&#34;>
            <span class=&#34;eyebrow-dot&#34; aria-
hidden=&#34;true&#34;></span>
            Animated website concept for coding reels
          </div>

          <h1>
            Build a <span class=&#34;gradient-text&#34;>shot
clip</span> that feels fast, sharp, cinematic.
          </h1>

          <p class=&#34;lead&#34;>
            Designed for code-focused intros, portfolio snippets, and
short-form developer content, this one-page experience turns typing,
syntax, and motion into a visual story—without relying on external images.
          </p>

          <div class=&#34;hero-actions&#34;>
            <a class=&#34;primary-btn&#34;
```

```

href=&#34;#sequence&#34;&gt;Watch Flow&lt;/a&gt;
    &lt;a class=&#34;ghost&#34; href=&#34;#motion&#34;&gt;See
Motion Layers&lt;/a&gt;
    &lt;/div&gt;

    &lt;div class=&#34;hero-meta&#34; aria-label=&#34;Quick
metrics&#34;&gt;
    &lt;div class=&#34;meta-item&#34;&gt;
        &lt;span class=&#34;meta-value&#34;&gt;60fps&lt;/span&gt;
        &lt;span class=&#34;meta-label&#34;&gt;Smooth motion
language&lt;/span&gt;
    &lt;/div&gt;
    &lt;div class=&#34;meta-item&#34;&gt;
        &lt;span class=&#34;meta-value&#34;&gt;CSS&lt;/span&gt;
        &lt;span class=&#34;meta-label&#34;&gt;Visuals generated in-
browser&lt;/span&gt;
    &lt;/div&gt;
    &lt;div class=&#34;meta-item&#34;&gt;
        &lt;span class=&#34;meta-value&#34;&gt;Looped&lt;/span&gt;
        &lt;span class=&#34;meta-label&#34;&gt;Perfect for short
clip capture&lt;/span&gt;
    &lt;/div&gt;
    &lt;/div&gt;
    &lt;/div&gt;

    &lt;div class=&#34;visual-stage&#34; aria-
hidden=&#34;true&#34;&gt;
    &lt;div class=&#34;orb one&#34;&gt;&lt;/div&gt;
    &lt;div class=&#34;orb two&#34;&gt;&lt;/div&gt;
    &lt;div class=&#34;orb three&#34;&gt;&lt;/div&gt;

    &lt;div class=&#34;code-window&#34;&gt;
    &lt;div class=&#34>window-top&#34;&gt;
    &lt;div class=&#34>window-dots&#34;&gt;

&lt;span&gt;&lt;/span&gt;&lt;span&gt;&lt;/span&gt;&lt;span&gt;&lt;/span&gt;&lt;span&gt;&lt;/span&gt;
;

    &lt;/div&gt;
    &lt;div class=&#34>window-title&#34;&gt;shot-clip / hero-
animation.html&lt;/div&gt;
    &lt;/div&gt;

    &lt;div class=&#34;code-body&#34;&gt;
    &lt;div class=&#34;code-line&#34;&gt;&lt;span
class=&#34;ln&#34;&gt;1&lt;/span&gt;&lt;span&gt;&lt;span class=&#34;token-
tag&#34;&gt;&amp;lt;section&lt;/span&gt; &lt;span class=&#34;token-
attr&#34;&gt;class=&lt;/span&gt;&lt;span class=&#34;token-
string&#34;&gt;&#34;hero&#34;&lt;/span&gt;&lt;span class=&#34;token-
tag&#34;&gt;&amp;gt;&lt;/span&gt;&lt;/span&gt;&lt;/div&gt;
    &lt;div class=&#34;code-line&#34;&gt;&lt;span

```

```

class=&#34;ln&#34;&gt;2&lt;/span&gt;&lt;/span&gt;  &lt;/span
class=&#34;token-tag&#34;&gt;&lt;h1&gt;&lt;/span&gt;&lt;/span
class=&#34;token-text&#34;&gt;Code. Motion. Impact.&lt;/span&gt;&lt;/span
class=&#34;token-
tag&#34;&gt;&lt;/h1&gt;&lt;/span&gt;&lt;/span&gt;&lt;/div&gt;
    &lt;/div class=&#34;code-line&#34;&gt;&lt;/span
class=&#34;ln&#34;&gt;3&lt;/span&gt;&lt;/span&gt;  &lt;/span
class=&#34;token-tag&#34;&gt;&lt;button&lt;/span&gt;  &lt;/span
class=&#34;token-attr&#34;&gt;id=&lt;/span&gt;&lt;/span class=&#34;token-
string&#34;&gt;&#34;play&#34;&lt;/span&gt;&lt;/span class=&#34;token-
tag&#34;&gt;&lt;/span&gt;&lt;/span class=&#34;token-
text&#34;&gt;Run sequence&lt;/span&gt;&lt;/span class=&#34;token-
tag&#34;&gt;&lt;/button&gt;&lt;/span&gt;&lt;/span&gt;&lt;/div&gt;
    &lt;/div class=&#34;code-line&#34;&gt;&lt;/span
class=&#34;ln&#34;&gt;4&lt;/span&gt;&lt;/span&gt;&lt;/span class=&#34;token-
tag&#34;&gt;&lt;/section&gt;&lt;/span&gt;&lt;/span&gt;&lt;/div&gt;
    &lt;/div class=&#34;code-line&#34;&gt;&lt;/span
class=&#34;ln&#34;&gt;5&lt;/span&gt;&lt;/span&gt;&lt;/span class=&#34;token-
comment&#34;&gt;// animate reveal&lt;/span&gt;&lt;/span&gt;&lt;/div&gt;
    &lt;/div class=&#34;code-line&#34;&gt;&lt;/span
class=&#34;ln&#34;&gt;6&lt;/span&gt;&lt;/span&gt;&lt;/span class=&#34;token-
key&#34;&gt;const&lt;/span&gt; timeline = &lt;/span class=&#34;token-
fn&#34;&gt;createSequence&lt;/span&gt;({ speed: &lt;/span class=&#34;token-
string&#34;&gt;&#39;fast&#39;&lt;/span&gt; })&lt;/span&gt;&lt;/div&gt;
    &lt;/div class=&#34;code-line&#34;&gt;&lt;/span
class=&#34;ln&#34;&gt;7&lt;/span&gt;&lt;/span&gt;timeline.&lt;/span
class=&#34;token-fn&#34;&gt;add&lt;/span&gt;(&lt;/span class=&#34;token-
string&#34;&gt;&#39;headline-
rise&#39;&lt;/span&gt;)&lt;/span&gt;&lt;/div&gt;
    &lt;/div class=&#34;code-line&#34;&gt;&lt;/span
class=&#34;ln&#34;&gt;8&lt;/span&gt;&lt;/span&gt;timeline.&lt;/span
class=&#34;token-fn&#34;&gt;add&lt;/span&gt;(&lt;/span class=&#34;token-
string&#34;&gt;&#39;cursor-
blink&#39;&lt;/span&gt;)&lt;/span&gt;&lt;/div&gt;
    &lt;/div class=&#34;code-line&#34;&gt;&lt;/span
class=&#34;ln&#34;&gt;9&lt;/span&gt;&lt;/span&gt;timeline.&lt;/span
class=&#34;token-fn&#34;&gt;add&lt;/span&gt;(&lt;/span class=&#34;token-
string&#34;&gt;&#39;glow-pulse&#39;&lt;/span&gt;)&lt;/span&gt;&lt;/div&gt;
    &lt;/div class=&#34;code-line&#34;&gt;&lt;/span
class=&#34;ln&#34;&gt;10&lt;/span&gt;&lt;/span&gt;timeline.&lt;/span
class=&#34;token-fn&#34;&gt;play&lt;/span&gt;()&lt;/span&gt;&lt;/div&gt;
    &lt;/div class=&#34;code-line&#34;&gt;&lt;/span
class=&#34;ln&#34;&gt;11&lt;/span&gt;&lt;/span&gt;&lt;/span
class=&#34;token-comment&#34;&gt;// export reel-ready
loop&lt;/span&gt;&lt;/span&gt;&lt;/div&gt;
    &lt;/div class=&#34;code-line&#34;&gt;&lt;/span
class=&#34;ln&#34;&gt;12&lt;/span&gt;&lt;/span&gt;&lt;/span
class=&#34;cursor&#34;&gt;&lt;/span&gt;&lt;/span&gt;&lt;/div&gt;
    &lt;/div&gt;
&lt;/div&gt;

```

```

    <div class="#34;floating-note note-a#34;>
      <span class="#34;note-label#34;>Live
timing</span>
      3.2s staggered entry with terminal-style rhythm.
    </div>

    <div class="#34;floating-note note-b#34;>
      <span class="#34;note-label#34;>Capture
mode</span>
      Clean framing for screen recording and social clips.
    </div>
  </div>
  </div>
  </div>
</section>

<section class="#34;section reveal#34; id="#34;sequence#34;>
  <div class="#34;wrap#34;>
    <div class="#34;section-head#34;>
      <h2>The sequence feels edited, not just built.</h2>
      <p>
        This layout uses a cinematic landing-page structure: oversized
        typography, a tilted code stage, and timed reveal beats that mimic a
        motion-design timeline. Ideal for showcasing coding shots in a dramatic,
        high-retention format.
      </p>
    </div>

    <div class="#34;timeline#34;>
      <article class="#34;step#34;>
        <div class="#34;step-mark#34;></div>
        <div class="#34;step-content#34;>
          <h3>01 – Cold open</h3>
          <p>A minimal dark frame with subtle grid texture
          establishes focus before the syntax window comes alive.</p>
        </div>
      </article>

      <article class="#34;step#34;>
        <div class="#34;step-mark#34;></div>
        <div class="#34;step-content#34;>
          <h3>02 – Staggered typing reveal</h3>
          <p>Code lines animate in one by one, creating the
          feeling of a recorded build process without requiring actual keystroke
          simulation.</p>
        </div>
      </article>

      <article class="#34;step#34;>
        <div class="#34;step-mark#34;></div>

```

```

    <div class="#34;step-content#34;>
      <h3>03 – Motion accents</h3>
      <p>Floating notes, luminous color fields, and button
hover responses add energy while keeping the layout uncluttered and
readable.</p>
    </div>
  </article>

  <article class="#34;step#34;>
    <div class="#34;step-mark#34;></div>
    <div class="#34;step-content#34;>
      <h3>04 – Loopable finish</h3>
      <p>The composition remains stable after reveal, making
it perfect for looping snippets, landing sections, or portfolio
intros.</p>
    </div>
  </article>
</div>
</div>
</div>
</section>

<section class="#34;section reveal#34; id="#34;motion#34;>
  <div class="#34;wrap#34;>
    <div class="#34;section-head#34;>
      <h2>Motion layers for a coding-focused visual
identity.</h2>
      <p>
        Instead of generic feature cards, the page uses a bento-style
composition with purposeful panels—each one representing a distinct motion
language within the clip.
      </p>
    </div>

    <div class="#34;bento#34;>
      <article class="#34;panel#34;>
        <h3>Syntax rhythm</h3>
        <p>
          Monospace code lines, line numbers, and carefully delayed
appearances create a visual cadence that feels like editing software
synced to development flow.
        </p>
        <svg class="#34;mini-wave#34; viewBox="#34;0 0 500
100#34; fill="#34;none#34; aria-hidden="#34;true#34;>
          <path d="#34;M0 56 C40 56, 40 22, 80 22 S120 78, 160 78
200 34, 240 34 280 74, 320 74 360 40, 400 40 440 60, 500 60#34;
stroke="#34:url(#waveGrad)#34; stroke-width="#34;4#34; stroke-
linecap="#34;round#34;>
          <animate attributeName="#34;d#34; dur="#34;4s#34;
repeatCount="#34;indefinite#34;
            values="#34;

```

```

M0 56 C40 56, 40 22, 80 22 S120 78, 160 78 200 34, 240
34 280 74, 320 74 360 40, 400 40 440 60, 500 60;
M0 48 C40 48, 40 76, 80 76 S120 30, 160 30 200 68, 240
68 280 24, 320 24 360 62, 400 62 440 38, 500 38;
M0 56 C40 56, 40 22, 80 22 S120 78, 160 78 200 34, 240
34 280 74, 320 74 360 40, 400 40 440 60, 500 60&#34; /&gt;
    &lt;/path&gt;
    &lt;defs&gt;
        &lt;linearGradient id=&#34;waveGrad&#34; x1=&#34;0&#34;
y1=&#34;0&#34; x2=&#34;500&#34; y2=&#34;0&#34;&gt;
            &lt;stop offset=&#34;0%&#34; stop-
color=&#34;#71f6ff&#34; /&gt;
            &lt;stop offset=&#34;50%&#34; stop-
color=&#34;#b7ff65&#34; /&gt;
            &lt;stop offset=&#34;100%&#34; stop-
color=&#34;#ff7cb7&#34; /&gt;
        &lt;/linearGradient&gt;
    &lt;/defs&gt;
&lt;/svg&gt;
&lt;/article&gt;

&lt;article class=&#34;panel&#34;&gt;
    &lt;h3&gt;Audio-reactive energy&lt;/h3&gt;
    &lt;p&gt;
        Use the layout with soundtrack-driven cuts, where bars,
        pulses, and transitions can align with beats for social content.
    &lt;/p&gt;
    &lt;svg class=&#34;mini-bars&#34; viewBox=&#34;0 0 320 90&#34;
aria-hidden=&#34;true&#34;&gt;
        &lt;g fill=&#34;none&#34; stroke-linecap=&#34;round&#34;
stroke-width=&#34;10&#34;&gt;
            &lt;path d=&#34;M30 70 V28&#34;
stroke=&#34;#71f6ff&#34;&gt;
                &lt;animate attributeName=&#34;d&#34; dur=&#34;1.1s&#34;
repeatCount=&#34;indefinite&#34; values=&#34;M30 70 V28;M30 70 V50;M30 70
V20;M30 70 V28&#34; /&gt;
            &lt;/path&gt;
            &lt;path d=&#34;M80 70 V18&#34;
stroke=&#34;#9f7cff&#34;&gt;
                &lt;animate attributeName=&#34;d&#34; dur=&#34;1.4s&#34;
repeatCount=&#34;indefinite&#34; values=&#34;M80 70 V18;M80 70 V44;M80 70
V12;M80 70 V18&#34; /&gt;
            &lt;/path&gt;
            &lt;path d=&#34;M130 70 V38&#34;
stroke=&#34;#b7ff65&#34;&gt;
                &lt;animate attributeName=&#34;d&#34; dur=&#34;1s&#34;
repeatCount=&#34;indefinite&#34; values=&#34;M130 70 V38;M130 70 V14;M130
70 V52;M130 70 V38&#34; /&gt;
            &lt;/path&gt;
            &lt;path d=&#34;M180 70 V24&#34;

```

```

stroke=&#34;#fff7cb7&#34;&gt;
    &lt;animate attributeName=&#34;d&#34; dur=&#34;1.3s&#34;
repeatCount=&#34;indefinite&#34; values=&#34;M180 70 V24;M180 70 V54;M180
70 V16;M180 70 V24&#34;/&gt;
    &lt;/path&gt;
    &lt;path d=&#34;M230 70 V34&#34;
stroke=&#34;#71f6ff&#34;&gt;
    &lt;animate attributeName=&#34;d&#34;
dur=&#34;1.15s&#34; repeatCount=&#34;indefinite&#34; values=&#34;M230 70
V34;M230 70 V18;M230 70 V46;M230 70 V34&#34;/&gt;
    &lt;/path&gt;
    &lt;path d=&#34;M280 70 V20&#34;
stroke=&#34;#b7ff65&#34;&gt;
    &lt;animate attributeName=&#34;d&#34;
dur=&#34;1.25s&#34; repeatCount=&#34;indefinite&#34; values=&#34;M280 70
V20;M280 70 V48;M280 70 V10;M280 70 V20&#34;/&gt;
    &lt;/path&gt;
    &lt;/g&gt;
    &lt;/svg&gt;
    &lt;/article&gt;

&lt;article class=&#34;panel&#34;&gt;
    &lt;h3&gt;Loop-safe visual anchors&lt;/h3&gt;
    &lt;p&gt;
        Ambient rings and glows keep the scene alive even after the
        main reveal is complete, which helps when the clip is paused or replayed.
    &lt;/p&gt;
    &lt;svg class=&#34;mini-rings&#34; viewBox=&#34;0 0 320
90&#34; fill=&#34;none&#34; aria-hidden=&#34;true&#34;&gt;
        &lt;circle cx=&#34;75&#34; cy=&#34;45&#34; r=&#34;18&#34;
stroke=&#34;#71f6ff&#34; stroke-width=&#34;2&#34;&gt;
            &lt;animate attributeName=&#34;r&#34; dur=&#34;2.4s&#34;
repeatCount=&#34;indefinite&#34; values=&#34;10;22;10&#34;/&gt;
            &lt;animate attributeName=&#34;opacity&#34;
dur=&#34;2.4s&#34; repeatCount=&#34;indefinite&#34;
values=&#34;1;.25;1&#34;/&gt;
            &lt;/circle&gt;
            &lt;circle cx=&#34;160&#34; cy=&#34;45&#34; r=&#34;18&#34;
stroke=&#34;#9f7cff&#34; stroke-width=&#34;2&#34;&gt;
                &lt;animate attributeName=&#34;r&#34; dur=&#34;2s&#34;
repeatCount=&#34;indefinite&#34; values=&#34;12;26;12&#34;/&gt;
                &lt;animate attributeName=&#34;opacity&#34;
dur=&#34;2s&#34; repeatCount=&#34;indefinite&#34;
values=&#34;1;.2;1&#34;/&gt;
                &lt;/circle&gt;
            &lt;circle cx=&#34;245&#34; cy=&#34;45&#34; r=&#34;18&#34;
stroke=&#34;#b7ff65&#34; stroke-width=&#34;2&#34;&gt;
                &lt;animate attributeName=&#34;r&#34; dur=&#34;2.8s&#34;
repeatCount=&#34;indefinite&#34; values=&#34;8;24;8&#34;/&gt;
                &lt;animate attributeName=&#34;opacity&#34;

```

```

dur=&#34;2.8s&#34; repeatCount=&#34;indefinite&#34;
values=&#34;1;.18;1&#34;/&gt;
    &lt;/circle&gt;
    &lt;/svg&gt;
    &lt;/article&gt;
    &lt;/div&gt;
    &lt;/div&gt;
    &lt;/section&gt;

    &lt;section class=&#34;section reveal&#34; id=&#34;launch&#34;&gt;
    &lt;div class=&#34;wrap&#34;&gt;
    &lt;div class=&#34;cta-band&#34;&gt;
    &lt;div&gt;
    &lt;h2&gt;Ready to record your coding shot?&lt;/h2&gt;
    &lt;/div&gt;
    &lt;p&gt;
        Use this page as a launch screen, portfolio opener, or
        cinematic section for a developer reel. Everything is self-contained,
        animated, responsive, and styled for modern code-centric branding.
    &lt;/p&gt;
    &lt;/div&gt;
    &lt;button class=&#34;primary-btn&#34; type=&#34;button&#34;
id=&#34;replayBtn&#34;&gt;Replay Motion&lt;/button&gt;
    &lt;/div&gt;
    &lt;/div&gt;
    &lt;/div&gt;
    &lt;/section&gt;
    &lt;/main&gt;

    &lt;footer&gt;
    &lt;div class=&#34;wrap footer-row&#34;&gt;
    &lt;div&gt;Shot Clip – animated coding website concept&lt;/div&gt;
    &lt;div&gt;Built with HTML, CSS, SVG motion, and lightweight
JavaScript&lt;/div&gt;
    &lt;/div&gt;
    &lt;/footer&gt;

    &lt;script&gt;
    const revealEls = document.querySelectorAll(&#39;.reveal&#39;);

    const io = new IntersectionObserver((entries) =&gt; {
    entries.forEach(entry =&gt; {
    if (entry.isIntersecting) {
    entry.target.classList.add(&#39;visible&#39;);
    }
    });
    }, { threshold: 0.18 });

    revealEls.forEach(el =&gt; io.observe(el));

```

```

const replayBtn = document.getElementById('#replayBtn#');
const pulseBtn = document.getElementById('#themePulse#');
const codeLines = document.querySelectorAll('#.code-line#');

function replayCodeAnimation() {
  codeLines.forEach((line) => {
    line.style.animation = '#none#';
    line.offsetHeight;
    line.style.animation = '##';
  });
}

replayBtn.addEventListener('#click#', replayCodeAnimation);

pulseBtn.addEventListener('#click#', () => {
  document.body.animate([
    { filter: '#brightness(1) saturate(1)#' },
    { filter: '#brightness(1.08) saturate(1.18)#' },
    { filter: '#brightness(1) saturate(1)#' }
  ], {
    duration: 900,
    easing: '#ease-in-out#';
  });

  document.querySelectorAll('#.orb#').forEach((orb, i) => {
    orb.animate([
      { transform: '#scale(1)#' },
      { transform: '#scale(1.08)#' },
      { transform: '#scale(1)#' }
    ], {
      duration: 900 + i * 120,
      easing: '#ease-in-out#';
    });
  });
});
</script>
</body>
</html>

```