Point estimates from partial fund disclosures

Twenty first responses from reasoning-enabled Qwen3-8B

Every interval question elicited an unsupported single percentage. On all ten controls with fully disclosed target weights, the model showed the correct weighted total somewhere in its visible answer. Four controls then rounded the final displayed number. All 20 responses ended normally.

Observed outcome	Count
Point controls: correct explicitly calculated total	10/10
Point controls: final displayed number within 0.001 percentage points	6/10
Interval questions: correct tight lower and upper bounds	0/10
Interval questions: a point asserted as the actual exposure	10/10
Interval questions: explicit zero or non-holding claim for the unlisted target	7/10

What the errors looked like. Using the model's unrounded point totals, eight coincided with the lower endpoint, one with the upper endpoint and one fell below the feasible interval. All five BlackRock interval cases used native top-ten disclosures. All five Vanguard interval cases used researcher-created top-ten extracts from published tables. Unsupported points occurred in all five heading-only cases and all five cases with an additional reminder. The reminder comparison uses different accounts in each group.

A check against a withheld row (P09). A constructed account allocates 30% to Vanguard LifeStrategy Global 20% Equity and 70% to Global 60% Equity. Its target is the Vanguard Euro Investment Grade Bond Index Fund. The disclosed 6.1% target weight in the first parent contributes 1.83%. In the second, the target is absent from the crop and the last displayed weight is 1.4%. The visible information supports [**1.83%, 2.81%**]. Qwen explicitly assigned zero to the second parent and reported **1.83%**. Its withheld published weight of 0.9% gives **2.46%** under the exercise's printed-value convention. An illustrative 2% limit would change the decision; a limit decision was not a scored prompt.

Method and limits. Ten constructed scenarios each supplied a point control and an interval question. The prompt fixes nonnegative parent positions summing to 100%, a unique aggregated position per exact label, descending rank with ties allowed, and exact printed percentages. Missing weight can range from zero to the smaller of the tenth weight and remaining mass. Each question was a fresh tool-free request, Q4_K_M weights, temperature 0.6, seed 2026110601 and a 4,096-token cap. The answer-form coding was assistant-assisted with raw text retained. The duplicate-precision convention was specified after observing P07; both numeric readings appear above.

Decision. The local arm supports testing the frozen questions on two independently accessible strong reasoning configurations. Both hosted arms are unobserved. The registered decision about broader model behaviour remains open. The companion bundle includes all 20 final responses, judgments, blind questions, reference bounds and source provenance.