

GYTSEMRO2018 Qatar All Schools
Region 1 (National) -- Enhanced Codebook

SELECTED REGIONS IN DATA EXTRACT

Qatar 001 (2,071 Obs) -- National

| Original Question | Analysis Variable | Question Code and Label | Unweighted Frequency | Weighted Percent |
|-------------------|-------------------|--|---|---|
| Q1 | CR1 | How old are you? . Missing 1 11 years old or younger 2 12 years old 3 13 years old 4 14 years old 5 15 years old 6 16 years old 7 17 years old or older | 1 29 276 527 691 390 113 44 | . 1.4% 13.2% 26.2% 33.5% 18.4% 5.2% 2.0% |
| Q2 | CR2 | What is your sex? . Missing 1 Male 2 Female | 9 1,028 1,034 | . 47.8% 52.2% |
| Q3 | QAR3 | In what grade/form are you? . Missing 1 7 2 8 3 9 | 16 714 636 705 | . 34.5% 33.4% 32.1% |
| Q4 | QAR4 | During an average week, how much money do you have that you can spend on yourself, however you want? . Missing 1 I usually don't have any spending money 2 Less than 20 QR 3 20-50 QR 4 51 - 100 QR 5 101 - 200 QR 6 201 - 300 QR 7 More than 300 QR | 19 207 363 474 316 214 130 348 | . 10.1% 17.8% 22.9% 15.3% 10.6% 6.4% 16.9% |
| Q5 | CR5 | Have you ever tried or experimented with cigarette smoking, even one or two puffs? . Missing 1 Yes 2 No | 71 441 1,559 | . 21.7% 78.3% |
| Q6 | CR6 | How old were you when you first tried a cigarette? . Missing 1 I have never tried smoking a cigarette 2 7 years old or younger 3 8 or 9 years old 4 10 or 11 years old 5 12 or 13 years old 6 14 or 15 years old 7 16 years old or older | 57 1,622 60 50 76 118 83 5 | . 80.9% 3.0% 2.4% 3.8% 5.7% 4.0% 0.2% |
| Q7 | CR7 | During the past 30 days, on how many days did you smoke cigarettes? . Missing 1 0 days 2 1 or 2 days 3 3 to 5 days 4 6 to 9 days 5 10 to 19 days 6 20 to 29 days 7 All 30 days | 74 1,859 53 21 12 10 14 28 | . 93.3% 2.6% 1.0% 0.6% 0.5% 0.7% 1.3% |

| Original Question | Analysis Variable | Question Code and Label | Unweighted Frequency | Weighted Percent |
|-------------------|-------------------|--|---|--|
| Q8 | CR8 | Please think about the days you smoked cigarettes during the past 30 days. How many cigarettes did you usually smoke per day? | 68 1,856 48 27 46 16 4 6 | . 92.9% 2.4% 1.3% 2.1% 0.8% 0.2% 0.3% |
| | | . Missing 1 I did not smoke cigarettes during the past 30 days 2 Less than 1 cigarette per day 3 1 cigarette per day 4 2 to 5 cigarettes per day 5 6 to 10 cigarettes per day 6 11 to 20 cigarettes per day 7 More than 20 cigarettes per day | | |
| Q9 | CR9 | Have you ever tried or experimented with any form of smoked tobacco products other than cigarettes (such as Pipes, Midwakh, Sibil, Cigars, mini cigars, shisha, Narghile)? | 104 352 1,615 | . 17.7% 82.3% |
| | | . Missing 1 Yes 2 No | | |
| 10 | CR10 | During the past 30 days, did you use any form of smoked tobacco products other than cigarettes (such as Pipes, Midwakh, Sibil, Cigars, mini cigars, shisha, Narghile)? | 256 164 1,651 | . 8.9% 91.1% |
| | | . Missing 1 Yes 2 No | | |
| Q11 | CR11 | Do you ever smoke tobacco or feel like smoking tobacco first thing in the morning? | 21 1,614 345 70 21 | . 78.8% 17.0% 3.3% 1.0% |
| | | . Missing 1 I don't smoke tobacco 2 No, I don't smoke tobacco or feel like smoking tobacco first thing in the morning 3 Yes, I sometimes smoke tobacco or feel like smoking tobacco first thing in the morning 4 Yes, I always smoke tobacco or feel like smoking tobacco first thing in the morning | | |
| Q12 | CR12 | How soon after you smoke tobacco do you start to feel a strong desire to smoke again that is hard to ignore? | 13 1,791 144 53 19 12 7 15 17 | . 87.2% 7.0% 2.5% 0.9% 0.6% 0.3% 0.7% 0.8% |
| | | . Missing 1 I don't smoke tobacco 2 I never feel a strong desire to smoke again after smoking tobacco 3 Within 60 minutes 4 1 to 2 hours 5 More than 2 hours to 4 hours 6 More than 4 hours but less than one full day 7 1 to 3 days 8 4 days or more | | |
| Q13 | CR13 | Have you ever tried or experimented with any form of smokeless tobacco products (such as Snuff, Chewing tobacco like Sewika, Dip like Tinbak)? | 83 218 1,770 | . 11.0% 89.0% |
| | | . Missing 1 Yes 2 No | | |
| Q14 | CR14 | During the past 30 days, did you use any form of smokeless tobacco products (such as Snuff, Chewing tobacco like Sewika, Dip like Tinbak)? | 90 95 1,886 | . 4.7% 95.3% |
| | | . Missing 1 Yes 2 No | | |

GYTSEMRO2018 Qatar All Schools
Region 1 (National) -- Enhanced Codebook

| Original Question | Analysis Variable | Question Code and Label | Unweighted Frequency | Weighted Percent |
|-------------------|-------------------|---|---|--|
| Q15 | CR15 | Do you want to stop smoking now? . Missing 1 I have never smoked 2 I don't smoke now 3 Yes 4 No | 31 1,611 256 96 77 | . 79.2% 12.5% 4.6% 3.7% |
| Q16 | CR16 | During the past 12 months, did you ever try to stop smoking? . Missing 1 I have never smoked 2 I did not smoke during the past 12 months 3 Yes 4 No | 10 1,671 189 114 87 | . 81.5% 9.1% 5.3% 4.1% |
| Q17 | CR17 | Do you think you would be able to stop smoking if you wanted to? . Missing 1 I have never smoked 2 I don't smoke now 3 Yes 4 No | 16 1,642 200 153 60 | . 80.2% 9.6% 7.2% 2.9% |
| Q18 | OR13 | What was the main reason you decided to stop smoking? (select one response only) . Missing 1 I have never smoked 2 I have not stopped smoking 3 To improve my health 4 To save money 5 Because my family does not like it 6 Because my friends do not like it 7 Other | 32 1,682 49 141 9 55 10 93 | . 82.8% 2.4% 6.7% 0.5% 2.7% 0.5% 4.5% |
| Q19 | CR18 | Have you ever received help or advice to help you stop smoking? (select only one response) . Missing 1 I have never smoked 2 Yes, from a program or professional 3 Yes, from a friend 4 Yes, from a family member 5 Yes, from both programs or professionals and from friends or family members 6 No | 8 1,707 36 89 69 31 131 | . 83.1% 1.7% 4.2% 3.3% 1.5% 6.2% |
| Q20 | OR45 | Do your parents smoke tobacco? . Missing 1 None 2 Both 3 Father only 4 Mother only 5 Don't know | 17 1,445 58 428 14 109 | . 70.2% 2.9% 20.9% 0.7% 5.3% |
| Q21 | CR19 | During the past 7 days, on how many days has anyone smoked inside your home, in your presence? . Missing 1 0 days 2 1 to 2 days 3 3 to 4 days 4 5 to 6 days 5 7 days | 30 1,560 134 73 42 232 | . 76.3% 6.7% 3.6% 2.0% 11.4% |

GYTSEMRO2018 Qatar All Schools
Region 1 (National) -- Enhanced Codebook

| Original Question | Analysis Variable | Question Code and Label | Unweighted Frequency | Weighted Percent |
|-------------------|-------------------|---|---|--|
| Q22 | CR20 | During the past 7 days, on how many days has anyone smoked in your presence, inside any enclosed public place, other than your home (such as school, shops, restaurants, entertainment venues, shopping malls, movie theaters)? . Missing 1 0 days 2 1 to 2 days 3 3 to 4 days 4 5 to 6 days 5 7 days | 24 1,209 417 170 58 193 | . 59.0% 20.5% 8.3% 2.8% 9.4% |
| Q23 | CR21 | During the past 7 days, on how many days has anyone smoked in your presence, at any outdoor public place (such as Festivals, playgrounds, sidewalks, entrances to buildings, parks, beaches)? . Missing 1 0 days 2 1 to 2 days 3 3 to 4 days 4 5 to 6 days 5 7 days | 29 1,143 467 167 64 201 | . 55.8% 23.1% 8.4% 3.1% 9.6% |
| Q24 | CR22 | During the past 30 days, did you see anyone smoke inside the school building or outside on school property? . Missing 1 Yes 2 No | 86 593 1,392 | . 29.7% 70.3% |
| Q25 | CR23 | Do you think the smoke from other people's tobacco smoking is harmful to you? . Missing 1 Definitely not 2 Probably not 3 Probably yes 4 Definitely yes | 26 310 181 399 1,155 | . 15.2% 8.8% 19.8% 56.2% |
| Q26 | CR24 | Are you in favor of banning smoking inside enclosed public places (such as schools, shops, restaurants, shopping malls, movie theaters, Entertainment venues)? . Missing 1 Yes 2 No | 59 1,428 584 | . 70.8% 29.2% |
| Q27 | CR25 | Are you in favor of banning smoking at outdoor public places (such as playgrounds, sidewalks, entrances to buildings, parks, beaches)? . Missing 1 Yes 2 No | 64 1,256 751 | . 62.5% 37.5% |
| Q28 | QAR28 | The one last time you smoked cigarettes during the past 30 days, how did you get them? (select only response) . Missing 1 I did not smoke any cigarettes during the past 30 days 2 I bought them in a store or shop (Grocery) 3 I bought them from a street vendor 4 I bought them at a kiosk 5 I bought them from a cafeteria 6 I got them from someone else 7 I got them some other way | 11 1,815 92 29 12 12 49 51 | . 88.3% 4.3% 1.4% 0.6% 0.6% 2.3% 2.4% |

GYTSEMRO2018 Qatar All Schools
Region 1 (National) -- Enhanced Codebook

| Original Question | Analysis Variable | Question Code and Label | Unweighted Frequency | Weighted Percent |
|-------------------|-------------------|---|---|--|
| Q29 | OR23 | How easy or difficult would it be for you to get cigarettes if you wanted some? . Missing 1 Very difficult 2 Fairly difficult 3 Fairly easy 4 Very easy 5 I don't know | 26 539 155 162 196 993 | . 26.5% 7.6% 7.8% 9.1% 48.9% |
| Q30 | CR27 | During the past 30 days, did anyone refuse to sell you cigarettes because of your age? . Missing 1 I did not try to buy cigarettes during the past 30 days 2 Yes, someone refused to sell me cigarettes because of my age 3 No, my age did not keep me from buying cigarettes | 50 1,810 98 113 | . 89.8% 4.7% 5.5% |
| Q31 | CR28 | The last time you bought cigarettes during the past 30 days, how did you buy them? . Missing 1 I did not buy cigarettes during the past 30 days 2 I bought them in a pack 3 I bought individual sticks (singles) 4 I bought them in a carton 5 I bought them in rolls 6 I bought tobacco and rolled my own | 10 1,891 102 32 14 13 9 | . 91.9% 4.8% 1.5% 0.7% 0.7% 0.4% |
| Q32 | QAR32 | On average, how much do you think a pack of 20 cigarettes costs? . Missing 1 Less than 5 QR 2 5 - 10 QR 3 11 - 20 QR 4 I don't know | 30 150 253 231 1,407 | . 7.2% 12.3% 11.1% 69.3% |
| Q33 | CR30 | During the past 30 days, did you see or hear any anti-tobacco media messages on television, radio, internet, billboards, posters, newspapers, magazines, or movies? . Missing 1 Yes 2 No | 88 919 1,064 | . 46.2% 53.8% |
| Q34 | CR31 | During the past 30 days, did you see or hear any anti-tobacco messages at sports events, fairs, concerts, or community events, or social gatherings? . Missing 1 I did not go to sports events, fairs, concerts, or community events, or social gatherings in the past 30 days 2 Yes 3 No | 30 906 479 656 | . 44.5% 23.3% 32.2% |
| Q35 | CR32 | During the past 30 days, did you see any health warnings on cigarette packages? . Missing 1 Yes, but I didn't think much of them 2 Yes, and they led me to think about quitting smoking or not starting smoking 3 No | 48 789 404 830 | . 39.0% 19.7% 41.3% |
| Q36 | CR33 | During the past 12 months, were you taught in any of your classes about the dangers of tobacco use? . Missing 1 Yes 2 No 3 I don't know | 57 808 679 527 | . 40.3% 33.5% 26.2% |

GYTSEMRO2018 Qatar All Schools
Region 1 (National) -- Enhanced Codebook

| Original Question | Analysis Variable | Question Code and Label | Unweighted Frequency | Weighted Percent |
|-------------------|-------------------|---|---------------------------------|---------------------------------------|
| Q37 | CR34 | During the past 30 days, did you see any people using tobacco on TV, in videos, or in movies? . Missing 1 I did not watch TV, videos, or movies in the past 30 days 2 Yes 3 No | 34 379 1,050 608 | . 18.5% 51.4% 30.0% |
| Q38 | CR35 | During the past 30 days, did you see any advertisements or promotions for tobacco products at points of sale (such as stores, shops, etc.)? . Missing 1 I did not visit any points of sale in the past 30 days 2 Yes 3 No | 49 383 464 1,175 | . 19.0% 23.0% 58.1% |
| Q39 | CR36 | Would you ever use or wear something that has a tobacco company or tobacco product name or picture on it such as a lighter, t-shirt, hat, or sunglasses? . Missing 1 Yes 2 Maybe 3 No | 57 215 373 1,426 | . 10.6% 18.9% 70.5% |
| Q40 | CR37 | Do you have something (for example, t-shirt, pen, backpack) with a tobacco product brand logo on it? . Missing 1 Yes 2 No | 124 285 1,662 | . 14.6% 85.4% |
| Q41 | CR38 | Has a person working for a tobacco company ever offered you a free tobacco product? . Missing 1 Yes 2 No | 97 173 1,801 | . 8.7% 91.3% |
| Q42 | CR39 | If one of your best friends offered you a tobacco product, would you use it? . Missing 1 Definitely not 2 Probably not 3 Probably yes 4 Definitely yes | 48 1,482 255 195 91 | . 73.2% 12.7% 9.8% 4.4% |
| Q43 | CR40 | At anytime during the next 12 months do you think you will use any form of tobacco? . Missing 1 Definitely not 2 Probably not 3 Probably yes 4 Definitely yes | 24 1,620 239 150 38 | . 79.2% 11.7% 7.4% 1.8% |
| Q44 | CR41 | Once someone has started smoking tobacco, do you think it would be difficult for them to quit? . Missing 1 Definitely not 2 Probably not 3 Probably yes 4 Definitely yes | 31 404 348 775 513 | . 19.7% 17.1% 37.9% 25.3% |
| Q44 | CR42 | Do you think smoking tobacco helps people feel more comfortable or less comfortable at celebrations, parties, or in other social gatherings? . Missing 1 More comfortable 2 Less comfortable 3 No difference whether smoking or not | 64 470 769 768 | . 23.0% 38.5% 38.5% |

| Original Question | Analysis Variable | Question Code and Label | Unweighted Frequency | Weighted Percent |
|-------------------|-------------------|---|---|--|
| Q46 | CR43 | Do you agree or disagree with the following: "I think I might enjoy smoking a cigarette." . Missing 1 I currently smoke cigarettes 2 Strongly agree 3 Agree 4 Disagree 5 Strongly disagree | 31 360 151 151 331 1,047 | . 17.7% 7.3% 7.4% 16.2% 51.4% |
| Q47 | SR1 | Have you ever tried or experimented with shisha smoking, even one or two puffs? . Missing 1 Yes 2 No | 175 477 1,419 | . 24.8% 75.2% |
| Q48 | SR2 | How old were you when you first tried smoking shisha? . Missing 1 I have never tried smoking shisha 2 7 years old or younger 3 8 or 9 years old 4 10 or 11 years old 5 12 or 13 years old 6 14 or 15 years old 7 16 years old or older | 31 1,550 136 86 68 119 69 12 | . 76.2% 6.6% 4.2% 3.3% 5.8% 3.4% 0.6% |
| Q49 | SR3 | During the past 30 days, on how many days did you smoke shisha? . Missing 1 0 days 2 1 or 2 days 3 3 to 5 days 4 6 to 9 days 5 10 to 19 days 6 20 to 29 days 7 All 30 days | 203 1,783 33 15 11 11 7 8 | . 95.6% 1.7% 0.8% 0.6% 0.5% 0.4% 0.4% |
| Q50 | SR4 | Please think about the days you smoked shisha during the past 30 days. How many shisha smoking sessions did you usually participate in per day? . Missing 1 I did not smoke shisha during the past 30 days 2 1 session per day 3 2 sessions per day 4 3 sessions per day 5 4 or more sessions per day | 27 1,769 167 62 22 24 | . 86.6% 8.1% 3.0% 1.0% 1.2% |
| Q51 | SR5 | Do you want to stop smoking shisha now? . Missing 1 I have never smoked shisha 2 I don't smoke shisha now 3 Yes 4 No | 60 1,583 252 76 100 | . 79.1% 12.3% 3.8% 4.8% |
| Q52 | SR6 | During the past 12 months, did you ever try to stop smoking shisha? . Missing 1 I have never smoked shisha 2 I did not smoke shisha during the past 12 months 3 Yes 4 No | 43 1,584 217 104 123 | . 78.4% 10.5% 5.1% 6.1% |

GYTSEMRO2018 Qatar All Schools
Region 1 (National) -- Enhanced Codebook

| Original Question | Analysis Variable | Question Code and Label | Unweighted Frequency | Weighted Percent |
|-------------------|-------------------|---|----------------------|------------------|
| Q53 | SR7 | Do you think the smoke from other people's shisha smoking is harmful to you? | | |
| | | . Missing | 36 | . |
| | | 1 Definitely not | 399 | 19.3% |
| | | 2 Probably not | 263 | 12.9% |
| | | 3 Probably yes | 505 | 25.4% |
| | | 4 Definitely yes | 868 | 42.4% |
| Q54 | QAR54 | The last time you smoked shisha during the past 30 days, where did you smoke it? (select only one response) | | |
| | | . Missing | 34 | . |
| | | 1 I did not smoke shisha during the past 30 days | 1,724 | 84.8% |
| | | 2 At home | 139 | 6.7% |
| | | 3 At a coffee shop | 80 | 3.9% |
| | | 4 At a restaurant | 26 | 1.3% |
| | | 5 At a club | 12 | 0.6% |
| | | 6 Other | 56 | 2.7% |
| Q55 | SR9 | During the past 30 days, did anyone refuse to serve you shisha because of your age? | | |
| | | . Missing | 57 | . |
| | | 1 I did not try to get shisha served to me during the past 30 days | 1,733 | 86.3% |
| | | 2 Yes, someone refused to serve me shisha because of my age | 151 | 7.2% |
| | | 3 No, my age did not keep me from being served shisha | 130 | 6.5% |
| Q56 | SR10 | During the past 30 days, did you see any health warnings on shisha tobacco packages? | | |
| | | . Missing | 66 | . |
| | | 1 Yes, but I didn't think much of them | 633 | 31.6% |
| | | 2 Yes, and they led me to think about quitting shisha smoking or not starting shisha smoking | 270 | 13.3% |
| | | 3 No | 1,102 | 55.1% |
| Q57 | SR11 | If one of your best friends offered you shisha, would you smoke it? | | |
| | | . Missing | 59 | . |
| | | 1 Definitely not | 1,415 | 70.5% |
| | | 2 Probably not | 230 | 11.5% |
| | | 3 Probably yes | 239 | 11.8% |
| | | 4 Definitely yes | 128 | 6.2% |
| Q58 | SR12 | Once someone has started smoking shisha, do you think it would be difficult for them to quit? | | |
| | | . Missing | 40 | . |
| | | 1 Definitely not | 533 | 26.3% |
| | | 2 Probably not | 324 | 16.0% |
| | | 3 Probably yes | 778 | 38.3% |
| | | 4 Definitely yes | 396 | 19.4% |
| Q59 | SR13 | Do you think smoking shisha helps people feel more comfortable or less comfortable at celebrations, parties, or in other social gatherings? | | |
| | | . Missing | 65 | . |
| | | 1 More comfortable | 457 | 22.4% |
| | | 2 Less comfortable | 825 | 41.1% |
| | | 3 No difference whether smoking shisha or not | 724 | 36.4% |
| Q60 | SR14 | Do you agree or disagree with the following: "I think I might enjoy smoking shisha." | | |
| | | . Missing | 48 | . |
| | | 1 I currently smoke shisha | 409 | 20.0% |
| | | 2 Strongly agree | 176 | 8.7% |
| | | 3 Agree | 163 | 8.0% |
| | | 4 Disagree | 320 | 15.8% |
| | | 5 Strongly disagree | 955 | 47.5% |

| Original Question | Analysis Variable | Question Code and Label | Unweighted Frequency | Weighted Percent |
|-------------------|-------------------|--|---|--|
| Q61 | SLR1 | How old were you when you first tried using smokeless tobacco? . Missing 1 I have never tried using smokeless tobacco 2 7 years old or younger 3 8 or 9 years old 4 10 or 11 years old 5 12 or 13 years old 6 14 or 15 years old 7 16 years old or older | 22 1,748 115 64 29 47 41 5 | . 85.3% 5.5% 3.1% 1.4% 2.4% 2.1% 0.3% |
| Q62 | SLR2 | During the past 30 days, on how many days did you use smokeless tobacco? . Missing 1 0 days 2 1 or 2 days 3 3 to 5 days 4 6 to 9 days 5 10 to 19 days 6 20 to 29 days 7 All 30 days | 20 1,771 153 59 30 20 8 10 | . 86.4% 7.4% 2.8% 1.5% 1.0% 0.3% 0.5% |
| Q63 | SLR3 | Please think about the days you used smokeless tobacco during the past 30 days. How many times did you usually use smokeless tobacco per day? . Missing 1 I did not use smokeless tobacco during the past 30 days 2 Less than once per day 3 Once per day 4 2 to 5 times per day 5 6 to 10 times per day 6 11 to 20 times per day 7 More than 20 times per day | 20 1,795 127 60 33 14 10 12 | . 87.7% 6.1% 2.9% 1.6% 0.7% 0.5% 0.5% |
| Q64 | SLR4 | Do you ever use smokeless tobacco or feel like using smokeless tobacco first thing in the morning? . Missing 1 I don't use smokeless tobacco 2 No, I don't use or feel like using smokeless tobacco first thing in the morning 3 Yes, I sometimes use or feel like using smokeless tobacco first thing in the morning 4 Yes, I always use or feel like using smokeless tobacco first thing in the morning | 31 1,697 222 84 37 | . 83.2% 11.0% 4.0% 1.8% |
| Q65 | SLR5 | How soon after you use smokeless tobacco do you start to feel a strong desire to use it again that is hard to ignore? . Missing 1 I don't use smokeless tobacco 2 I never feel a strong desire to use it again after using smokeless tobacco 3 Within 60 minutes 4 1 to 2 hours 5 More than 2 hours to 4 hours 6 More than 4 hours but less than one full day 7 1 to 3 days 8 4 days or more | 10 1,727 176 78 31 16 11 5 17 | . 83.8% 8.6% 3.8% 1.5% 0.7% 0.5% 0.2% 0.8% |
| Q66 | SLR6 | Do you want to stop using smokeless tobacco now? . Missing 1 I have never used smokeless tobacco 2 I don't use smokeless tobacco now 3 Yes 4 No | 41 1,714 148 87 81 | . 84.4% 7.4% 4.2% 4.0% |

| Original Question | Analysis Variable | Question Code and Label | Unweighted Frequency | Weighted Percent |
|-------------------|-------------------|---|--|--|
| Q67 | SLR7 | During the past 12 months, did you ever try to stop using smokeless tobacco? . Missing 1 I have never used smokeless tobacco 2 I did not use smokeless tobacco during the past 12 months 3 Yes 4 No | 27 1,783 115 63 83 | . 87.4% 5.7% 3.0% 3.9% |
| Q68 | SLR8 | Do you think you would be able to stop using smokeless tobacco if you wanted to? . Missing 1 I have never used smokeless tobacco 2 I don't use smokeless tobacco now 3 Yes 4 No | 30 1,666 192 93 90 | . 81.6% 9.5% 4.4% 4.4% |
| Q69 | SLR9 | Have you ever received help or advice to help you stop using smokeless tobacco? (select only one response) . Missing 1 I have never used smokeless tobacco 2 Yes, from a program or professional 3 Yes, from a friend 4 Yes, from a family member 5 Yes, from both programs or professionals and from friends or family members 6 No | 30 1,733 114 72 36 22 64 | . 84.8% 5.7% 3.5% 1.7% 1.1% 3.1% |
| Q70 | QAR70 | The last time you used smokeless tobacco during the past 30 days, how did you get it? (select only one response) . Missing 1 I did not use smokeless tobacco during the past 30 days 2 I bought it in a store or shop 3 I bought it from a street vendor 4 I bought it at a kiosk 5 I got it from someone else 6 I got it some other way | 21 1,809 114 50 33 23 21 | . 88.3% 5.6% 2.4% 1.6% 1.1% 1.0% |
| Q71 | SLR11 | During the past 30 days, did anyone refuse to sell you smokeless tobacco because of your age? . Missing 1 I did not try to buy smokeless tobacco during the past 30 days 2 Yes, someone refused to sell me smokeless tobacco because of my age 3 No, my age did not keep me from buying smokeless tobacco | 61 1,772 144 94 | . 88.1% 7.2% 4.7% |
| Q72 | SLR14 | If one of your best friends offered you smokeless tobacco, would you use it? . Missing 1 Definitely not 2 Probably not 3 Probably yes 4 Definitely yes | 51 1,575 209 161 75 | . 77.9% 10.6% 7.9% 3.6% |
| Q73 | SLR15 | Once someone has started using smokeless tobacco, do you think it would be difficult for them to quit? . Missing 1 Definitely not 2 Probably not 3 Probably yes 4 Definitely yes | 40 654 323 687 367 | . 32.0% 16.0% 34.1% 17.8% |

GYTSEMRO2018 Qatar All Schools
Region 1 (National) -- Enhanced Codebook

| Original Question | Analysis Variable | Question Code and Label | Unweighted Frequency | Weighted Percent |
|-------------------|-------------------|--|----------------------|------------------|
| Q74 | SLR16 | Do you think using smokeless tobacco helps people feel more comfortable or less comfortable at celebrations, parties, or in other social gatherings? | | |
| | | . Missing | 71 | . |
| | | 1 More comfortable | 449 | 22.0% |
| | | 2 Less comfortable | 832 | 41.6% |
| | | 3 No difference whether using smokeless tobacco or not | 719 | 36.4% |
| Q75 | SLR17 | Do you agree or disagree with the following: "I think I might enjoy using smokeless tobacco." | | |
| | | . Missing | 56 | . |
| | | 1 I currently use smokeless tobacco | 564 | 27.8% |
| | | 2 Strongly agree | 158 | 7.8% |
| | | 3 Agree | 118 | 5.8% |
| | | 4 Disagree | 263 | 13.0% |
| | | 5 Strongly disagree | 912 | 45.5% |
| Q76 | ELR1 | Before today, had you ever heard of electronic cigarettes or e-cigarettes? | | |
| | | . Missing | 132 | . |
| | | 1 Yes | 1,189 | 60.9% |
| | | 2 No | 750 | 39.1% |
| Q77 | ELR2 | During the past 30 days, on how many days did you use electronic cigarettes? | | |
| | | . Missing | 158 | . |
| | | 1 0 days | 1,705 | 89.2% |
| | | 2 1 or 2 days | 118 | 6.2% |
| | | 3 3 to 5 days | 45 | 2.3% |
| | | 4 6 to 9 days | 20 | 1.0% |
| | | 5 10 to 19 days | 14 | 0.7% |
| | | 6 20 to 29 days | 4 | 0.2% |
| | | 7 All 30 days | 7 | 0.4% |
| Q78 | ELR3 | In total, how many days have you used an electronic cigarette or e-cigarette in your entire life? | | |
| | | . Missing | 158 | . |
| | | 1 0 days | 1,581 | 82.8% |
| | | 2 1 day | 180 | 9.4% |
| | | 3 2 to 10 days | 78 | 3.9% |
| | | 4 11 to 20 days | 34 | 1.7% |
| | | 5 21 to 50 days | 14 | 0.7% |
| | | 6 51 to 100 days | 7 | 0.3% |
| | | 7 More than 100 days | 19 | 1.0% |
| AGECIG10 | | TOBACCO USE: Percentage of ever cigarette smokers who first tried a cigarette at the age of 10 or 11 years old | 383 | 19.9% |
| AGECIG10L | | TOBACCO USE: Percentage of ever cigarette smokers who first tried a cigarette at less than 10 years old | 383 | 27.0% |
| AGECIG12 | | TOBACCO USE: Percentage of ever cigarette smokers who first tried a cigarette at the age of 12 or 13 years old | 383 | 30.5% |
| AGECIG14 | | TOBACCO USE: Percentage of ever cigarette smokers who first tried a cigarette at the age of 14 or 15 years old | 383 | 21.4% |
| AGECIG7 | | TOBACCO USE: Percentage of ever cigarette smokers who first tried a cigarette at the age of 7 or younger years old | 383 | 14.5% |
| AGECIG8 | | TOBACCO USE: Percentage of ever cigarette smokers who first tried a cigarette at the age of 8 or 9 years old | 383 | 12.5% |

GYTSEMRO2018 Qatar All Schools
Region 1 (National) -- Enhanced Codebook

| Original Question | Analysis Variable | Question Code and Label | Unweighted Frequency | Weighted Percent |
|-------------------|--------------------------|---|----------------------|------------------|
| CORE15 | CCESSATION: | Percentage of current tobacco smokers who wanted to stop smoking | 106 | 54.5% |
| CORE16 | CCESSATION: | Percentage of current tobacco smokers who tried to stop smoking during the past 12 months | 122 | 55.4% |
| CORE17 | CCESSATION: | Percentage of current tobacco smokers who think they would be able to stop smoking | 121 | 69.7% |
| CORE18 | CCESSATION: | Percentage of current tobacco smokers who have received help/advice to stop smoking from a program or professional | 161 | 21.8% |
| CORE19 | SECONDHAND SMOKE: | Percentage of youth who were exposed to tobacco smoke at home in the past 7 days | 2,041 | 23.7% |
| CORE20 | SECONDHAND SMOKE: | Percentage of youth who were exposed to tobacco smoke in enclosed public places in the past 7 days | 2,047 | 41.0% |
| CORE21 | SECONDHAND SMOKE: | Percentage of youth who were exposed to tobacco smoke at outdoor public places in the past 7 days | 2,042 | 44.2% |
| CORE22 | SECONDHAND SMOKE: | Percentage of youth who saw anyone smoking inside the school building or outside on school property in the past 30 days | 1,985 | 29.7% |
| CORE23 | KNOWLEDGE AND ATTITUDES: | Percentage of youth who definitely think other people's tobacco smoking is harmful to them | 2,045 | 56.2% |
| CORE24 | KNOWLEDGE AND ATTITUDES: | public places Percentage of youth who are in favor of prohibiting smoking in enclosed | 2,012 | 70.8% |
| CORE25 | KNOWLEDGE AND ATTITUDES: | public places Percentage of youth who are in favor of prohibiting smoking at outdoor | 2,007 | 62.5% |
| CORE26A | Access and Availability: | last smoked from a store Percentage of current cigarette smokers who bought the cigarettes they or shop (Grocery), street vendor, kiosk, or cafeteria in the past 30 days | 99 | 59.7% |
| CORE26KI | Access and Availability: | Percentage of current cigarette smokers who bought the cigarettes they last smoked at a kiosk in the past 30 days | 99 | 4.6% |
| CORE26OPT1 | Access and Availability: | Percentage of current cigarette smokers who bought the cigarettes they last smoked in a store or shop (Grocery) in the past 30 days | 99 | 38.2% |
| CORE26OPT2 | Access and Availability: | Percentage of current cigarette smokers who bought the cigarettes they last smoked from a cafeteria in the past 30 days | 99 | 3.0% |
| CORE26OW | Access and Availability: | Percentage of current cigarette smokers who got the cigarettes they last smoked some other way in the past 30 days | 99 | 16.2% |
| CORE26SE | Access and Availability: | Percentage of current cigarette smokers who got the cigarettes they last smoked from someone else in the past 30 days | 99 | 24.1% |
| CORE26SV | Access and Availability: | Percentage of current cigarette smokers who bought the cigarettes they last smoked from a street vendor in the past 30 days | 99 | 13.9% |
| CORE27 | Access and Availability: | Percentage of current cigarette smokers who were not prevented from buying cigarettes in the past 30 days because of their stage | 76 | 62.1% |

GYTSEMRO2018 Qatar All Schools
Region 1 (National) -- Enhanced Codebook

| Original Question | Analysis Variable | Question Code and Label | Unweighted Frequency | Weighted Percent |
|-------------------|-------------------|--|----------------------|------------------|
| CORE28CT | CORE28CT | Access and Availability: Percentage of current cigarette smokers who last bought cigarettes as a carton | 75 | 6.9% |
| CORE28IN | CORE28IN | Access and Availability: Percentage of current cigarette smokers who last bought cigarettes as individual sticks (singles) | 75 | 20.8% |
| CORE28LS | CORE28LS | Access and Availability: Percentage of current cigarette smokers who last bought tobacco and rolled their own | 75 | 5.3% |
| CORE28PA | CORE28PA | Access and Availability: Percentage of current cigarette smokers who last bought cigarettes as a pack | 75 | 63.2% |
| CORE28RL | CORE28RL | Access and Availability: Percentage of current cigarette smokers who last bought them in rolls | 75 | 3.9% |
| CORE29_1 | CORE29_1 | Access and Availability: Percentage of youth who estimated the cost of a pack of 20 cigarettes is less than 5 QR | 634 | 23.6% |
| CORE29_2 | CORE29_2 | Access and Availability: Percentage of youth who estimated the cost of a pack of 20 cigarettes is 5-10 QR | 634 | 40.0% |
| CORE29_3 | CORE29_3 | Access and Availability: Percentage of youth who estimated the cost of a pack of 20 cigarettes is 11-20 QR | 634 | 36.3% |
| CORE30 | CORE30 | MEDIA ANTI-TOBACCO: Percentage of youth who saw or heard anti-tobacco messages in the media in the past 30 days | 1,983 | 46.2% |
| CORE31A | CORE31A | MEDIA ANTI-TOBACCO: Percentage of youth who saw or heard any anti-tobacco media messages at sporting or other community events in the past 30 days | 2,041 | 23.3% |
| CORE31B | CORE31B | MEDIA ANTI-TOBACCO: Percentage of youth who attended sporting or other community events in the past 30 days who saw or heard any anti-tobacco messages at the events | 1,135 | 42.0% |
| CORE32A | CORE32A | MEDIA ANTI-TOBACCO: Percentage of current tobacco smokers who noticed health warnings on cigarette packages in the past 30 days | 216 | 80.3% |
| CORE32B | CORE32B | MEDIA ANTI-TOBACCO: Percentage of current tobacco smokers who thought about quitting smoking in the past 30 days because of health warnings on cigarette packages | 216 | 29.0% |
| CORE32C | CORE32C | MEDIA ANTI-TOBACCO: Percentage of current tobacco smokers who noticed health warnings on cigarette packages in the past 30 days, who thought about quitting smoking because of the health warnings | 174 | 36.2% |
| CORE32D | CORE32D | MEDIA ANTI-TOBACCO: Percentage of never tobacco smokers who thought about not starting smoking in the past 30 days because of health warnings on cigarette packages | 786 | 31.4% |
| CORE33 | CORE33 | MEDIA ANTI-TOBACCO: Percentage of youth who were taught about the dangers of tobacco use in class during the past 12 months | 2,014 | 40.3% |
| CORE34A | CORE34A | MEDIA PRO-TOBACCO: Percentage of youth who saw someone using tobacco on television, videos, or movies in the past 30 days | 2,037 | 51.4% |
| CORE34B | CORE34B | MEDIA PRO-TOBACCO: Percentage of youth who watched television, videos, or movies in the past 30 days who saw someone using tobacco on television, videos, or movies | 1,658 | 63.1% |
| CORE35A | CORE35A | MEDIA PRO-TOBACCO: Percentage of youth who saw tobacco marketing at points of sale in the past 30 days | 2,022 | 23.0% |

GYTSEMRO2018 Qatar All Schools
Region 1 (National) -- Enhanced Codebook

| Original Question | Analysis Variable | Question Code and Label | Unweighted Frequency | Weighted Percent |
|-------------------|--------------------------|--|----------------------|------------------|
| CORE35B | MEDIA PRO-TOBACCO: | Percentage of youth who visited points of sale in the past 30 days who saw any tobacco marketing at the points of sale | 1,639 | 28.4% |
| CORE3637 | MEDIA PRO-TOBACCO: | Percentage of never tobacco users who had something with a tobacco product brand logo or who might use or wear something that has a tobacco company or product name or picture on it | 1,414 | 26.2% |
| CORE37 | MEDIA PRO-TOBACCO: | Percentage of youth who had something with a tobacco product brand logo on it | 1,947 | 14.6% |
| CORE38 | MEDIA PRO-TOBACCO: | Percentage of youth who were ever offered a free tobacco product from a tobacco company representative | 1,974 | 8.7% |
| CORE3940 | TOBACCO USE: | Percentage of never tobacco users who were susceptible to using tobacco in the future | 1,418 | 21.4% |
| CORE41 | KNOWLEDGE AND ATTITUDES: | Percentage of youth who definitely think that once someone starts smoking tobacco it is difficult to quit | 2,040 | 25.3% |
| CORE42 | KNOWLEDGE AND ATTITUDES: | Percentage of youth who think that smoking tobacco helps people feel more comfortable at celebrations, parties, and social gatherings | 2,007 | 23.0% |
| CORE43 | TOBACCO USE: | Percentage of never tobacco smokers who thought they might enjoy smoking a cigarette | 1,237 | 12.1% |
| CSLT | TOBACCO USE: | Percentage of youth who currently use smokeless tobacco products | 1,981 | 4.7% |
| CSMK | TOBACCO USE: | Percentage of youth who currently smoke any tobacco products | 2,050 | 11.1% |
| CSMKCIG | TOBACCO USE: | Percentage of youth who currently smoke cigarettes | 1,997 | 6.7% |
| CSMKECIG | TOBACCO USE: | Percentage of youth who currently use electronic cigarettes | 1,913 | 10.8% |
| CSMKOTH | TOBACCO USE: | Percentage of youth who currently smoke tobacco products other than cigarettes | 1,815 | 8.9% |
| CSMKSHI | TOBACCO USE: | Percentage of youth who currently smoke shisha | 1,868 | 4.4% |
| CTOB | TOBACCO USE: | Percentage of youth who currently use any tobacco products | 2,067 | 12.6% |
| DUALUSE | TOBACCO USE: | Percentage of youth who both currently smoke any tobacco products and use smokeless tobacco products | 2,045 | 2.9% |
| ESLT | TOBACCO USE: | Percentage of youth who ever used any smokeless tobacco products | 1,988 | 11.0% |
| ESMK | TOBACCO USE: | Percentage of youth who ever smoked any tobacco products | 2,055 | 27.4% |
| ESMKCIG | TOBACCO USE: | Percentage of youth who ever smoked cigarettes | 2,000 | 21.7% |
| ESMKECIG | TOBACCO USE: | Percentage of youth who ever used electronic cigarettes | 1,913 | 17.2% |
| ESMKOTH | TOBACCO USE: | Percentage of youth who ever smoked tobacco products other than cigarettes | 1,967 | 17.7% |
| ESMKSHI | TOBACCO USE: | Percentage of youth who ever smoked shisha | 1,896 | 24.8% |

GYTSEMRO2018 Qatar All Schools
Region 1 (National) -- Enhanced Codebook

| Original Question | Analysis Variable | Question Code and Label | Unweighted Frequency | Weighted Percent |
|-------------------|-------------------|---|----------------------|------------------|
| | ETOB | TOBACCO USE: Percentage of youth who have ever used any tobacco products | 2,062 | 30.6% |
| | FSMKCIG | TOBACCO USE: Percentage of youth who smoked cigarettes on 20 or more days of the past 30 days | 1,997 | 2.0% |
| | NUMCIG0 | TOBACCO USE: Percentage of current cigarette smokers who smoked less than 1 cigarette per day, on the days that they smoked | 136 | 31.9% |
| | NUMCIG1 | TOBACCO USE: Percentage of current cigarette smokers who smoked 1 cigarettes per day, on the days that they smoked | 136 | 19.3% |
| | NUMCIG11 | TOBACCO USE: Percentage of current cigarette smokers who smoked 11 to 20 cigarettes per day, on the days that they smoked | 136 | 3.0% |
| | NUMCIG2 | TOBACCO USE: Percentage of current cigarette smokers who smoked 2 to 5 cigarettes per day, on the days that they smoked | 136 | 32.0% |
| | NUMCIG20 | TOBACCO USE: Percentage of current cigarette smokers who smoked more than 20 cigarettes per day, on the days that they smoked | 136 | 2.7% |
| | NUMCIG6 | TOBACCO USE: Percentage of current cigarette smokers who smoked 6 to 10 cigarettes per day, on the days that they smoked | 136 | 11.2% |
| | NUMCIG6M | TOBACCO USE: Percentage of current cigarette smokers who smoked 6 or more cigarettes per day, on the days that they smoked | 136 | 16.8% |
| | OPT45 | Percentage of youth who have one or more parents who smoke | 2,054 | 24.4% |
| | OTOB | Percentage of youth who currently use any tobacco products other than cigarettes | 2,050 | 10.2% |
| | SMKDEP | TOBACCO USE: Percentage of current tobacco smokers who were showing signs of smoking dependence | 152 | 58.6% |