



Math for the people, by the people.

modus tollens

Canonical name	ModusTollens
Date of creation	2013-03-22 16:56:03
Last modified on	2013-03-22 16:56:03
Owner	rspuzio (6075)
Last modified by	rspuzio (6075)
Numerical id	7
Author	rspuzio (6075)
Entry type	Definition
Classification	msc 03B22
Classification	msc 03B35
Classification	msc 03B05

The law of *modus tollens* is the inference rule which allows one to conclude  $\neg P$  from  $P \Rightarrow Q$  and  $\neg Q$ . The name “modus tollens” refers to the fact that this rule allows one to take away the conclusion of a conditional statement and conclude the negation of the condition. As an example of this rule, we may cite the following:

If the postman is at the door, the doorbell will ring twice	
The bell is not ringing.	
<hr/>	
The postman is not at the door.	

The validity of this rule may be established by means of the following truth table:

$P$	$Q$	$P \Rightarrow Q$	$\neg P$	$\neg Q$
F	F	T	T	T
F	T	T	T	F
T	F	F	F	T
T	T	T	F	F

This rule can be used to justify the popular technique of proof by contradiction. In this technique, one assumes a hypothesis  $P$  and then derives a conclusion  $Q$ . This is tantamount to showing that  $P \Rightarrow Q$ . Next one demonstrates  $\neg Q$ . Applying modus tollens, one then concludes  $\neg P$ .