

## ${\bf structure\ homomorphism}$

Canonical name StructureHomomorphism

Date of creation 2013-03-22 12:43:22 Last modified on 2013-03-22 12:43:22 Owner almann (2526)

Last modified by almann (2526)

Numerical id 14

Author almann (2526)
Entry type Definition
Classification msc 03C07

Synonym homomorphism

Synonym morphism

Synonym monomorphism
Synonym epimorphism
Synonym bimorphism
Synonym embedding
Synonym isomorphism
Synonym endomorphism
Synonym automorphism

Related topic AxiomaticTheoryOfSupercategories

Defines structure morphism

Defines structure monomorphism
Defines structure epimorphism
Defines structure bimorphism
Defines structure embedding
Defines structure isomorphism
Defines structure endomorphism
Defines structure automorphism

Let  $\Sigma$  be a fixed signature, and  $\mathfrak A$  and  $\mathfrak B$  be two structures for  $\Sigma$ . The interesting functions from  $\mathfrak A$  to  $\mathfrak B$  are the ones that preserve the structure.

A function  $f: \mathfrak{A} \to \mathfrak{B}$  is said to be a homomorphism (or simply morphism) if and only if:

- 1. For every constant symbol c of  $\Sigma$ ,  $f(c^{\mathfrak{A}}) = c^{\mathfrak{B}}$ .
- 2. For every natural number n and every n-ary function symbol F of  $\Sigma$ ,

$$f(F^{\mathfrak{A}}(a_1,...,a_n)) = F^{\mathfrak{B}}(f(a_1),...,f(a_n)).$$

3. For every natural number n and every n-ary relation symbol R of  $\Sigma$ ,

$$R^{\mathfrak{A}}(a_1,\ldots,a_n) \Rightarrow R^{\mathfrak{B}}(f(a_1),\ldots,f(a_n)).$$

Homomorphisms with various additional properties have special names:

- An http://planetmath.org/Injectiveinjective homomorphism is called a *monomorphism*.
- A surjective homomorphism is called an *epimorphism*.
- A bijective homomorphism is called a *bimorphism*.
- An injective homomorphism f is called an *embedding* if, for every natural number n and every n-ary relation symbol R of  $\Sigma$ ,

$$R^{\mathfrak{B}}(f(a_1),\ldots,f(a_n))\Rightarrow R^{\mathfrak{A}}(a_1,\ldots,a_n),$$

the converse of condition 3 above, holds.

- A surjective embedding is called an *isomorphism*.
- A homomorphism from a structure to itself (http://planetmath.org/Ege.g.,  $f: \mathfrak{A} \to \mathfrak{A}$ ) is called an .
- An isomorphism from a structure to itself is called an *automorphism*.