



Math for the people, by the people.

arithmetical hierarchy

Canonical name	ArithmeticalHierarchy
Date of creation	2013-03-22 12:55:11
Last modified on	2013-03-22 12:55:11
Owner	CWoo (3771)
Last modified by	CWoo (3771)
Numerical id	19
Author	CWoo (3771)
Entry type	Definition
Classification	msc 03B10
Synonym	arithmetic hierarchy
Synonym	arithmetic
Synonym	arithmetical
Synonym	arithmetic formula
Synonym	arithmetical formulas
Related topic	AnalyticHierarchy
Defines	σ_n
Defines	$\sigma\text{-}n$
Defines	π_n
Defines	$\pi\text{-}n$
Defines	δ_n
Defines	$\delta\text{-}n$
Defines	recursive
Defines	recursively enumerable
Defines	$\delta\text{-}0$
Defines	δ_0
Defines	$\delta\text{-}1$
Defines	δ_1
Defines	arithmetical

The *arithmetical hierarchy* is a hierarchy of either (depending on the context) formulas or relations. The relations of a particular level of the hierarchy are exactly the relations defined by the formulas of that level, so the two uses are essentially the same.

The first level consists of formulas with only bounded quantifiers, the corresponding relations are also called the Primitive Recursive relations (this definition is equivalent to the definition from computer science). This level is called any of Δ_0^0 , Σ_0^0 and Π_0^0 , depending on context.

A formula ϕ is Σ_n^0 if there is some Δ_0^0 formula ψ such that ϕ can be written:

$$\phi(\vec{k}) = \exists x_1 \forall x_2 \cdots Q x_n \psi(\vec{k}, \vec{x})$$

where Q is either \forall or \exists , whichever maintains the pattern of alternating quantifiers

The Σ_1^0 relations are the same as the Recursively Enumerable relations.

Similarly, ϕ is a Π_n^0 relation if there is some Δ_0^0 formula ψ such that:

$$\phi(\vec{k}) = \forall x_1 \exists x_2 \cdots Q x_n \psi(\vec{k}, \vec{x})$$

where Q is either \forall or \exists , whichever maintains the pattern of alternating quantifiers

A formula is Δ_n^0 if it is both Σ_n^0 and Π_n^0 . Since each Σ_n^0 formula is just the negation of a Π_n^0 formula and vice-versa, the Σ_n^0 relations are the complements of the Π_n^0 relations.

The relations in $\Delta_1^0 = \Sigma_1^0 \cap \Pi_1^0$ are the Recursive relations.

Higher levels on the hierarchy correspond to broader and broader classes of relations. A formula or relation which is Σ_n^0 (or, equivalently, Π_n^0) for some integer n is called *arithmetical*.

The superscript 0 is often omitted when it is not necessary to distinguish from the analytic hierarchy.

Functions can be described as being in one of the levels of the hierarchy if the graph of the function is in that level.