

homeomorphism between Boolean spaces

Canonical name HomeomorphismBetweenBooleanSpaces

Date of creation 2013-03-22 19:09:04 Last modified on 2013-03-22 19:09:04

Owner CWoo (3771) Last modified by CWoo (3771)

Numerical id 4

Author CWoo (3771)

Entry type Result
Classification msc 06E15
Classification msc 06B30

Related topic DualOfStoneRepresentationTheorem

In this entry, we derive a test for deciding when a bijection between two Boolean spaces is a homeomorphism.

We start with two general remarks.

Lemma 1. If Y is zero-dimensional, then $f: X \to Y$ is continuous provided that $f^{-1}(U)$ is open for every clopen set U in Y.

Proof. Since Y is zero-dimensional, Y has a basis of clopen sets. To check the continuity of f, it is enough to check that $f^{-1}(U)$ is open for each member of the basis, which is true by assumption. Hence f is continuous.

Lemma 2. If X is compact and Y is Hausdorff, and f is a bijection, then f is a homeomorphism iff it is continuous.

Proof. One direction is obvious. We want to show that f^{-1} is continuous, or equivalently, for any closed set U in X, f(U) is closed in Y. Since X is compact, U is compact, and therefore f(U) is compact since f is continuous. But Y is Hausdorff, so f(U) is closed.

Proposition 1. If X, Y are Boolean spaces, then a bijection $f: X \to Y$ is homeomorphism iff it maps clopen sets to clopen sets.

Proof. Once more, one direction is clear. Now, suppose f maps clopen sets to clopen sets. Since X is zero-dimensional, $f^{-1}: Y \to X$ is continuous by the first proposition. Since Y is compact and X Hausdorff, f^{-1} is a homeomorphism by the second proposition.