



planetmath.org

Math for the people, by the people.

difference of lattice elements

Canonical name	DifferenceOfLatticeElements
Date of creation	2013-03-22 17:57:44
Last modified on	2013-03-22 17:57:44
Owner	porton (9363)
Last modified by	porton (9363)
Numerical id	10
Author	porton (9363)
Entry type	Definition
Classification	msc 06B99
Related topic	ComplementedLattice
Related topic	Pseudodifference
Related topic	SectionallyComplementedLattice

Let \mathfrak{A} is a lattice with least element 0.

Let $a, b \in \mathfrak{A}$. A difference of a and b is an element $c \in \mathfrak{A}$ that $b \cap c = 0$ and $a \cup b = b \cup c$. When there is only one difference of a and b , it is denoted $a \setminus b$.

One immediate property is: 0 is the unique difference of any element a and itself ($a \setminus a = 0$). For if c is such a difference, then $a \cap c = 0$ and $a = a \cup c$. So $c \leq a$ by the second equation, and hence that $c = a \cap c = 0$ by the first equation.

For arbitrary lattices differences of two given elements do not necessarily exist. For some lattices there may be more than one difference of two given elements.

For a distributive lattice with bottom element 0, the difference of two elements, if it exists, must be unique. To see this, let c and d be two differences of a and b . Then

- $b \cap c = b \cap d = 0$, and
- $a \cup b = b \cup c = b \cup d$.

So $c = c \cap (b \cup c) = c \cap (b \cup d) = (c \cap b) \cup (c \cap d) = 0 \cup (c \cap d) = c \cap d$. Similarly, $d = d \cap c$. As a result, $c = c \cap d = d \cap c = d$.