



planetmath.org

Math for the people, by the people.

p-adic analytic

Canonical name	PadicAnalytic
Date of creation	2013-03-22 15:13:53
Last modified on	2013-03-22 15:13:53
Owner	alozano (2414)
Last modified by	alozano (2414)
Numerical id	4
Author	alozano (2414)
Entry type	Definition
Classification	msc 11S99
Classification	msc 12J12
Classification	msc 11S80
Synonym	$p$ -adic analytic
Related topic	Analytic
Related topic	PAdicExponentialAndPAdicLogarithm
Defines	$p$ -adic analysis
Defines	p-adic analysis

**Definition.** Let  $\mathbb{C}_p$  be the field of <http://planetmath.org/ComplexPAdicNumbers> complex  $p$ -adic numbers. Let  $U$  be a domain in  $\mathbb{C}_p$ . A function  $f : U \longrightarrow \mathbb{C}_p$  is  $p$ -adic analytic if  $f$  has a Taylor series (with coefficients in  $\mathbb{C}_p$ ) about each point  $z \in U$  that converges to the function  $f$  in an open neighborhood of  $z$ .

For example, the <http://planetmath.org/PAdicExponentialAndPAdicLogarithm>  $p$ -adic exponential function is analytic on its domain of definition:

$$U = \{z \in \mathbb{C}_p : |z|_p < \frac{1}{p^{1/(p-1)}}\}.$$

The study of  $p$ -adic analytic functions is usually called  *$p$ -adic analysis* and it is very similar to complex analysis in many respects, although there are important differences coming from the distinct topologies of  $\mathbb{C}$  and  $\mathbb{C}_p$ .