



Math for the people, by the people.

integral element

Canonical name	IntegralElement
Date of creation	2013-03-22 14:15:56
Last modified on	2013-03-22 14:15:56
Owner	pahio (2872)
Last modified by	pahio (2872)
Numerical id	31
Author	pahio (2872)
Entry type	Definition
Classification	msc 12E99
Related topic	PAAdicCanonicalForm
Related topic	PAAdicValuation
Related topic	KummersCongruence

An element  $a$  of a field  $K$  is an *integral element of the field  $K$* , iff

$$|a| \leq 1$$

for every non-archimedean valuation  $|\cdot|$  of this field.

The set  $\mathcal{O}$  of all integral elements of  $K$  is a subring (in fact, an integral domain) of  $K$ , because it is the intersection of all valuation rings in  $K$ .

### Examples

1.  $K = \mathbb{Q}$ . The only non-archimedean valuations of  $\mathbb{Q}$  are the  $p$ -adic valuations  $|\cdot|_p$  (where  $p$  is a rational prime) and the trivial valuation (all values are 1 except the value of 0). The valuation ring  $\mathcal{O}_p$  of  $|\cdot|_p$  consists of all so-called  *$p$ -integral rational numbers* whose denominators are not divisible by  $p$ . The valuation ring of the trivial valuation is, generally, the whole field. Thus,  $\mathcal{O}$  is, by definition, the intersection of the  $\mathcal{O}_p$ 's for all  $p$ ; this is the set of rationals whose denominators are not divisible by any prime, which is exactly the set  $\mathbb{Z}$  of ordinary integers.
2. If  $K$  is a finite field, it has only the trivial valuation. In fact, if  $|\cdot|$  is a valuation and  $a$  any non-zero element of  $K$ , then there is a positive integer  $m$  such that  $a^m = 1$ , and we have  $|a|^m = |a^m| = |1| = 1$ , and therefore  $|a| = 1$ . Thus,  $|\cdot|$  is trivial and  $\mathcal{O} = K$ . This means that all elements of the field are integral elements.
3. If  $K$  is the field  $\mathbb{Q}_p$  of the <http://planetmath.org/NonIsomorphicCompletionsOfMathbbQp>-adic numbers, it has only one non-trivial valuation, the  $p$ -adic valuation, and now the ring  $\mathcal{O}$  is its valuation ring, which is the ring of <http://planetmath.org/PAdicIntegers>  *$p$ -adic integers*; this is visualized in the 2-adic (*dyadic*) case in the article “ $p$ -adic canonical form”.