



planetmath.org

Math for the people, by the people.

discrete valuation

Canonical name	DiscreteValuation
Date of creation	2013-03-22 13:59:14
Last modified on	2013-03-22 13:59:14
Owner	djao (24)
Last modified by	djao (24)
Numerical id	6
Author	djao (24)
Entry type	Definition
Classification	msc 13F30
Classification	msc 12J20
Synonym	rank one valuations
Synonym	rank-one valuations
Related topic	DiscreteValuationRing
Related topic	Valuation

A *discrete valuation* on a field K is a valuation $|\cdot| : K \rightarrow \mathbb{R}$ whose image is a discrete subset of \mathbb{R} .

For any field K with a discrete valuation $|\cdot|$, the set

$$R := \{x \in K : |x| \leq 1\}$$

is a subring of K with sole maximal ideal

$$M := \{x \in K : |x| < 1\},$$

and hence R is a discrete valuation ring. Conversely, given any discrete valuation ring R , the field of fractions K of R admits a discrete valuation sending each element $x \in R$ to c^n , where $0 < c < 1$ is some arbitrary fixed constant and n is the order of x , and extending multiplicatively to K .

Note: Discrete valuations are often written additively instead of multiplicatively; under this alternate viewpoint, the element x maps to $\log_c |x|$ (in the above notation) instead of just $|x|$. This transformation reverses the order of the absolute values (since $c < 1$), and sends the element $0 \in K$ to ∞ . It has the advantage that every valuation can be normalized by a suitable scalar multiple to take values in the integers.