



planetmath.org

Math for the people, by the people.

p-ring

Canonical name	Pring
Date of creation	2013-03-22 15:14:28
Last modified on	2013-03-22 15:14:28
Owner	alozano (2414)
Last modified by	alozano (2414)
Numerical id	4
Author	alozano (2414)
Entry type	Definition
Classification	msc 13J10
Classification	msc 13K05
Synonym	p -ring
Synonym	p-adic ring
Synonym	p -adic ring
Synonym	strict p -ring
Defines	strict p-ring

Definition 1. Let R be a commutative ring with identity element equipped with a topology defined by a decreasing sequence:

$$\dots \subset \mathfrak{A}_3 \subset \mathfrak{A}_2 \subset \mathfrak{A}_1$$

of ideals such that $\mathfrak{A}_n \cdot \mathfrak{A}_m \subset \mathfrak{A}_{n+m}$. We say that R is a p -ring if the following conditions are satisfied:

1. The residue ring $\bar{k} = R/\mathfrak{A}_1$ is a perfect ring of characteristic p .
2. The ring R is Hausdorff and complete for its topology.

Definition 2. A p -ring R is said to be strict (or a p -adic ring) if the topology is defined by the p -adic filtration $\mathfrak{A}_n = p^n R$, and p is not a zero-divisor of R .

Example 1. The prototype of strict p -ring is the ring of <http://planetmath.org/PAdicIntegers> p -adic integers \mathbb{Z}_p with the usual profinite topology.

References

- [1] J. P. Serre, *Local Fields*, Springer-Verlag, New York.