



Math for the people, by the people.

proof of Dedekind–Mertens lemma

Canonical name	ProofOfDedekindMertensLemma
Date of creation	2013-12-15 20:29:20
Last modified on	2013-12-15 20:29:20
Owner	pahio (2872)
Last modified by	pahio (2872)
Numerical id	5
Author	pahio (2872)
Entry type	Proof
Classification	msc 13A15
Classification	msc 13M10
Classification	msc 16D10
Classification	msc 16D25

Let R be subring of the commutative ring T and

$$f(X) = f_0 + f_1X + \dots + f_mX^m \quad \text{and} \quad g(X) = g_0 + g_1X + \dots + g_nX^n$$

be arbitrary polynomials in $T[X]$. We will prove by induction on n that the R -submodules of T generated by the coefficients of the polynomials f , g , and fg satisfy

$$M_f^{n+1}M_g = M_f^nM_{fg} \quad (1)$$

where the product modules are generated by the products of their generators.

The generators of the right hand side of (1) belong obviously to the left hand side, whence only the containment

$$M_f^{n+1}M_g \subseteq M_f^nM_{fg} \quad (2)$$

has to be proved.

Firstly, (2) is trivial in the case $n = 0$. Let now $n > 0$. Define

$$f_j := 0 \quad \text{for} \quad j < 0 \quad \text{or} \quad j > m$$

and let G_n be the R -submodule of T generated by g_0, g_1, \dots, g_{n-1} . We have

$$\sum_{i < n} f_{k-i}g_i = h_k - f_{k-n}g_n \in M_{fg} + g_nM_f$$

where h_k is the coefficient of X^k of the polynomial fg , and thus by induction we can write

$$M_f^nG_n \subseteq M_f^{n-1}(M_{fg} + g_nM_f) \subseteq M_f^{n-1}M_{fg} + M_f^n g_n.$$

This implies the containment

$$f_iM_f^nG_n \subseteq M_f^nM_{fg} + M_f^n f_i g_n$$

for every i . In addition, we have

$$f_i g_n \in M_{fg} + f_{i+1}G_n + M_{i+2}G_n + \dots + f_nG_n,$$

whence

$$f_iM_f^nG_n \subseteq M_f^nM_{fg} + f_{i+1}M_f^nG_n + \dots + f_nM_f^nG_n.$$

From this we infer that

$$f_iM_f^nG_n \subseteq M_f^nM_{fg}$$

is true for each $i = m, m-1, \dots, 0$. Thus also (2) is true.

References

- [1] J. PAHIKKALA: “Some formulae for multiplying and inverting ideals”. – *Ann. Univ. Turkuensis* **183** (A) (1982).
- [2] J. ARNOLD & R. GILMER: “On the contents of polynomials”. – *Proc. Amer. Math. Soc.* **24** (1970).
- [3] T. COQUAND: “A direct proof of Dedekind–Mertens lemma”. University of Gothenburg 2006. (Available <http://www.cse.chalmers.se/~coquand/mertens.pdf> here.)