

## planetmath.org

Math for the people, by the people.

## Mordell-Weil theorem

Canonical name MordellWeilTheorem
Date of creation 2013-03-22 12:16:35
Last modified on 2013-03-22 12:16:35
Owner alozano (2414)
Last modified by alozano (2414)

Numerical id 10

Author alozano (2414)

Entry type Theorem Classification msc 14H52

Related topic WeakMordellWeilTheorem

Related topic MazursTheoremOnTorsionOfEllipticCurves

Related topic EllipticCurve

Related topic RankOfAnEllipticCurve Related topic ArithmeticOfEllipticCurves

Let K be a number field and let E be an elliptic curve over K. By E(K) we denote the set of points in E with coordinates in K.

**Theorem 1** (Mordell-Weil). E(K) is a finitely generated abelian group.

Proof. The proof of this theorem is fairly involved. The main two ingredients are the so called http://planetmath.org/WeakMordellWeilTheoremweak Mordell-Weil theorem, the concept of height function for abelian groups and the "http://planetmath.org/HeightFunctiondescent" theorem. See [?], Chapter VIII, page 189.

## References

- [1] James Milne, *Elliptic Curves*, online course notes. http://www.jmilne.org/math/CourseNotes/math679.htmlhttp://www.jmilne.org/math/Co
- [2] Joseph H. Silverman, *The Arithmetic of Elliptic Curves*. Springer-Verlag, New York, 1986.
- [3] Joseph H. Silverman, Advanced Topics in the Arithmetic of Elliptic Curves. Springer-Verlag, New York, 1994.
- [4] Goro Shimura, Introduction to the Arithmetic Theory of Automorphic Functions. Princeton University Press, Princeton, New Jersey, 1971.