

planetmath.org

Math for the people, by the people.

complete category

Canonical name CompleteCategory
Date of creation 2013-03-22 16:15:50
Last modified on 2013-03-22 16:15:50

Owner CWoo (3771) Last modified by CWoo (3771)

Numerical id 9

Author CWoo (3771) Entry type Definition Classification msc 18A35

Synonym finitely complete Synonym finitely cocomplete

Synonym cocomplete

Related topic ExponentialObject

Related topic CartesianClosedCategory
Defines finitely complete category

Defines cocomplete category

Defines finitely cocomplete category

A category \mathcal{C} is said to be a *complete category* if every small diagram has a limit, that is, a limiting cone exists over every small diagram (diagram such that collections of objects and morphisms are sets).

Of course, in a complete category, a product exists for any given set of objects. Also, a set of morphisms with common domain and codomain has an equalizer. Conversely, we have

in a category C, if the product exists for an arbitrary set of objects, and the equalizer exists for any pair of morphisms with common domain and codomain, then C is complete.

Examples

- **Set** is complete.
- **Group** is complete.
- Vector Space is complete
- **R-module** is complete for a given unital ring *R*.
- Topological Space is complete.

A category C is said to be *finitely complete* if every finite diagram (sets of objects and morphisms are finite) has a limit.

A similar sufficient condition for a category \mathcal{C} to be finitely complete is for \mathcal{C} to possess a terminal object and that a pullback exists for every pair of morphisms with common codomain.

Examples

- Any complete category is clearly finitely complete.
- The subcategories of the above examples consisting of all objects with finite cardinality are finitely complete (but not complete).

Remark. The dual notion of a complete category is that of a *cocomplete* category, and the dual of a finitely complete category is called a *finitely* cocomplete category.