

categories and supercategories in relational biology

Canonical name Categories And Supercategories In Relational Biology

Date of creation 2013-03-22 18:10:14 Last modified on 2013-03-22 18:10:14

Owner bci1 (20947) Last modified by bci1 (20947)

Numerical id 116

Author bci1 (20947)

Entry type Topic
Classification msc 18A30
Classification msc 18A40
Classification msc 18C99
Classification msc 18A25
Classification msc 92B05

Synonym supercategories in abstract relational biology

Related topic OrganismicSupercategoriesAndComplexSystemsBiodynamics

Related topic GeneticNetsOrNetworks

Related topic Biogroupoids

Related topic

Related topic Natural Transformations Of Organism

Defines organismic supercategory

Defines QDS

Defines qualitative dynamics

This topic entry introduces one of the most general mathematical models of living organisms called 'organismic supercategories' (OS) which can be axiomatically defined to include both complete self-reproduction of logically defined π -entities founded in Quine's logic and dynamic system diagrams subject to both algebraic and topological transformations.

0.1 Organismic supercategories (OS)

OS mathematical models were introduced as structures in higher dimensional algebra that are mathematical interpretations of the axioms in ETAS- a natural extension of Lawvere's elementary theory of abstract categories (ETAC) to non-Abelian structures and heterofunctors.

When regarded as categorical models of supercomplex dynamics in living organisms OS provide a unified conceptual framework for relational biology that utilizes flexible, algebraic and topological structures which transform naturally under heteromorphisms or heterofunctors. One of the advantages of the ETAS axiomatic approach, which was inspired by the work of Lawvere (1963, 1966), is that ETAS avoids all the antimonies/paradoxes previously reported for sets (Russell and Whitehead, 1925, and Russell, 1937). ETAS also provides an axiomatic approach to recent higher dimensional algebra applications to complex systems biology ([?], [?] and references cited therein.)

0.2 Examples of OS applications to relational and complex systems biology

Whereas super-categories are usually defined as n-categories or in higher dimensional algebra, organismic supercategories have flexible, algebraic and topological structures that transform naturally under heteromorphisms or heterofunctors. Different approaches to relational biology and biodynamics, developed by Nicolas Rashevsky, Robert Rosen and by the author, are compared with the classical approach to qualitative dynamics of systems (QDS). Natural transformations of heterofunctors in organismic supercategories lead to specific modular models of a variety of specific life processes involving dynamics of genetic systems, ontogenetic development, fertilization, regeneration, neoplasia and oncogenesis. Axiomatic definitions of categories and supercategories of complex biological systems allow for dynamic computations of cell transformations, neoplasia and cancer.

References

- [1] Bacon, John, 1985, "The completeness of a predicate–functor logic," Journal of Symbolic Logic 50: 903–926.
- [2] Paul Bernays, 1959, "Uber eine naturliche Erweiterung des Relationenkalkuls." in Heyting, A., ed., Constructivity in Mathematics. North Holland: 1–14.
- [3] References http://planetmath.org/CategoricalOntologyABibliographyOfCategoryTheo: to [34] in the "bibliography of category theory and algebraic topology"
- [4] I. C. Baianu, J. F. Glazebrook, R. Brown and G. Georgescu.: Complex Nonlinear Biodynamics in Categories, Higher dimensional Algebra and Łukasiewicz-Moisil Topos: Transformation of Neural, Genetic and Neoplastic Networks, Axiomathes, 16: 65–122 (2006).
- [5] Baianu, I.C. and M. Marinescu: 1974, A Functorial Construction of (M,R)—Systems. Revue Roumaine de Mathematiques Pures et Appliquees 19: 388-391.
- [6] Baianu, I.C.: 1977, A Logical Model of Genetic Activities in Łukasiewicz Algebras: The Non-linear Theory. Bulletin of Mathematical Biophysics, 39: 249-258.
- [7] Baianu, I.C.: 1980, Natural Transformations of Organismic Structures. Bulletin of Mathematical Biophysics 42: 431-446
- [8] Baianu, I. C.: 1987a, Computer Models and Automata Theory in Biology and Medicine., in M. Witten (ed.), Mathematical Models in Medicine, vol. 7., Pergamon Press, New York, 1513-1577; http://doe.cern.ch//archive/electronic/other/ext/ext-2004-072.pdfCERN Preprint No. EXT-2004-072
- [9] Baianu, I. C.: 2006, Robert Rosen's Work and Complex Systems Biology, *Axiomathes* **16** (1–2): 25–34.
- [10] Baianu, I. C., Glazebrook, J. F. and G. Georgescu: 2004, Categories of Quantum Automata and N-Valued Łukasiewicz Algebras in Relation to Dynamic Bionetworks, (M,R)—Systems and Their Higher Dimensional Algebra; http://fs512.fshn.uiuc.edu/QAuto.pdfPDF of Abstract and Preprint of Report

- [11] Baianu I. C., Brown R., Georgescu G. and J. F. Glazebrook: 2006, Complex Nonlinear Biodynamics in Categories, Higher Dimensional Algebra and Łukasiewicz–Moisil Topos: Transformations of Neuronal, Genetic and Neoplastic networks, *Axiomathes* **16** Nos. 1–2, 65–122.
- [12] Kuhn, Stephen T., 1983, "An Axiomatization of Predicate Functor Logic.", Notre Dame Journal of Formal Logic 24: 233–41.
- [13] Willard Quine. 1976. "Algebraic Logic and Predicate Functors." in Ways of Paradox and Other Essays, enlarged ed. Harvard Univ. Press: 283–307.
- [14] Willard Quine. 1982. *Methods of Logic*, 4th ed. Harvard Univ. Press. Chpt. 45.