



Math for the people, by the people.

## proof of Gronwall's lemma

Canonical name	ProofOfGronwallsLemma
Date of creation	2013-03-22 13:22:23
Last modified on	2013-03-22 13:22:23
Owner	jarino (552)
Last modified by	jarino (552)
Numerical id	5
Author	jarino (552)
Entry type	Proof
Classification	msc 26D10

The inequality

$$\phi(t) \leq K + L \int_{t_0}^t \psi(s)\phi(s)ds \quad (1)$$

is equivalent to

$$\frac{\phi(t)}{K + L \int_{t_0}^t \psi(s)\phi(s)ds} \leq 1$$

Multiply by  $L\psi(t)$  and integrate, giving

$$\int_{t_0}^t \frac{L\psi(s)\phi(s)ds}{K + L \int_{t_0}^s \psi(\tau)\phi(\tau)d\tau} \leq L \int_{t_0}^t \psi(s)ds$$

Thus

$$\ln \left( K + L \int_{t_0}^t \psi(s)\phi(s)ds \right) - \ln K \leq L \int_{t_0}^t \psi(s)ds$$

and finally

$$K + L \int_{t_0}^t \psi(s)\phi(s)ds \leq K \exp \left( L \int_{t_0}^t \psi(s)ds \right)$$

Using (??) in the left hand side of this inequality gives the result.