



planetmath.org

Math for the people, by the people.

proof of dominated convergence theorem

Canonical name	ProofOfDominatedConvergenceTheorem
Date of creation	2013-03-22 13:30:02
Last modified on	2013-03-22 13:30:02
Owner	paolini (1187)
Last modified by	paolini (1187)
Numerical id	4
Author	paolini (1187)
Entry type	Proof
Classification	msc 28A20
Related topic	SecondProofOfDominatedConvergenceTheorem
Related topic	SecondProofOfDominatedConvergenceTheorem2

It is not difficult to prove that f is measurable. In fact we can write

$$f(x) = \sup_n \inf_{k \geq n} f_k(x)$$

and we know that measurable functions are closed under the sup and inf operation.

Consider the sequence $g_n(x) = 2\Phi(x) - |f(x) - f_n(x)|$. Clearly g_n are nonnegative functions since $f - f_n \leq 2\Phi$. So, applying Fatou's Lemma, we obtain

$$\begin{aligned} \lim_{n \rightarrow \infty} \int_X |f - f_n| d\mu &\leq \limsup_{n \rightarrow \infty} \int_X |f - f_n| d\mu \\ &= -\liminf_{n \rightarrow \infty} \int_X -|f - f_n| d\mu \\ &= \int_X 2\Phi d\mu - \liminf_{n \rightarrow \infty} \int_X 2\Phi - |f - f_n| d\mu \\ &\leq \int_X 2\Phi d\mu - \int_X 2\Phi - \limsup_{n \rightarrow \infty} |f - f_n| d\mu \\ &= \int_X 2\Phi d\mu - \int_X 2\Phi d\mu = 0. \end{aligned}$$