



The **OCTAPARAS**

An Osint Tool.

THE OCTAPARAS

**Website
Informtion**




**Sensitive Data
Exploit**



Domain Lookup




**Active Services
on Resources**





XSS/SQL Scanner



Crawl S. Data



The Octaparas - Content



Information Gathering



Requirements



 Specs	4GB Ram,High Processor Well Perfoming System
 Working	Python, CLI, Linux
 Versatile	Combination of Osint Tool
 Target	Scout the Data

Features



01

Recon

Collection of
basic info of
the Scout.



02

Data integrity

Manage the
integrity of the
file.



03

Vul. Scanner

Osint Tool help
to recon the
vulnerability



04

Advance Analy.

Beginner and
Advance Seurity
Researcher

Working



Collection of the data for the recon
on the Target.

User- Friendly Interface



Domain Analysis

Data Exploit



Working

[illegible]

```
# Call chromedriver_autoinstaller.install() before using Selenium
chromedriver_autoinstaller.install()
```


```
RANDOM_USER_AGENT = user_agent_list[randint(0, len(user_agent_list) - 1)]
```

```
def banner():
    print(r"""
```

Outputs

```
def user_finder(new_u):
    new_url2 = new_u + '*/wp-json/wp/v2/users'
    headers = {"User-agent": "RANDOM-USER-AGENT"} # Insert random user-agent into headers
    r2 = requests.get(new_url2, headers=headers)
    if r2.status_code == 200:
        print(Lgreen + '\n[*] Enumerating usernames : \n')
        time.sleep(1.3)
        data = json.loads(r2.text)
        for info in data:
            print(Lgreen + ' [*] Username Found : {}'.format(info['slug']))
            time.sleep(0.2)
    else:
        print(Lyellow + '\n[-] Usernames Not Found ')
```

```
async def adminpanel_finder(org_url):
```



XSS Scanner

Port Scan / Website Recon.

```
File Actions Edit View Help
Octapars

Choose the tool you want to use:
1. XSS Scanner
2. SQL Injection Scanner
3. Port Scanner
4. Website Reconnaissance
5. Fetch robots.txt file
6. Fetch sitemap.xml file
Enter your choice (1/2/3/4/5/6): 3

Port Scanner

Enter the target IP address or domain name: 40.76.136.209
Enter the start port number: 1
Enter the end port number: 1000
Scanning target 40.76.136.209
Port 21 is open
Port 554 is open
Open ports: [21, 554]
Scan completed

root@kali:~/Octapars/Octapars_tool
```

```
python tool.py


File Actions Edit View Help
Octapars

Choose the tool you want to use:
1. XSS Search
2. SQL Injection Scanner
3. Port Scanner
4. Website Information Whois
5. Fetch robots.txt
6. Fetch sitemap.xml
Enter your choice (1/2/3/4/5/6): 4
Enter the URL of the website: https://www.google.com
Title: Google

Meta Tags:
None : text/html; charset=UTF-8
None : /images/branding/google/tv/google_standard_color_128dp.png

Links:
https://www.google.com/imghp?hl=en&tab=wi
https://maps.google.co.in/maps?hl=en&tab=wl
https://play.google.com/?hl=en&tab=wb
https://www.youtube.com/?tab=ay
https://news.google.com/?tab=wn
https://mail.google.com/mail/?tab=wm
https://drive.google.com/?tab=wo
https://www.google.co.in/intl/en/about/products?tab=wh
https://www.google.co.in/history/optout?hl=en
https://www.google.co.in/preferences?hl=en
https://accounts.google.com/ServiceLogin?hl=en&passive=true&continue=https://www.google.com/6ec-GAZAAQ
https://www.google.com/search?hl=en&btnI=hsr-8
https://www.google.com/setprefs?sig=0_Lp3rea93xnF1xUqKAn9HXNf6sLw3JQdhl-h10source=homepage&sa=X&ved=0ahUKFw13ja6o6sOFaxWnrZUCHW8mC_YQ2zg8CAU
https://www.google.com/setprefs?sig=0_Lp3rea93xnF1xUqKAn9HXNf6sLw3JQdhl-h10source=homepage&sa=X&ved=0ahUKFw13ja6o6sOFaxWnrZUCHW8mC_YQ2zg8CAU
```

Cybersecurity Infographics



Question



Q/A