




1



2

Healthcare Professional MOBILE : Navigation & Footer

- 1

Primary Nav list items

On tap of hamburger menu, slide this navigation list in view. Keep “Prescribing Information”, “Medication Guide” and “Sign Up” visible as shown.

Covid banner

On tap of “X” fade out banner and move page up.
- 2

GLOBAL : FOOTER

On click of arrow auto-scroll back to the top of the current page.

Jazz Pharmaceuticals logo

On click/tap open external link <https://www.jazzpharma.com/> in new tab.

Long-Term Health in Narcolepsy

Link to <https://www.xywavhcp.com/impact-on-long-term-health>

Efficacy & Safety

Link to <https://www.xywavhcp.com/safety-and-adverse-events>

Transitioning from XYREM

Link to <https://www.xywavhcp.com/transitioning-from-sodium-oxybate>

SIGN UP FOR INFO

Link to <https://www.xywavhcp.com/sign-up>

Privacy Statement

Link to <https://www.jazzpharma.com/privacy-statement/>

Contact Us

Link to: <https://www.jazzpharma.com/contact/>

Site Map

Link to <https://www.xywav.com/site-map>

Terms of Use

Link to <https://www.jazzpharma.com/terms-of-use/>

Jazz Pharmaceuticals

Prescribing Information
Medication Guide
SIGN UP

COVID-19 UPDATE: Questions about Coronavirus? Click here

xywav™
(calcium, magnesium, potassium, and sodium oxybates) oral solution

NEW! AVAILABLE SOON!

The first and only lower-sodium oxybate

for cataplexy and/or excessive daytime sleepiness (EDS) in patients with narcolepsy¹⁻³

XYWAV oral solution, 0.5 g/mL total salts (equivalent to 0.413 g/mL of oxybate) is indicated for the treatment of cataplexy or excessive daytime sleepiness (EDS) in patients 7 years of age and older with narcolepsy.¹

92% less sodium than sodium oxybate³

A new oxybate treatment, a new formulation

New! XYWAV is designed to provide an effective, lower-sodium oxybate treatment option for cataplexy and/or EDS in patients ages 7 years and older with narcolepsy.^{1,4}

XYWAV contains the same active moiety at the same concentration as XYREM® (sodium oxybate) oral solution.^{1,4} Both contain 0.413 g/mL of oxybate in solution.^{1,4}

Inclusion in the f... for 92% XYR...

New! XYWAV is designed to provide an effective, lower-sodium oxybate treatment option for cataplexy and/or EDS in patients ages 7 years and older with narcolepsy.^{1,4}

XYWAV contains the same active moiety at the same concentration as XYREM® (sodium oxybate) oral solution.^{1,4} Both contain 0.413 g/mL of oxybate in solution.^{1,4}

Inclusion in the f... for 92% XYR...

1

XYWAV is available only through a restricted program under a Risk Evaluation and Mitigation Strategy (REMS) called the XYWAV™ and XYREM® REMS.¹

Learn about transitioning your appropriate sodium oxybate patients and consider XYWAV treatment for new patients as appropriate

oxybate patients and consider XYWAV treatment for new patients as appropriate

LEARN MORE

2

Efficacy and safety demonstrated in a clinical trial¹

The efficacy and safety of XYWAV for the treatment of cataplexy and excessive daytime sleepiness in adult patients with narcolepsy have been demonstrated in a double-blind, placebo-controlled, randomized-withdrawal clinical trial (N=201).¹

XYWAV has not been studied in a pediatric clinical trial. The use of XYWAV in pediatric patients 7 years of age and older with narcolepsy is supported by evidence from an adequate and well-controlled study of sodium oxybate in pediatric patients 7 to 17 years of age, a study in adults showing a treatment effect of XYWAV similar to that observed with sodium oxybate, pharmacokinetic data of sodium oxybate from adult and pediatric patients, and pharmacokinetic data of XYWAV from healthy adult volunteers.¹

LEARN MORE

3

XYWAV will be available soon!

Explore this website and sign up to receive a notification when XYWAV is available for...

- Rotating cards**
Horizontal rotating cards on horizontal swipe.
- "LEARN MORE"**
On tap, load "Transitioning from XYREM" page.
- "LEARN MORE"**
On tap, load "Efficacy & Safety" page.

- 4
- “SIGN UP”** button

On tap load the “SIGN UP FOR INFO” page.

XYWAV will be
available soon!

Explore this website and sign up
to receive a notification when
XYWAV is available for
prescription, as well as
additional important
information.

SIGN UP

4

INDICATIONS AND USAGE

XYWAV™ (calcium, magnesium, potassium, and sodium oxybates) oral solution, 0.5 g/mL total salts (equivalent to 0.413 g/mL of oxybate) is indicated for the treatment of cataplexy or excessive daytime sleepiness (EDS) in patients 7 years of age and older with narcolepsy.

Important Safety Information

WARNING: CENTRAL NERVOUS
SYSTEM DEPRESSION and ABUSE
AND MISUSE.

• Central Nervous System
Depression

XYWAV is a CNS depressant. Clinically significant respiratory depression and obtundation may occur in patients treated with XYWAV at recommended doses. Many patients who received XYWAV during clinical trials in narcolepsy were receiving CNS stimulants.

• Abuse and Misuse

The active moiety of XYWAV is oxybate or gamma-hydroxybutyrate (GHB). Abuse or misuse of illicit GHB, either alone or in combination with other CNS depressants, is associated with CNS adverse reactions, including

Prescribing Information

Medication Guide

SIGN UP

COVID-19 UPDATE: Questions about Coronavirus? Click here

X

xywav™

(calcium, magnesium, potassium, and sodium oxybates) oral solution

EFFICACY & SAFETY

Established efficacy and safety^{1,2}

Study design

A phase 3, double-blind, placebo-controlled, randomized-withdrawal study evaluated the efficacy and safety of XYWAV for the treatment of cataplexy and EDS in adults with narcolepsy^{1,2}

- Enrolled 201 patients (18 to 70 years of age) with narcolepsy with cataplexy, with a baseline history of at least 14 cataplexy attacks in a typical 2-week period prior to any treatment for narcolepsy symptoms¹
- Stimulants were allowed at study entry, and 39% (78/201) of patients continued taking a stable dose of stimulant throughout the stable-dose and double-blind randomized-withdrawal periods¹
- Participants were categorized into groups based on their cataplexy treatment (or no cataplexy treatment) at study entry^{1,2}

STUDY DESIGN^{1,2}


SCREENING (Up to 30 days)

Pre-randomization group:

XYREM only

XYREM + other antiepileptic*

Non-XYREM antiepileptic*



- weeks) periods^{1,4}
- Patients taking XYREM® (sodium oxybate) oral solution at study entry were switched (at a gram-for-gram dose) from XYREM to XYWAV for a minimum of 2 weeks and titrated, if needed, to a stable, tolerable, and effective dosage over 8 weeks¹
 - Most patients who switched from XYREM to XYWAV (41/59; 69%) had no change in dosage from study entry to the stable-dose period, 27% (16/59) had an increase in dosage, and 3% (2/59) had a decrease in dosage¹
 - Among patients whose dosage was changed, most changes were within 1 titration step (≤ 1.5 g)¹
 - Patients not taking XYREM at study entry were initiated at 4.5 g/night of XYWAV and titrated at a rate of 1 g or 1.5 g/night/week to a tolerable dose of XYWAV
 - Patients taking an antiepileptic other than XYREM were tapered off the non-XYREM antiepileptic over 2-8 weeks
 - All patients continued to take XYWAV only for the treatment of cataplexy during the last 2 weeks of the open-label titration period
 - The open-label titration period was followed by a 2-week stable-dose period¹
- Double-blind, randomized-withdrawal period (2 weeks)¹**
- 134 of the 201 patients were randomized 1:1 to continue treatment with XYWAV or to placebo in the 2-week double-blind, randomized-withdrawal period
- Efficacy endpoints**
- Primary efficacy endpoint: Change in frequency of cataplexy attacks from the 2 weeks of the stable-dose period to the end of the double-blind, randomized-withdrawal period¹
 - Key secondary endpoint: Change in Epworth Sleepiness Scale score, as a measure of change in EDS, from the end of the stable-dose period to the end of the double-blind, randomized-withdrawal period¹

- Healthcare Professional MOBILE : Efficacy & Safety page**
- 1 Efficacy & Safety page load state.
 - 2 Chart/Graphic

Prescribing Information

Medication Guide

SIGN UP

COVID-19 UPDATE: Questions about Coronavirus? [Click here](#)

xywav™

(calcium, magnesium, potassium, and sodium oxybates) oral solution

TRANSITIONING TO XYWAV

Transitioning your appropriate XYREM patients to XYWAV

How to make the transition

Initiate at the same dose (gram for gram) and regimen as XYREM

1

On the first night of dosing with XYWAV, initiate treatment at the same dose—gram for gram—as XYREM® (sodium oxybate) oral solution¹


2

Titrate as needed based on efficacy and tolerability¹

Inform patients that the first nightly dose of XYWAV should be taken at least 2 hours after eating¹

~70% of patients transitioning from XYREM to XYWAV did not require a dosage adjustment¹,²

DOSE CHANGES DURING TRANSITION FROM XYREM TO XYWAV IN THE CLINICAL TRIAL¹,²



XYWAV will be available soon!

Explore this website and sign up to receive a notification when XYWAV is available for prescription, as well as additional important information.

SIGN UP

INDICATIONS AND USAGE

XYWAV™ (calcium, magnesium, potassium, and sodium oxybates) oral solution, 0.5 g/mL total salts (equivalent to 0.413 g/mL of oxybate) is indicated for the treatment of cataplexy or excessive daytime sleepiness (EDS) in patients 7 years of age and older with narcolepsy.

Important Safety Information

WARNING: CENTRAL NERVOUS SYSTEM DEPRESSION and ABUSE AND MISUSE.

• Central Nervous System Depression

XYWAV is a CNS depressant. Clinically significant respiratory depression and obtundation may occur in patients treated with XYWAV at recommended doses. Many patients who received XYWAV during clinical trials in narcolepsy were receiving CNS stimulants.

• Abuse and Misuse

The active moiety of XYWAV is oxybate or gamma-hydroxybutyrate (GHB). Abuse or misuse of illicit GHB, either alone or in combination with other CNS depressants, is associated with CNS adverse reactions, including seizure, respiratory depression, decreases in the level of

Healthcare Professional MOBILE :

Transitioning from XYREM page

- 1 Transitioning from XYREM page load state.
- 2 **Chart/Graphic**
- 3 **"SIGN UP"** button
On click load the "SIGN UP FOR INFO" page.

Prescribing Information

Medication Guide

SIGN UP

COVID-19 UPDATE: Questions about Coronavirus? [Click here](#)

xywav™
(calcium, magnesium, potassium, and sodium oxybates) oral solution

SIGN UP FOR MORE INFORMATION

Sign up to be notified when new XYWAV is available

You will also receive additional helpful information for you and your staff.

***Required field.**

First name*

Last name*

Email*

ZIP code*

To help us provide messages that are most relevant to you, please tell us a little more about yourself.

Specialty*

Do you currently manage patients with narcolepsy in your practice?*

To help us provide messages that are most relevant to you, please tell us a little more about yourself.

Specialty*

Do you currently manage patients with narcolepsy in your practice?*

If yes, how many? (optional)

Do you currently manage patients taking XYREM® (sodium oxybate) oral solution? (optional)

If yes, how many? (optional)

☐ I confirm I am a healthcare professional in the US.*

☐ By checking this box, you confirm that you are 18 years of age or older and a resident of the US. You are indicating that you would like to receive information from Jazz Pharmaceuticals about educational programs, products, and services. You can opt out at any time.*

☐ I'm not a robot

re

[Privacy Statement](#)

SIGN UP

To help us provide messages that are most relevant to you, please tell us a little more about yourself.

Specialty*

Pulmonologist

Psychiatrist

Neurologist

Primary Care

Sleep Specialist

Other

Do you currently manage patients taking XYREM® (sodium oxybate) oral solution? (optional)

If yes, how many? (optional)

☐ I confirm I am a healthcare professional in the US.*

☐ By checking this box, you confirm that you are 18 years of age or older and a resident of the US. You are indicating that you would like to receive information from Jazz Pharmaceuticals about educational programs, products, and services. You can opt out at any time.*

☐ I'm not a robot

re

[Privacy Statement](#)

SIGN UP

Healthcare Professional MOBILE : SIGN UP FOR INFO page

1

"SIGN UP FOR INFO" button
For mobile, place Sign Up button inside navigation drawer.

2

Form Fields and dropdowns
Rest state fields and dropdowns

3

Specialty dropdown
On click display these list item to select

To help us provide messages that are most relevant to you, please tell us a little more about yourself.

Specialty*

Do you currently manage patients with narcolepsy in your practice?*

Yes

No

Do you currently manage patients taking XYREM® (sodium oxybate) oral solution? (optional)

If yes, how many? (optional)

☐ I confirm I am a healthcare professional in the US.*

☐ By checking this box, you confirm that you are 18 years of age or older and a resident of the US. You are indicating that you would like to receive information from Jazz Pharmaceuticals about educational programs, products, and services. You can opt out at any time.*

☐ I'm not a robot

re

Privacy Statement

SIGN UP

4

To help us provide messages that are most relevant to you, please tell us a little more about yourself.

Specialty*

Do you currently manage patients with narcolepsy in your practice?*

If yes, how many? (optional)

1-10

11-25

26-50

51+

If yes, how many? (optional)

☐ I confirm I am a healthcare professional in the US.*

☐ By checking this box, you confirm that you are 18 years of age or older and a resident of the US. You are indicating that you would like to receive information from Jazz Pharmaceuticals about educational programs, products, and services. You can opt out at any time.*

☐ I'm not a robot

re

Privacy Statement

SIGN UP

5

To help us provide messages that are most relevant to you, please tell us a little more about yourself.

Specialty*

Do you currently manage patients with narcolepsy in your practice?*

If yes, how many? (optional)

Do you currently manage patients taking XYREM® (sodium oxybate) oral solution? (optional)

Yes

No

☐ I confirm I am a healthcare professional in the US.*

☐ By checking this box, you confirm that you are 18 years of age or older and a resident of the US. You are indicating that you would like to receive information from Jazz Pharmaceuticals about educational programs, products, and services. You can opt out at any time.*

☐ I'm not a robot

re

Privacy Statement

SIGN UP

6

7

8

Healthcare Professional MOBILE : SIGN UP FOR INFO page

- 4

Dropdown

On click display these list item to select
- 5

Dropdown

On click display these list item to select
- 6




Dropdown

On click display these list item to select
- 7

ReCaptcha box
- 8

SIGN UP button

On click, *IF* all required fields have been filled in, *THAN* send form to server. *ELSE* display error states for any fields that have not been filled in.



Healthcare Professional MOBILE : SIGN UP FOR INFO page

- 1 Thank you page**
On successful submission of form to the server, display this page with links in cards displayed as shown.
 - 2 Cards with links**
Horizontal scrolling cards
 - 3 Unsubscribe form**
Once subscribed, subscribers will receive emails with a **"Unsubscribe"** CTA. On click in the email visitors will be driven to this page.
 - 4** On click of **"SUBMIT"** unsubscribe and display this onfirmation page with message and CTA.
- "BACK TO HOME"**
On click, take visitor to XYWAV home page.

Prescribing Information

Medication Guide

SIGN UP

COVID-19 UPDATE: Questions about Coronavirus? [Click here](#)

xywav™

(calcium, magnesium, potassium, and sodium oxybates) oral solution

NEW! AVAILABLE SOON!

The first and only

lower-sodium oxybate

for cataplexy and/or excessive daytime sleepiness (EDS) in patients with narcolepsy¹⁻³

XYWAV oral solution, 0.5 g/mL total salts (equivalent to 0.413 g/mL of oxybate) is indicated for the treatment of cataplexy or excessive daytime sleepiness (EDS) in

Important Safety Information

WARNING: CENTRAL NERVOUS SYSTEM DEPRESSION and ABUSE AND MISUSE.

• Central Nervous System Depression

XYWAV is a CNS depressant. Clinically significant respiratory depression and obtundation may occur in patients treated with XYWAV at recommended doses. Many patients who received XYWAV during clinical trials in narcolepsy were receiving CNS stimulants.

1

Prescribing Information

Medication Guide

SIGN UP

COVID-19 UPDATE: Questions about Coronavirus? [Click here](#)

xywav™

(calcium, magnesium, potassium, and sodium oxybates) oral solution

NEW! AVAILABLE SOON!

Important Safety Information

WARNING: CENTRAL NERVOUS SYSTEM DEPRESSION and ABUSE AND MISUSE.

• Central Nervous System Depression

XYWAV is a CNS depressant. Clinically significant respiratory depression and obtundation may occur in patients treated with XYWAV at recommended doses. Many patients who received XYWAV during clinical trials in narcolepsy were receiving CNS stimulants.

• Abuse and Misuse

The active moiety of XYWAV is oxybate or gamma-hydroxybutyrate (GHB). Abuse or misuse of illicit GHB, either alone or in combination with other CNS depressants, is associated with CNS adverse reactions, including seizure, respiratory depression, decreases in the level of consciousness, coma, and death.

Because of the risks of CNS depression and abuse and misuse, XYWAV is available only through a restricted program under a Risk Evaluation and Mitigation Strategy (REMS) called the Xywav and Xyrem REMS.

2

Healthcare Professional MOBILE : Important Safety Information (ISI)

1 “Important Safety Information” closed/drawer state
On click of arrow, undrawer/open ISI to display all of ISI copy.

ISI is scrollable inside viewport.

2 “Important Safety Information” opened state
On click of arrow, drawer/close ISI to display part of ISI copy/box.