

# The dsekdocs manual

D-sektionen

October 12, 2023

## 1 Overview

This is the manual for version 0.1.1 of the `dsekdocs` packages for the typesetting of documents for the D-guild at the technical faculty of Lund university.

## 2 The dsek package

This package contains macros for the inclusion of D-guild related stuff in any document. To use it, write `\usepackage{dsek}`.

### 2.1 Fonts

The `dsek` package uses the free Domitian and TeXGyre Heros as stand ins for non-free Palatino and Helvetica fonts.

It is worth noting that it by default uses old style figures, i.e. “lower case numbers”, by default. If you want to turn that off somewhere, like maybe in a table, use

```
\addfontfeatures{Numbers={Monospaced,Lining}}
```

This makes the numbers full height and monospaced to increase readability.

### 2.2 Commands

#### 2.2.1 Text snippets

These are commands that insert a snippet of text when used. They exist to prevent misspellings when writing hard to spell phrases.

<code>\Dseklongname</code>	D-sektionen inom TLTH
<code>\idet</code>	iDét
<code>\medaljk</code>	Medaljelelekommitén
<code>\overphos</code>	Øverphøs
<code>\overpeppare</code>	Øverpeppare
<code>\medaljkmedlem</code>	Medaljelelekommitémedlem








### 2.2.2 Graphics

These are commands that insert some kind of graphic when used. All graphics accept these options as the optional arguments (comma separated if multiple):

**bw** Forces the usage of the black and white version of the graphic.

**color** Forces the usage of the colored version of the graphic (if it exists).

**height=*dim*** Sets the height of the graphic.

Command	Colored	Black and white
<code>\Dsymbol</code>	N/A	
<code>\Dseksigil</code>		
<code>\Cprogsigil</code>		
<code>\Dprogsigil</code>		

### 2.2.3 Lists

As it is often desirable to create so called “att-listor” to reflect decisions taken or the proposed actions in motions, facilities to create them are provided:

```

\begin{attlist}
...
\end{attlist}

```

For example:

<pre>Mötet beslutade \begin{attlist} \item steka pannkakor, \item D-sektionen är bäst! \end{attlist}</pre>	<pre>Mötet beslutade     att steka pannkakor,     att D-sektionen är bäst!</pre>
--	--

If you would like to create a list in the same style but with another word in place of *att*, use the `boldlist` environment:

```
\begin{boldlist}{\langle bullet word \rangle}
...
\end{boldlist}
```

## 2.2.4 Signatures

Finally, the `dsek` package also includes facilities for adding signatures.

```
\signature[\langle options \rangle]{\langle date and location \rangle}{\langle name \rangle}{\langle title \rangle}
```

For instance, a signature declaration that looks like this:

```
\signature{Lund, dag som ovan}{Trula Trulsson}{Ordförande}
```

results in

Lund, dag som ovan

Trula Trulsson  
Ordförande

The signature command accepts the following options:

**width**=*\langle dim \rangle* Sets the width of the signature. By default, it is set to the maximum of the widths of the entered texts.

**hspace**=*\langle dim \rangle* Sets the height of the signature space. By default it is set to 15mm.

Additionally, the default signature height space for all signatures can be set through this command:

```
\setsignspaceheight{\langle dim \rangle}
```

## 2.3 Package options

The `dsek` package accepts the following options, (comma separated if multiple):

**bw** Makes graphics render in black and white by default.

**color** Makes graphics render in color by default.

## 3 The `dsekdoc` document class

The `dsekdoc` document class is meant to be used for any guild related documents for which the standard style is desired. It is based of the `article` document class, but changes fonts, paragraph styles, headers and footers amongst a few other things.

### 3.1 Options

The `dsekdoc` document only declares one special option, **english**, which tells the language package `polyglossia` that the main language for the document is English instead of Swedish. All other arguments are passed along to the `article` document class.

### 3.2 Commands

Because of how the `\title`, `\author` and `\date` commands work, we can't easily use what is given to them for our own purposes, so as a replacement we have

`\settitle{<title>}`, `\setauthor{<author>}` and `\setdate{<date>}`

These commands wrap around the usual `\title` commands etc., so there's no need to use both.

#### 3.2.1 Headers

In addition to the name of the guild and the date, the headers of the document will include a short version of the document title and the meeting it is meant for or when it was established. Those are set with

`\setshorttitle{<short title>}` and `\setmeeting{<meeting>}`

#### 3.2.2 Cover page

For longer, more important documents it is nice to have a cover page for the document. To insert one, use

`\coverpage`

In addition to the guild’s name, the guild’s sigil and the title of the document, the cover page also features a small text that might be used as a subtitle. It can be set with

`\setcovptext{<text>}`

### 3.2.3 Reusing

To use any of the properties we have described in this section, change the “set” in the command to “use”. So, to use the title you set with the `\settitle` command in your document, you write `\usetitle` and it will be inserted.

## 4 The `dsekregdoc` document class

The `dsekregdoc` document class is meant to be used for the creation of the guild’s regulatory documents. The only thing that it provides is the `regsection` list environment. It is intended to be the body of each section of a regulatory document; it begins right after the `\section` call and ends right before the next one. Inside it, each paragraph is declared like so:

`\regitem{<title>}`.

By default, all paragraphs follow the numbering format `§X.Y`, where `X` is the section number and `Y` is the paragraph number. This format can be altered with the following command:

`\setregpnumformat{<format>}`

The default format can be achieved like this:

`\setregpnumformat{§\arabic{section}.\arabic{DsekRegParagraph}}`

If you want a single `regitem` to have a special numbering (maybe not a number at all), you can do so like this:

`\regitem[<numbering>]{<title>}`

This won’t step the paragraph counter.

## 5 Technical notes

### 5.1 Compatability

The `dsekdoc` and `dsekregdoc` document classes make use of the `fontspec` and `polyglossia` packages, both of which are incompatible with `pdflatex`. So, to use them, use `xelatex` or `lualatex` instead.