LiveOps — The three modes

The duty manager's console shifts posture as trip risk changes. Normal → TEAL (heightened) → GOLD (active incident).

Mode 1 — Normal



HIA-T01 Tokyo — Trip running in baseline posture. NOW panel, log, clean status line. This is what 80%+ of trip-time looks like — boring is the goal.

Mode 2 — Heightened (TEAL)



COLEGIO Ecuador — flags open — A signal has tripped. Flags panel populated; duty manager is actively monitoring. Comms become more frequent but no incident declared yet.

Mode 3 — Incident (GOLD)



HIA-T07 Queenstown — 2 incidents open — Two open incidents (minor ankle twist, homesickness). Every action is logged; the trip moves to a different visual posture until resolved.

> **Signal-first, not alert-first.** The signal system surfaces *patterns* before they become alerts. A TEAL flag nudges the duty manager to look; a GOLD flag has already been escalated to the school.

Running the fleet

Every active trip on one screen. Signal columns, DM badges, forward window, and comms — all visible without drilling in.



Trip in Normal State — HIA-T03 Hokkaido — green status, all clear, no open flags or incidents. This is the baseline view for any trip in the duty manager's fleet.



Full Trip Panel — NOW / Today / Flags / Log — The per-trip view: current activity, last contact, today's scheduled block, open flags/incidents, and the append-only duty-manager log with filter chips (Confirmation · Incidents · Welfare · Call · Checkin).



WhatsApp Handoff Thread — Ground-team comms, pinned into the duty manager's view. Jim Chen's check-ins and incident updates flow through; quick-reply chips speed the response.

The incident card

When GOLD triggers, the incident card owns the screen. Four layers — Context, Comms, Actions, Timeline — every keystroke logged to the incident ledger.



Incident Room — HIA-T07-I001 Ben Lomond ankle twist — Severity · category · open-time header. Response Checklist (RAMS-linked steps), Action Log (append-only), Key Contacts, and the full Incident Record. Monitor / Escalate / Resolve actions one click away.

Layer 1 · Context — the facts. Trip, activity, location, who is on-scene.

Layer 2 · Comms — next messages. Pre-drafted escalation templates linked to the incident type.

Layer 3 · Actions — the response steps. Pulled straight from the corresponding RAMS entry.

Layer 4 · Timeline — the ledger. Every keystroke, every message, every decision — append-only.

From ARP to LiveOps, one continuous system. The RAMS response steps on Layer 3 are the same "Emergency Actions" bullets authored in pages 10–23 of this document. Nothing is improvised at 2 a.m. — the plan written on a quiet afternoon is the plan executed under pressure.