From 102 Activities to 6 Risk Groups

The flagged activities cluster into six groups. Each group gets one shared RAMS.

RISK GROUPS ON THIS TRIP

G01 2 hazards

Urban Walking Transfers

All urban pedestrian walking transfers between venues within central Sydney and Mosman share identical ARP profiles (Physical=2, Supervision=3, Location=2, Emergency=1-2) and ex...

G02 2 hazards

Indoor Controlled Venues — Low-Risk Educational Activities

Indoor museum visits, observatory sessions, laboratory workshops, aquarium experiences, and hotel wind-down activities all share very low ARP profiles (Max ARP ≤2, Mean ≤1.29) i...

G03 4 hazards

Urban Parkland and Garden Activities

The Botanic Gardens tour, Taronga Zoo programme, and Bradleys Head coastal ecology study all involve semi-natural outdoor environments within the Sydney metropolitan area, shari...

G04 5 hazards

Specialist Facility Tours — Supervised Technical Environments

The ANSTO nuclear reactor tour involves a unique risk profile combining elevated equipment and skill dimensions in a tightly controlled industrial/scientific facility, with acce...

G05 5 hazards

Remote and Elevated Terrain — Blue Mountains Excursion

Scenic World, the coach transfer to Jenolan Caves, and the guided cave tour all share elevated Location (3), Environmental (2-3), and Emergency (2-3) scores driven by remoteness...

G06 6 hazards

Coastal and Water-Based Activities

The Bondi to Coogee coastal walk, Manly Marine Sanctuary snorkelling, and Manly Beach free time all involve exposed coastal and water environments with elevated physical, enviro...

SAMPLE HAZARDS FROM THE RAMS

G06-R04 THIRD-PARTY PROVIDER

Provider supervision gap during snorkelling

Manly Marine Sanctuary snorkel sessions depend entirely on the contracted provider's in-water supervision ratios and guide qualifications. School staff are unlikely to be qualified to provide in-water rescue cover, creating a single po...

KEY CONTROLS

- Confirm provider's in-water guide-to-student ratio in writing before the activity date.
- Require provider to submit guide names and qualifications for verification before departure.
- Verify all guides hold current surf rescue or equivalently recognised in-water rescue certification.
- Assign trip leader to observe provider briefing and confirm staffing numbers on arrival.

Inherent **10** → Residual **5**

G04-R01 MEDICAL

Delayed medical response at controlled site

Emergency access to the Lucas Heights campus is governed by federal security protocols. External emergency services cannot enter freely — a medical event on-site may face access delays not typical of open educational venues. Nearest major E...

KEY CONTROLS

- Confirm ANSTO site emergency procedures and internal first aid resources before visit.
- Verify ANSTO has a designated first aid officer and equipped medical room on campus.
- Require trip leader to carry school emergency contact list and student medical information.
- Brief ANSTO escort on students with known cardiac, anaphylactic, or seizure conditions.

Inherent **8** → Residual **8**

G05-R01 TRANSPORT

Coach rollover on Jenolan Caves Road

The 18km descent of Jenolan Caves Road from Oberon features extremely tight hairpin bends, steep gradients, and single-lane sections. It is considered one of the most technically demanding coach routes in NSW and poses elevated rollover and...

KEY CONTROLS

- Verify driver holds current heavy vehicle licence and documented mountain road experience.
- Confirm coach operator holds current public liability insurance and NSW operator accreditation.
- Restrict travel on Jenolan Caves Road descent to dry or frost-free surface conditions only.
- Require all passengers to wear seatbelts before the coach departs Scenic World.

Inherent **10** → Residual **5**

That is the product. Every activity scored. The gate applied. The hazards written with specificity — named roads, named facilities, named response steps. No template. No copy-paste. A document a duty manager can actually use at 2 a.m. when something goes wrong.

RAMS — Contents

Risk Assessment & Method Statement · 6 groups · 24 hazards

G01	**Urban Walking Transfers**	**p.11**
G01-R01	**Road crossing on Mosman transfer** — *Serious injury (blunt force trauma) from vehicle strike*	
G01-R02	**Student separated in Haymarket crowds** — *Moderate injury (psychological distress, minor physical harm)*	
G02	**Indoor Controlled Venues — Low-Risk Educational Activities**	**p.12**
G02-R01	**Unaccompanied access during hotel wind-down** — *Moderate injury (psychological distress, harassment)*	
G02-R02	**Student separated in large public venue** — *Moderate injury (psychological distress, minor physical harm)*	
G03	**Urban Parkland and Garden Activities**	**p.13**
G03-R01	**Student separated near harbour edge** — *Serious injury (fracture, drowning) from fall at water margin*	
G03-R02	**Cold exposure during coastal session** — *Moderate injury (hypothermia) from sustained cold wind exposure*	
G03-R03	**Student lost across multiple zoo zones** — *Moderate injury (psychological distress) from prolonged separation*	
G03-R04	**Animal contact at marine mammal session** — *Moderate injury (laceration, bruising) from animal contact*	
G04	**Specialist Facility Tours — Supervised Technical Environments**	**p.15**
G04-R01	**Delayed medical response at controlled site** — *Serious injury (delayed trauma or cardiac intervention)*	
G04-R02	**Student distress in industrial environment** — *Moderate injury (psychological distress, acute anxiety episode)*	
G04-R03	**Group separation in secured facility** — *Moderate injury (prolonged isolation, psychological distress)*	
G04-R04	**Inadequate pre-visit security briefing** — *Minor injury (minor distress, brief unsupervised exposure)*	
G04-R05	**Radiation exposure in restricted zone** — *Serious injury (acute radiation exposure, internal contamination)*	
G05	**Remote and Elevated Terrain — Blue Mountains Excursion**	**p.18**
G05-R01	**Coach rollover on Jenolan Caves Road** — *Fatality (blunt force trauma) on steep technical mountain road*	
G05-R02	**Student separation on cliff-edge boardwalks** — *Fatality (fall from height) at exposed cliff-edge lookout*	
G05-R03	**Medical emergency far from hospital** — *Serious injury (delayed trauma treatment) due to remote location*	
G05-R04	**Flash flooding at cave entrance** — *Serious injury (drowning, hypothermia) from rapid water-level rise*	
G05-R05	**Student disorientation inside cave system** — *Serious injury (delayed medical intervention) following cave separation*	
G06	**Coastal and Water-Based Activities**	**p.21**
G06-R01	**Rip current separation from group** — *Fatality (drowning) if student caught in rip current*	
G06-R02	**Student entry into unpatrolled water** — *Fatality (drowning) from unsupervised surf entry*	
G06-R03	**Cliff-edge exposure on coastal path** — *Fatality (blunt force trauma) from cliff-edge fall*	
G06-R04	**Provider supervision gap during snorkelling** — *Fatality (drowning) if in-water supervision is insufficient*	
G06-R05	**Delayed evacuation from coastal location** — *Serious injury (delayed trauma treatment) due to limited access*	
G06-R06	**Marine envenomation during snorkelling** — *Serious injury (envenomation, respiratory failure) from marine contact*	

G01 Urban Walking Transfers

2 hazards

ACTIVITIES: Walk from Travelodge Sydney to Chat · Walk from Chat Thai to Travelodge · Walk from Travelodge Sydney to Royal · Walk from Royal Botanic Gardens to · Walk from Opera Kitchen to Travelodge · Walk from Travelodge Sydney to Marigold · Walk from Marigold Restaurant to Travelodge · Walk from Ripples to Sydney Institute

G01-R01 Road crossing on Mosman transfer

TRANSPORT

The walk between Ripples Mosman and Sydney Institute of Marine Science follows roads in Mosman with limited pedestrian infrastructure compared to central Sydney routes. Traffic volumes and road-crossing points on this suburban leg differ meaningfully from the CBD walks.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Serious injury (blunt force trauma) from vehicle strike	LIKELIHOOD **Unlikely** SEVERITY **Major** **Moderate (8)**	• Brief students on road-crossing protocol before departing Ripples Mosman. • Assign lead guide to identify and confirm safe crossing points along route. • Supervise each road crossing with staff positioned at kerb before group moves. • Restrict group to marked crossings or lowest-traffic crossing points only. • Limit crossing to single controlled movement with staff holding group at kerb. • Halt crossing if approaching vehicle has not come to a full stop.	LIKELIHOOD **Rare** SEVERITY **Major** **Low (4)**	1 Guide halts all remaining students at kerb and assigns staff to hold group. 2 Trip leader moves to casualty and assesses responsiveness and injury. 3 Call 000 immediately and provide GPS location and student condition. 4 Do not move casualty unless immediate danger from further traffic. 5 Assign one staff member to direct traffic away from scene. 6 Trip leader notifies school emergency contact with incident details. *Trigger: Student struck or contacted by vehicle during road crossing.*

G01-R02 Student separated in Haymarket crowds

PEOPLE

The Haymarket and Chinatown precincts around Chat Thai generate dense pedestrian and street market traffic, particularly during evening meal periods. Group cohesion is harder to maintain here than on the quieter Royal Botanic Gardens and Opera House forecourt routes.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Moderate injury (psychological distress, minor physical harm)	LIKELIHOOD **Possible** SEVERITY **Minor** **Moderate (6)**	• Brief students on designated rally points before entering Haymarket precinct. • Assign one staff member to lead and one to sweep at rear. • Limit group movement to single-file column through high-density crowd areas. • Require all students to carry charged mobile phones with trip leader number saved. • Verify headcount at each crossing point and rally location. • Restrict group pace to maintain visual contact across full column length.	LIKELIHOOD **Unlikely** SEVERITY **Minor** **Low (4)**	1 Trip leader halts group at nearest safe rally point. 2 Sweep confirms last known location and time student was seen. 3 Trip leader calls student's mobile phone immediately. 4 Assign one staff member to retrace route to last confirmed sighting. 5 If student not located within 10 minutes, call police on 000. 6 Trip leader notifies school emergency contact with last known location. *Trigger: Student unaccounted for at rally point or crossing check.*

G02 Indoor Controlled Venues — Low-Risk Educational Activities

2 hazards

ACTIVITIES: Sydney Institute of Marine Science — · Sydney Observatory — planetarium show and · Australian Museum — natural sciences exhibits · Powerhouse Museum — interactive science exhibits · SEA LIFE Sydney Aquarium — marine · Questacon Science Circus at UNSW — · Evening wind-down at hotel · Evening wind-down at hotel · +1 more

G02-R01 Unaccompanied access during hotel wind-down

SAFEGUARDING

Three evening free-time sessions at Travelodge Sydney create repeated windows where students move between rooms, shared floors, and common areas without direct supervision, increasing safeguarding exposure in a commercial hotel environment shared with non-group guests.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Moderate injury (psychological distress, harassment)	LIKELIHOOD **Possible** SEVERITY **Moderate** **Moderate (9)**	› Restrict student movement to allocated room floors during all evening wind-down sessions. › Assign at least two staff members on active supervision duty each evening session. › Require students to check in with assigned staff at start and end of each session. › Brief students on code of conduct and immediate-exit protocol before first evening session. › Separate male and female student accommodation on distinct floors where hotel layout permits. › Confirm hotel reception holds trip leader contact number for all three session nights.	LIKELIHOOD **Unlikely** SEVERITY **Moderate** **Moderate (6)**	1 Trip leader removes student from situation and moves to supervised staff room. 2 Assign second staff member to remain with student throughout response. 3 Trip leader secures identity of involved non-group individual and notifies hotel management. 4 Hotel management restricts access of non-group individual to affected floor. 5 Trip leader notifies school emergency contact and designated safeguarding lead immediately. 6 If criminal conduct suspected, call police on 000 and preserve any evidence. *Trigger: Student reports harassment, distress, or unauthorised contact with non-group guest.*

G02-R02 Student separated in large public venue

PEOPLE

SEA LIFE Sydney Aquarium and Powerhouse Museum attract high visitor numbers, with complex multi-level layouts and crowded throughways that make group separation harder to detect and resolve quickly across a single afternoon visit.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Moderate injury (psychological distress, minor physical harm)	LIKELIHOOD **Possible** SEVERITY **Minor** **Moderate (6)**	› Brief all students on designated group rally points before entering each venue. › Assign one staff member per group of ten students for all venue movements. › Require every student to carry a charged mobile phone with trip leader contact saved. › Confirm venue lost-person procedure with staff member at each venue entry point. › Restrict group movement to agreed venue sections during each timed visit block. › Supervise headcounts at every transition between venue levels or exhibit zones.	LIKELIHOOD **Unlikely** SEVERITY **Minor** **Low (4)**	1 Trip leader halts all group movement and holds students at current location. 2 Staff conduct immediate sweep of last known location and adjacent areas. 3 Trip leader contacts student via mobile phone. 4 Notify venue security with student description and last known location. 5 If not located within 10 minutes, call police on 000 with venue address. 6 Trip leader notifies school emergency contact with situation update. *Trigger: Student cannot be located after initial headcount discrepancy confirmed.*

G03 Urban Parkland and Garden Activities

4 hazards

ACTIVITIES: Royal Botanic Gardens Sydney — guided · Taronga Zoo Sydney — marine mammal · Sydney Harbour National Park - Bradleys

G03-R01 Student separated near harbour edge

ENVIRONMENT

Bradleys Head involves unfenced sandstone rock platforms and seawall edges directly above Sydney Harbour. June tidal movement and algae growth on rock surfaces increase slip exposure at water margins during the coastal ecology session.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Serious injury (fracture, drowning) from fall at water margin	LIKELIHOOD **Unlikely** SEVERITY **Catastrophic** **Elevated (10)**	• Restrict all students to a minimum 2m from water margins and seawall edges. • Assign one staff member to supervise exclusively at the rock platform perimeter. • Brief students on exclusion zone boundaries before departing the main path. • Require buddy pairs throughout the coastal ecology session at Bradleys Head. • Halt group movement if any student moves beyond the designated safe boundary.	LIKELIHOOD **Rare** SEVERITY **Catastrophic** **Moderate (5)**	1 Assign staff to maintain visual contact and call student's name. 2 Halt all group movement and conduct immediate headcount. 3 Call emergency services (000) with location and number of persons in water. 4 Assign second staff to guide group away from water edge to safe ground. 5 Deploy any available flotation aid toward person in water. 6 Trip leader notifies school emergency contact with situation update. *Trigger: Student falls from rock platform or seawall into Sydney Harbour water.*

G03-R02 Cold exposure during coastal session

ENVIRONMENT

Bradleys Head in mid-June is exposed to southerly winds off Sydney Harbour with no shelter. June mean temperatures in Sydney drop to 8–13°C with wind chill; a 60-minute outdoor coastal session without adequate layering creates cold stress risk.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Moderate injury (hypothermia) from sustained cold wind exposure	LIKELIHOOD **Possible** SEVERITY **Moderate** **Moderate (9)**	• Require students to wear a minimum of mid-layer and windproof outer jacket for the session. • Brief students and staff on cold stress symptoms before departure for Bradleys Head. • Limit the coastal session duration to 60 minutes maximum in sustained wind conditions. • Assign a sheltered group assembly point within the headland before the session begins. • Halt the session and return group to shelter if any student shows shivering or confusion. • Inspect student layering before boarding transport to Bradleys Head.	LIKELIHOOD **Unlikely** SEVERITY **Moderate** **Moderate (6)**	1 Halt session immediately and move full group to designated sheltered assembly point. 2 Separate affected student and assess for cold stress symptoms. 3 Add insulating layers and apply foil blanket if available. 4 Call emergency services (000) if student is non-responsive or symptoms worsen. 5 Transport group to nearest indoor venue and conduct full welfare check on arrival. *Trigger: Student presents with uncontrolled shivering, confusion, or refuses to move during coastal session.*

G03 Urban Parkland and Garden Activities (continued)

4 hazards

ACTIVITIES: Royal Botanic Gardens Sydney — guided · Taronga Zoo Sydney — marine mammal · Sydney Harbour National Park - Bradleys

G03-R03 Student lost across multiple zoo zones

PEOPLE

Taronga Zoo covers a large, multi-level site with numerous exits and public visitor flow. The 240-minute programme duration and split-level terrain increase the likelihood of a student becoming separated from the group in a setting with unrestricted public access.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Moderate injury (psychological distress) from prolonged separation	LIKELIHOOD **Possible** SEVERITY **Minor** **Moderate (6)**	• Assign one staff member per designated sub-group throughout the 240-minute programme. • Require all students to carry a card with trip leader mobile number and meeting point. • Brief students on the group rally point and lost-student protocol before entering the zoo. • Verify headcount at every zone transition and before boarding transport. • Confirm zoo security contact number and lost-child procedure with staff at arrival.	LIKELIHOOD **Unlikely** SEVERITY **Minor** **Low (4)**	1 Trip leader halts group movement and conducts immediate full headcount. 2 Assign two staff to last known location of missing student. 3 Trip leader contacts zoo security to activate site lost-child procedure. 4 Remaining group held at fixed rally point under designated staff supervision. 5 Trip leader calls student's mobile and notifies school emergency contact. 6 If student not located within 15 minutes, call police (000) with description and last sighting. *Trigger: Student cannot be located after headcount discrepancy at any zoo zone transition.*

G03-R04 Animal contact at marine mammal session

ACTIVITY

Taronga Zoo's marine mammal programme may involve close-proximity interaction with large animals (sea lions, seals). Unexpected lunging or student startled responses in a confined poolside environment create a contact hazard distinct from standard zoo visits.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Moderate injury (laceration, bruising) from animal contact	LIKELIHOOD **Unlikely** SEVERITY **Moderate** **Moderate (6)**	• Brief students on animal behaviour boundaries and no-touch rules before poolside entry. • Restrict student movement to designated standing positions during animal interaction. • Assign one staff member to observe student behaviour throughout the poolside session. • Supervise any student showing excitable or startled responses at the pool edge. • Confirm Taronga Zoo staff are leading and controlling animal movement at all times.	LIKELIHOOD **Rare** SEVERITY **Moderate** **Low (3)**	1 Halt all student movement and move group back from pool edge immediately. 2 Zoo handler takes control of animal and removes it from the poolside area. 3 Trip leader assesses injured student and applies first aid if required. 4 Call emergency services (000) if laceration is deep or injury is not controlled. 5 Record zoo staff names and incident details before group departs the session. *Trigger: Student makes uncontrolled contact with animal or sustains visible injury poolside.*

G04 Specialist Facility Tours — Supervised Technical Environments

5 hazards

ACTIVITIES: ANSTO Australian Nuclear Science and Technology

G04-R01 Delayed medical response at controlled site

MEDICAL

Emergency access to the Lucas Heights campus is governed by federal security protocols. External emergency services cannot enter freely — a medical event on-site may face access delays not typical of open educational venues. Nearest major ED is Royal Prince Alfred, approximately 30km north.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Serious injury (delayed trauma or cardiac intervention)	LIKELIHOOD **Unlikely** SEVERITY **Major** **Moderate (8)**	• Confirm ANSTO site emergency procedures and internal first aid resources before visit. • Verify ANSTO has a designated first aid officer and equipped medical room on campus. • Require trip leader to carry school emergency contact list and student medical information. • Brief ANSTO escort on students with known cardiac, anaphylactic, or seizure conditions. • Test mobile phone coverage at visitor entry point before group proceeds into facility. • Assign staff member to meet and guide external emergency services at campus security gate.	LIKELIHOOD **Unlikely** SEVERITY **Major** **Moderate (8)**	1 Assign nearest staff to administer first aid and deploy any prescribed medication. 2 Trip leader contacts ANSTO emergency line to request immediate internal first aid response. 3 Trip leader or assigned staff calls 000 and provides ANSTO campus address and gate access details. 4 Assign one staff member to campus security gate to guide ambulance to patient location. 5 Remove remaining students from area and hold at nearest supervised waiting space. 6 Trip leader notifies school emergency contact with patient condition and actions taken. *Trigger: Student or staff member collapses or requires emergency medical intervention on site.*

G04-R02 Student distress in industrial environment

PEOPLE

The OPAL reactor facility is an active industrial-scale scientific site with unfamiliar sensory and psychological dimensions. Students with anxiety, claustrophobia, or health anxieties may experience acute distress during proximity to reactor infrastructure or containment areas.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Moderate injury (psychological distress, acute anxiety episode)	LIKELIHOOD **Possible** SEVERITY **Minor** **Moderate (6)**	• Require parents and students to disclose anxiety, claustrophobia, or health-related concerns before visit. • Brief all students on reactor facility environment, scale, and sensory conditions before entry. • Assign a nominated staff member as welfare contact for students flagged with anxiety conditions. • Confirm a quiet withdrawal space is available inside the visitor zone for distressed students. • Limit group size per ANSTO escort to maintain staff visibility of all participants. • Supervise flagged students directly during proximity to reactor infrastructure and containment areas.	LIKELIHOOD **Unlikely** SEVERITY **Minor** **Low (4)**	1 Assigned welfare staff member removes student calmly to nearest quiet withdrawal space. 2 Trip leader conducts headcount and confirms remaining group continues with ANSTO escort. 3 Welfare staff member stays with student and assesses condition using calm verbal check. 4 If distress does not resolve within 10 minutes, contact school emergency contact for guidance. 5 If physical symptoms develop, activate delayed medical response protocol immediately. *Trigger: Student displays acute distress, panic, or inability to continue during facility tour.*

G04 Specialist Facility Tours — Supervised Technical Environments (continued)

5 hazards

ACTIVITIES: ANSTO Australian Nuclear Science and Technology

G04-R03 Group separation in secured facility

EMERGENCY & CONTINGENCY

ANSTO is a security-controlled federal site with access checkpoints and zoned areas. A student falling behind or becoming separated cannot move freely to rejoin the group and may be unable to exit or summon help through normal means.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Moderate injury (prolonged isolation, psychological distress)	LIKELIHOOD **Unlikely** SEVERITY **Moderate** **Moderate (6)**	• Require all students to wear visible visitor identification throughout the site visit. • Assign one school staff member to tail-end position on all corridor transitions. • Brief students on designated rally point and single staff contact number before entry. • Limit group movement between zones to confirmed headcount clearance at each checkpoint. • Confirm ANSTO control room holds trip leader mobile number for student reunification contact. • Restrict students from entering any connecting corridor without direct escort.	LIKELIHOOD **Rare** SEVERITY **Moderate** **Low (3)**	1 Trip leader halts group at current location and conducts immediate rollcall. 2 Assign one staff member to hold remaining students at last confirmed checkpoint. 3 Trip leader contacts ANSTO control room to report missing student name and last location. 4 ANSTO security activates internal locate protocol for visitor in secured zone. 5 Do not allow remaining group to proceed until student is confirmed located. 6 Trip leader notifies school emergency contact with student details and site status. *Trigger: Headcount at any checkpoint confirms a student is not accounted for.*

G04-R04 Inadequate pre-visit security briefing

THIRD-PARTY PROVIDER

ANSTO imposes strict entry conditions including ID checks, prohibited items, and behavioural compliance requirements. Students not adequately briefed risk access refusal or removal from the site, disrupting the group and leaving unsupervised students outside a secured perimeter.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Minor injury (minor distress, brief unsupervised exposure)	LIKELIHOOD **Possible** SEVERITY **Minor** **Moderate (6)**	• Require written ANSTO entry conditions distributed to all students and parents before visit day. • Confirm signed acknowledgement of prohibited items list returned before departure from school. • Brief students on ID requirements, conduct standards, and access refusal consequences on the morning of travel. • Verify each student carries required identification before boarding transport to ANSTO. • Assign trip leader to conduct prohibited items check at point of departure from school. • Confirm ANSTO visitor coordinator has final group list and any access requirement variations 48 hours prior.	LIKELIHOOD **Rare** SEVERITY **Minor** **Low (2)**	1 Trip leader accompanies refused student to supervised external holding area at site entrance. 2 Assign one additional staff member to remain with student outside secure perimeter. 3 Trip leader contacts school emergency contact to arrange supervised transport from site. 4 Remaining group continues visit under ANSTO escort and remaining staff supervision. 5 Refused student is not left unsupervised at any point outside secured perimeter. *Trigger: One or more students refused entry or removed from ANSTO site by security.*

G04 Specialist Facility Tours — Supervised Technical Environments (continued)

5 hazards

ACTIVITIES: ANSTO Australian Nuclear Science and Technology

G04-R05 Radiation exposure in restricted zone

ACTIVITY

ANSTO Lucas Heights operates an active OPAL research reactor. Student inadvertent entry into or proximity to a restricted radiation zone — due to unclear marshalling or group separation — creates an exposure scenario not present in any other educational visit context.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Serious injury (acute radiation exposure, internal contamination)	LIKELIHOOD **Rare** SEVERITY **Major** **Low (4)**	• Verify ANSTO escort assignment covers all zoned areas before group entry. • Require all students to remain within designated visitor corridors at all times. • Brief group on zone boundary markings and absolute prohibition on independent movement. • Assign trip leader to rear of group to prevent straggling near restricted boundaries. • Halt group immediately if any student moves beyond designated visitor path. • Confirm ANSTO site supervisor has current visitor briefing and radiation safety protocol.	LIKELIHOOD **Rare** SEVERITY **Major** **Low (4)**	1 Trip leader halts entire group and calls students to immediate rollcall position. 2 ANSTO escort activates site radiation safety officer via internal emergency line. 3 Remove all students from zone to designated visitor holding area. 4 Do not allow student to move until radiation safety officer completes assessment. 5 Trip leader calls school emergency contact with student name and situation. 6 Follow ANSTO radiation safety officer instructions for decontamination or medical referral. *Trigger: Student observed entering or in proximity to a restricted radiation zone.*

G05 Remote and Elevated Terrain — Blue Mountains Excursion

5 hazards

ACTIVITIES: Blue Mountains Scenic World — scenic · Coach from Scenic World to Jenolan · Jenolan Caves — guided cave tour

G05-R01 Coach rollover on Jenolan Caves Road

TRANSPORT

The 18km descent of Jenolan Caves Road from Oberon features extremely tight hairpin bends, steep gradients, and single-lane sections. It is considered one of the most technically demanding coach routes in NSW and poses elevated rollover and verge-departure risk, particularly on wet or frost-affected surfaces in June.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Fatality (blunt force trauma) on steep technical mountain road	LIKELIHOOD **Unlikely** SEVERITY **Catastrophic** **Elevated (10)**	• Verify driver holds current heavy vehicle licence and documented mountain road experience. • Confirm coach operator holds current public liability insurance and NSW operator accreditation. • Restrict travel on Jenolan Caves Road descent to dry or frost-free surface conditions only. • Require all passengers to wear seatbelts before the coach departs Scenic World. • Inspect tyre condition and braking system before the Jenolan Caves Road descent begins. • Limit passenger movement inside the coach during the full Jenolan Caves Road section.	LIKELIHOOD **Rare** SEVERITY **Catastrophic** **Moderate (5)**	1 Trip leader calls 000 immediately with GPS location and number of passengers. 2 Trip leader accounts for all students and identifies injured passengers. 3 Qualified first aider commences triage and first aid for injured passengers. 4 Assign one staff member to stand at nearest visible road point for emergency services. 5 Trip leader notifies school emergency contact with location, incident details, and casualty count. 6 Keep all uninjured students seated and away from road until emergency services arrive. *Trigger: Coach leaves carriageway or sustains rollover on Jenolan Caves Road.*

G05-R02 Student separation on cliff-edge boardwalks

PEOPLE

Scenic World's elevated walkways and lookouts at Echo Point and the Scenic Walkway sit at exposed cliff edges above the Jamison Valley. In winter conditions, reduced daylight and morning frost on timber boardwalks increase the risk of a student drifting from the group toward unguarded drop-offs.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Fatality (fall from height) at exposed cliff-edge lookout	LIKELIHOOD **Unlikely** SEVERITY **Catastrophic** **Elevated (10)**	• Assign one staff member per ten students throughout all boardwalk sections. • Brief students on prohibited zones and cliff-edge boundaries before departure from coach. • Require students to remain within arm's reach of the group at all lookouts. • Restrict access to any unguarded or unsealed lookout platform during the visit. • Inspect boardwalk surfaces for frost before students are permitted to proceed. • Confirm staff headcount at every transition between walkway sections.	LIKELIHOOD **Rare** SEVERITY **Catastrophic** **Moderate (5)**	1 Trip leader halts all group movement and initiates immediate headcount. 2 Assign two staff to search last known position without approaching cliff edge. 3 Trip leader calls 000 with location, number of students, and last sighting details. 4 Remaining staff hold all other students at designated safe assembly point. 5 Trip leader notifies school emergency contact with situation update. 6 Cooperate fully with emergency services and preserve last-known-location area. *Trigger: Student cannot be located at cliff-edge boardwalk or lookout point.*

G05 Remote and Elevated Terrain — Blue Mountains Excursion (continued)

5 hazards

ACTIVITIES: Blue Mountains Scenic World — scenic · Coach from Scenic World to Jenolan · Jenolan Caves — guided cave tour

G05-R03 Medical emergency far from hospital

MEDICAL

Jenolan Caves is approximately 90km from Nepean Hospital via a single winding mountain road. Cardiac or serious trauma events during the cave tour or scenic walk would face significant ambulance response delays, with no air ambulance landing zone immediately at the caves site.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Serious injury (delayed trauma treatment) due to remote location	LIKELIHOOD **Unlikely** SEVERITY **Major** **Moderate (8)**	• Confirm at least one qualified first aider is present for the full excursion. • Require a fully stocked first aid kit carried by designated staff at all times. • Verify GPS coordinates and what3words address for Jenolan Caves vehicle access point. • Brief Jenolan Caves staff on group presence and confirm site emergency contact number. • Test mobile and satellite communication capability before entering remote access road. • Assign trip leader to carry student medical summary cards throughout the excursion.	LIKELIHOOD **Unlikely** SEVERITY **Major** **Moderate (8)**	1 Qualified first aider attends casualty immediately and commences assessment. 2 Trip leader calls 000 and provides what3words location and casualty condition. 3 Assign one staff member to the cave entrance to direct ambulance to casualty. 4 Trip leader keeps remaining students supervised away from the casualty. 5 Trip leader notifies school emergency contact with casualty name and status. 6 Maintain first aid support until ambulance crew assumes care of casualty. *Trigger: Student or staff member collapses or sustains serious injury at Jenolan Caves.*

G05-R04 Flash flooding at cave entrance

ENVIRONMENT

The Jenolan Caves system is subject to flash flooding during heavy rainfall events; the access road and cave entrances including Grand Arch can become impassable. June sits in the Blue Mountains' wetter season and upstream catchment conditions can cause rapid water-level rises with limited warning.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Serious injury (drowning, hypothermia) from rapid water-level rise	LIKELIHOOD **Unlikely** SEVERITY **Major** **Moderate (8)**	• Verify Bureau of Meteorology flood and rainfall warnings for Jenolan Caves before departure. • Confirm current cave access status directly with Jenolan Caves operator on day of visit. • Brief students on flood evacuation assembly point before entering cave system. • Suspend entry to any cave or Grand Arch area if water levels are visibly elevated. • Halt the tour immediately if guide or operator issues flood warning during visit. • Assign trip leader authority to initiate group evacuation without awaiting operator instruction.	LIKELIHOOD **Rare** SEVERITY **Major** **Low (4)**	1 Guide halts tour and directs all participants away from water toward high ground. 2 Trip leader accounts for all students using headcount at evacuation assembly point. 3 Trip leader calls 000 if any participant is in contact with rising water. 4 Guide leads group to nearest elevated exit point via designated evacuation route. 5 Trip leader notifies school emergency contact with group location and status. 6 No one re-enters cave or Grand Arch until operator confirms all-clear. *Trigger: Visible water-level rise or flood warning issued inside or at cave entrance.*

G05 Remote and Elevated Terrain — Blue Mountains Excursion (continued)

5 hazards

ACTIVITIES: Blue Mountains Scenic World — scenic · Coach from Scenic World to Jenolan · Jenolan Caves — guided cave tour

G05-R05 Student disorientation inside cave system

EMERGENCY & CONTINGENCY

The guided tour route through Jenolan Caves passes through multiple chambers and narrow passages where a student falling behind the group could become disoriented in low-light conditions. Mobile coverage is absent inside the caves, limiting rapid communication if a student is separated.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Serious injury (delayed medical intervention) following cave separation	LIKELIHOOD **Unlikely** SEVERITY **Major** **Moderate (8)**	• Assign one staff member to the rear of the group throughout the cave tour. • Brief students on the requirement to stay within sight of the guide at all times. • Confirm with Jenolan Caves guide the total headcount before entering the cave system. • Require guide to conduct headcounts at every chamber transition point during tour. • Verify the cave operator's internal communication and lost-person protocol before entry. • Restrict students from entering any side passage or ungated area during the tour.	LIKELIHOOD **Rare** SEVERITY **Major** **Low (4)**	1 Guide halts tour and holds all students at current chamber position. 2 Trip leader and guide conduct immediate headcount to confirm who is missing. 3 Guide contacts Jenolan Caves operations staff via internal communication system. 4 Trip leader holds remaining students with rear staff at last confirmed headcount point. 5 Cave operator activates lost-person protocol and directs search with site knowledge. 6 Trip leader calls 000 if student not located within ten minutes of initial report. *Trigger: Student cannot be accounted for during headcount inside the cave system.*

G06 Coastal and Water-Based Activities

6 hazards

ACTIVITIES: Bondi to Coogee Coastal Walk — · Manly Marine Sanctuary — snorkeling and · Free time at Manly Beach —

G06-R01 Rip current separation from group

ACTIVITY

Manly Beach in June sits outside patrolled summer season hours; reduced lifeguard presence during free time increases the window between a student entering a rip and supervised response. Manly's beach break is known for strong lateral currents.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Fatality (drowning) if student caught in rip current	LIKELIHOOD **Possible** SEVERITY **Catastrophic** **High (15)**	• Brief students on rip current identification and self-rescue protocol before beach arrival. • Restrict all student swimming to flagged zones between the red and yellow flags. • Assign minimum two staff to beach observation posts during all free time. • Limit supervised swimming to patrolled sections with active lifeguard presence. • Halt all student water entry if lifeguards are absent from the beach. • Supervise headcounts at 15-minute intervals during free time at the beach.	LIKELIHOOD **Unlikely** SEVERITY **Catastrophic** **Elevated (10)**	1 Assigned staff member raises alarm and contacts Surf Life Saving or calls 000. 2 Second staff member maintains visual contact with student in water. 3 Trip leader removes all other students from water immediately. 4 If trained lifeguard present, initiate water rescue using appropriate equipment. 5 Administer first aid to recovered student including CPR if required. 6 Trip leader notifies school emergency contact with student status and location. *Trigger: Student observed in water being carried laterally or unable to return to shore.*

G06-R02 Student entry into unpatrolled water

SAFEGUARDING

Free time at Manly Beach in mid-June falls outside the core Surf Life Saving patrol season. Students may enter the surf unsupervised at unpatrolled sections of the beach, removing the lifeguard safety net entirely.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Fatality (drowning) from unsupervised surf entry	LIKELIHOOD **Possible** SEVERITY **Catastrophic** **High (15)**	• Brief students on the rule prohibiting water entry outside flagged patrolled areas. • Restrict water entry to flagged zones only; unpatrolled sections are out of bounds. • Assign staff to physically position at boundary points of permitted swimming area. • Confirm lifeguard patrol is active before permitting any student water entry. • Suspend all student water access if patrol flags are not displayed. • Require students to sign and verbally confirm the no-entry rule before free time begins.	LIKELIHOOD **Unlikely** SEVERITY **Catastrophic** **Elevated (10)**	1 Assigned boundary staff calls student out of the water immediately. 2 Trip leader accounts for all remaining students and halts further water entry. 3 If student does not respond, call 000 and alert any nearby lifeguard personnel. 4 Maintain visual contact with student in water until rescue is initiated. 5 Administer first aid including CPR to recovered student as required. 6 Trip leader notifies school emergency contact and documents the incident. *Trigger: Student observed entering water at unpatrolled section of Manly Beach.*

G06 Coastal and Water-Based Activities (continued)

6 hazards

ACTIVITIES: Bondi to Coogee Coastal Walk — · Manly Marine Sanctuary — snorkeling and · Free time at Manly Beach —

G06-R03 Cliff-edge exposure on coastal path

ENVIRONMENT

The Bondi to Coogee walk follows cliff-top terrain with unfenced or lightly fenced edges at multiple points, including Mackenzies Point and Clovelly. Winter conditions bring wet rock surfaces and reduced daylight margin.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Fatality (blunt force trauma) from cliff-edge fall	LIKELIHOOD **Unlikely** SEVERITY **Catastrophic** **Elevated (10)**	• Brief group on cliff-edge exclusion zones and path boundary rules before departure. • Restrict walking to designated sealed or marked path surface at all times. • Assign staff to the rear of the group to prevent straggling near cliff edges. • Supervise the group at identified high-exposure points including Mackenzies Point and Clovelly. • Halt the group and conduct headcount before each cliff-top section of the route. • Inspect path surface conditions at Bondi trailhead and restrict pace on wet sections.	LIKELIHOOD **Rare** SEVERITY **Catastrophic** **Moderate (5)**	1 Trip leader halts group immediately and moves students away from cliff edge. 2 Assign one staff member to maintain safe visual contact with fallen student. 3 Call 000 immediately; provide GPS coordinates or what3words of the location. 4 Do not attempt unsupported descent to reach student on cliff face. 5 Guide emergency services to nearest vehicle access point on the coastal path. 6 Trip leader notifies school emergency contact with location and student condition. *Trigger: Student falls from or over cliff-edge terrain on the coastal walk.*

G06-R04 Provider supervision gap during snorkelling

THIRD-PARTY PROVIDER

Manly Marine Sanctuary snorkel sessions depend entirely on the contracted provider's in-water supervision ratios and guide qualifications. School staff are unlikely to be qualified to provide in-water rescue cover, creating a single point of failure if provider staffing falls short on the day.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Fatality (drowning) if in-water supervision is insufficient	LIKELIHOOD **Unlikely** SEVERITY **Catastrophic** **Elevated (10)**	• Confirm provider's in-water guide-to-student ratio in writing before the activity date. • Require provider to submit guide names and qualifications for verification before departure. • Verify all guides hold current surf rescue or equivalently recognised in-water rescue certification. • Assign trip leader to observe provider briefing and confirm staffing numbers on arrival. • Halt the snorkel session if provider in-water guide numbers fall below agreed ratio. • Confirm provider holds current public liability insurance and activity-specific accreditation.	LIKELIHOOD **Rare** SEVERITY **Catastrophic** **Moderate (5)**	1 Provider guide enters water immediately and brings student to surface. 2 Assign school staff to call 000 and report location as Manly Marine Sanctuary. 3 Provider guide administers in-water rescue breathing if student is unresponsive. 4 Transfer student to boat or shore and begin CPR if no pulse detected. 5 Remove remaining students from water and conduct full headcount at surface. 6 Trip leader notifies school emergency contact with student condition and hospital destination. *Trigger: Student in distress or submerged during snorkel session at Manly Marine Sanctuary.*

G06 Coastal and Water-Based Activities (continued)

6 hazards

ACTIVITIES: Bondi to Coogee Coastal Walk — · Manly Marine Sanctuary — snorkeling and · Free time at Manly Beach —

G06-R05 Delayed evacuation from coastal location

MEDICAL

Both Bondi to Coogee and Manly headland locations involve sections where vehicle access for emergency services is limited. Royal Prince Alfred and Royal North Shore hospitals are both 20–40 minutes from these sites under normal conditions, longer if a cliff-side evacuation is required.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Serious injury (delayed trauma treatment) due to limited access	LIKELIHOOD **Unlikely** SEVERITY **Major** **Moderate (8)**	• Verify GPS coordinates and what3words references for all activity sites before departure. • Require satellite communicator for Bondi to Coogee cliff sections without mobile coverage. • Confirm nearest vehicle access points for each site with trip leader before activities begin. • Assign qualified first aider with full trauma kit to each coastal activity group. • Test mobile phone coverage at each site on arrival and identify dead zones. • Brief all staff on Royal Prince Alfred and Royal North Shore hospital routes and ETAs.	LIKELIHOOD **Unlikely** SEVERITY **Major** **Moderate (8)**	1 Trip leader calls 000 and provides what3words or GPS coordinates of casualty location. 2 Assign staff member to guide emergency services to nearest vehicle access point. 3 Assigned first aider administers treatment and keeps casualty stable until services arrive. 4 Remove remaining students to safe holding point away from the incident scene. 5 Trip leader notifies school emergency contact with casualty status and hospital destination. 6 One staff member accompanies casualty in ambulance to receiving hospital. *Trigger: Student requires emergency evacuation from a coastal site with limited vehicle access.*

G06-R06 Marine envenomation during snorkelling

ACTIVITY

Manly Marine Sanctuary waters host blue-ringed octopus and stonefish in rocky reef habitats. Students conducting snorkel sessions in June, when water temperature drops and species shelter in crevices, risk accidental contact during guided or independent exploration.

CONSEQUENCE	INHERENT RISK	CONTROLS & MITIGATIONS	RESIDUAL RISK	EMERGENCY ACTIONS
Serious injury (envenomation, respiratory failure) from marine contact	LIKELIHOOD **Unlikely** SEVERITY **Major** **Moderate (8)**	• Brief students on blue-ringed octopus and stonefish identification before entering water. • Restrict students from touching any marine life, rock surfaces, or crevices during snorkelling. • Require provider guide to carry a marine envenomation first aid kit in water. • Confirm provider guide holds current first aid certification including envenomation response. • Assign staff observer on surface to watch for distress signals from snorkelling students. • Fit wetsuits and reef-safe gloves to all students before snorkel session entry.	LIKELIHOOD **Rare** SEVERITY **Major** **Low (4)**	1 Provider guide removes student from water to boat or shore immediately. 2 Assign staff to call 000 and report suspected marine envenomation with location. 3 Provider guide administers first aid per marine envenomation protocol for species involved. 4 Keep student still and monitor breathing and circulation continuously. 5 Trip leader notifies school emergency contact and prepares student medical information. 6 Accompany student in ambulance to Royal North Shore Hospital. *Trigger: Student reports sting, bite, or contact with marine creature during snorkel session.*