

AF-0001 — Fiber Asset Model

Mission

Establish the canonical asset model for AnchorFiber.

Purpose

Provide a deterministic representation of the physical fiber network that every future feature will use.

Design Principle

Know the Network. Trust the Route.

The asset model is how AnchorFiber begins to "know" the network.

Asset Hierarchy

Network

|

|— Site

|

|— Route

|

|— Fiber Cable

|

|— Conduit

|

|— Splice

|

└─ Handhole

Core Objects

Network

Represents an entire customer network.

Example

Network

Name

Owner

Description

Site

A physical location.

Examples

- Central Office
- POP
- Data Center
- Hub
- Customer Facility

Site

ID

Name

Address

Latitude

Longitude

Route

The logical path through the network.

Route

ID

Name

Origin

Destination

Status

Length

Fiber Cable

FiberCable

ID

Name

Fiber Count

Cable Type

Installed Date

Owner

Status

Conduit

Conduit

ID

Material

Diameter

Occupancy

Status

Splice

Splice

ID

Location

Type

Fiber Count

Status

Handhole

Handhole

ID

Location

Owner

Status

Relationships

Network

|

|— Sites

|

|— Routes

|

|

- | └─ Conduits
- | └─ Fiber Cables
- | └─ Handholes
- | └─ Splices

Canonical Asset Principles

Every asset in AnchorFiber SHALL:

- Possess a globally unique identifier.
- Represent a real-world physical or logical entity.
- Be independently addressable.
- Maintain its own operational status.
- Participate in one or more network relationships.
- Be serializable for persistence and interchange.