

Here a `Solution` class was a `Main` method. Complete the `main` method by copying  
existing code inside the body of `void main` method.

1

10

1994-1995

0000-0001-9000-0000

1

```
2
3 public class Solution {
4
5     public static void main(String[] args) {
6         Scanner scan = new Scanner(System.in);
7         int a = scan.nextInt();
8         int b = scan.nextInt();
9         int c = scan.nextInt();
10        // Complete this line
11        // Complete this line
12
13        System.out.println(a);
14        System.out.println(b);
15
16        System.out.println(c);
17
18        // Complete this line
19        // Complete this line
20    }
21 }
```

Line: 9 Col: 14

 Upload Code as File ☐ Test against custom input

 Run Code

Submit Code

DEV



```
3 import java.security.*;
4 import java.text.*;
5 import java.util.*;
6 import java.util.concurrent.*;
7 import java.util.regex.*;
8
9 public class Solution {
10
11
12
13     private static final Scanner scanner = new Scanner(System.in);
14
15     public static void main(String[] args) {
16         int N = scanner.nextInt();
17         scanner.skip("(\\r\\n|\\n\\r\\u2028\\u2029\\u0085)??");
18
19         if((N%2!=0) || (N>=6 && N<=20))
20             System.out.println("Weird");
21         else {
22
23
```

Line: 22 Col: 9