Table Of Contents	1/2
Table Of Contents	
Table Of Contents	1

Table Of Contents 2/2

nixCraft: Linux Tips, Hacks, Tutorials, And Ideas In Blog Format http://www.cyberciti.biz/

Home > Faq > CentOS

Squid Proxy Hide System's Real IP Address

Posted by Vivek Gite <vivek@nixcraft.com>

My squid proxy server is displaying system's real IP address. I've a corporate password protected squid proxy server located at 202.54.1.2. My clients works from home or offices via A/DSL / cable connections. Squid should hide all system's IP address, but it is forwarding and displaying the system's IP address. How do I configure squid to hide client's real IP address?



[1]

Squid proxy server has directive called forwarded_for. If set, Squid will include your system's IP address or name n the HTTP requests it forwards. By default it looks like this:

X-Forwarded-For: 191.1.2.5

If you disable this, it will appear as

X-Forwarded-For: unknown

Open squid.conf file:

vi squid.conf

Set forwarded_for to off:

forwarded_for off

Save and close the file. Restart squid server:

/etc/init.d/squid restart

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our <u>daily email</u> newsletter or <u>weekly newsletter</u> to make sure you don't miss a single tip/tricks. Alternatively, subscribe via <u>RSS/XML</u> feed.

Article printed from Frequently Asked Questions About Linux / UNIX: http://www.cyberciti.biz/faq/

URL to article: http://www.cyberciti.biz/faq/squid-proxy-is-not-hiding-client-ip-address/

URLs in this post:

[1] Image: http://www.cyberciti.biz/faq/category/squid/

Copyright © 2006-2010 <u>nixCraft</u>. All rights reserved. This print / pdf version is for personal non-commercial use only. More details http://www.cyberciti.biz/tips/copyright.