Table Of Contents	1/2
Table Of Contents	
Table Of Contents	1

Table Of Contents 2/2

nixCraft: Linux Tips, Hacks, Tutorials, And Ideas In Blog Format http://www.cyberciti.biz/

Home > Faq > BASH Shell

Disable Advanced power management (APM) on Linux

Posted by Vivek Gite <vivek@nixcraft.com>

Q. How can I disable power management on my Fedora Core Linux system?

A. You need to stop APM (Advanced Power Management) service called apmd. It can be stopped by calling /etc/init.d/ script as follows:

/etc/init.d/apmd stop

If you don't want this service to return after a reboot type following command and deselect apmd

ntsysv

Or use chkconfig command: #/sbin/chkconfig apmd off



[1]

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our <u>daily email</u> newsletter or <u>weekly newsletter</u> to make sure you don't miss a single tip/tricks. Alternatively, subscribe via <u>RSS/XML</u> feed.

Article printed from Frequently Asked Questions About Linux / UNIX: http://www.cyberciti.biz/faq/

URL to article: http://www.cyberciti.biz/faq/disable-advanced-power-management/

URLs in this post:

[1] Image: http://www.cyberciti.biz/faq/faq/category/linux/

Copyright © 2006-2010 <u>nixCraft</u>. All rights reserved. This print / pdf version is for personal non-commercial use only. More details http://www.cyberciti.biz/tips/copyright.