

Table Of Contents

Table Of Contents 1

[Home](#) > [Faq](#) > [Linux](#)

Linux vmware VPS server routing problem

Posted by [Vivek Gite](#) <vivek@nixcraft.com>

Q. My service provider (EV1 and softlayer) provides total 5 public IP address using private VLAN. I have installed VMWARE on CentOS Linux and setup bridged networking. Next I had assigned one of the secondary public IP to vmware guest os. But I am unable to connect outside world? How do I solve this problem? My IP address range:

Primary IP: eth0: 65.90.xxx.12

Secondary IP: eth1: 65.92.xxx.54 - 65.92.xxx.57

A. To route traffic over VLAN from secondary IP address you need bind one of secondary IP address to router. So if you have total 5 secondary IP address you need to burn 3 IP address for VLAN/router. It will result into 2 usable public IP address. Ask your service provider to burn and route public address via private VLAN.

Another choice is to use VMWARE NAT feature. It allows you to use existing gateway / router IP to route traffic between VMWARE guest os over VLAN to rest of the world.

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our [daily email](#) newsletter or [weekly newsletter](#) to make sure you don't miss a single tip/tricks. Alternatively, subscribe via [RSS/XML](#) feed.

Article printed from Frequently Asked Questions About Linux / UNIX: <http://www.cyberciti.biz/faq/>

URL to article: <http://www.cyberciti.biz/faq/linux-vmware-vps-server-routing-problem/>

Copyright © 2006-2010 [nixCraft](#). All rights reserved. This print / pdf version is for personal non-commercial use only. More details <http://www.cyberciti.biz/tips/copyright>.