

Table Of Contents

Table Of Contents 1

Step#1: Create DJBDNS Server Group 2

Step#2: Create TinyDNS Server User 2

Step#3: Create AxfrDNS Server User 2

Step#4: Create DJNDNS Server Log User 2

Step#5: Create /var/service directory 2

Step#6: Turn On daemontools (svscan) Service 2

[Home](#) > [Faq](#) > [DJBDNS](#)

FreeBSD Configure DJBDNS TinyDNS Server

Posted by [Vivek Gite](#) <vivek@nixcraft.com>

This entry is part 2 of 6 in the series [FreeBSD DJBDNS Server](#) ^[1]

[FreeBSD DJBDNS Server](#) ^[1]

- [FreeBSD Install DJBDNS Server](#) ^[2]
- FreeBSD Configure DJBDNS TinyDNS Server
- [FreeBSD tinydns: Sets Up a DNS Publication / Authoritative Name Server](#) ^[3]
- [FreeBSD DJBDNS: Tinydns Create a Zone File For Domain](#) ^[4]
- [FreeBSD DJBDNS: Tinydns Add Additional Domain Names](#) ^[5]
- [FreeBSD DJBDNS: Create Secondary TinyDNS Server](#) ^[6]

How do I configure tinydns a database-driven dns server under FreeBSD operating systems?

You need to create three user accounts under FreeBSD and add all of them to a group. This can be done using pw command as follows:



Step#1: Create DJBDNS Server Group

Type the following command:

```
# pw groupadd dnsusers
```

Step#2: Create TinyDNS Server User

Type the following command:

```
# pw useradd tinydns -s /bin/nologin -G dnsusers
```

Step#3: Create AxfrDNS Server User

Type the following command:

```
# pw useradd dnslog -s /bin/nologin -G dnsusers
```

Step#4: Create DJNDNS Server Log User

Type the following command:

```
# pw useradd axfrdns -s /bin/nologin -G dnsusers
```

Step#5: Create /var/service directory

Type the following command:

```
# mkdir /var/service/
```

Step#6: Turn On daemontools (svscan) Service

Type the following command:

```
# echo 'svscan_enable="YES"' >> /etc/rc.conf
# /usr/local/etc/rc.d/svscan.sh start
```

Now, your server is ready to use. All you have to do is create zone for ns1.nixcraft.in.

Series Navigation

«[FreeBSD Install DJBDNS Server](#) ^[2] [FreeBSD tinydns: Sets Up a DNS Publication / Authoritative Name Server](#)» ^[3]

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our [daily email](#) newsletter or [weekly newsletter](#) to make sure you don't miss a single tip/tricks. Alternatively, subscribe via [RSS/XML](#) feed.

Article printed from Frequently Asked Questions About Linux / UNIX: <http://www.cyberciti.biz/faq/>

URL to article: <http://www.cyberciti.biz/faq/freebsd-configure-djbdns-tinydns-server/>

URLs in this post:

[1] FreeBSD DJBDNS Server: <http://www.cyberciti.biz/faq/series/freebsd-djbdns-server/>

[2] FreeBSD Install DJBDNS Server: <http://www.cyberciti.biz/faq/freebsd-install-djbdns-server/>

[3] FreeBSD tinydns: Sets Up a DNS Publication / Authoritative Name Server: <http://www.cyberciti.biz/faq/freebsd-tinydns-sets-up-primary-dns-server/>

[4] FreeBSD DJBDNS: Tinydns Create a Zone File For Domain: <http://www.cyberciti.biz/faq/freebsd-djbdns-tinydns-create-a-zone-file-for-domain/>

[5] FreeBSD DJBDNS: Tinydns Add Additional Domain Names: <http://www.cyberciti.biz/faq/freebsd-djbdns-tinydns-add-additional-domain-names/>

[6] FreeBSD DJBDNS: Create Secondary TinyDNS Server: <http://www.cyberciti.biz/faq/freebsd-djbdns-create-secondary-tinydns-server/>

[7] Image: <http://www.cyberciti.biz/faq/category/djbdns/>

[8] Image: <http://www.cyberciti.biz/faq/category/freebsd/>