

Table Of Contents

Table Of Contents ..... 1

Linux dhcpcd configuration - dhclient.conf ..... 2

    Debian / Ubuntu Linux DHCP Client Configuration ..... 2

    RHEL / CentOS / Fedora Linux DHCP Client Configuration ..... 2

[Home](#) > [Faq](#) > [CentOS](#)

## Configuring Linux Static DHCP Clients by Sending Host Name

Posted by [Vivek Gite](#) <[vivek@nixcraft.com](mailto:vivek@nixcraft.com)>

**Q.** My DHCP server configured to assign static IPs to few Debian / Ubuntu Linux boxes using hostnames. My Windows 2000 and XP client computer sends hostname automatically. How do I send my hostname under Linux using dhcp client?

**A.** By default, the DHCP server requests the subnet-mask, broadcast-address, time-offset, routers, domain-name, domain-name-servers and host-name options. DHCP client configuration allows you to set a hostname using send host-name "hostname" parameter.



[1]

## Linux dhcpclient configuration - dhclient.conf

dhclient.conf is a configuration file for DHCP client under Linux:

- **Debian / Ubuntu** Linux - `/etc/dhcp3/dhclient.conf`
- **RHEL / Fedora / CentOS** Linux - `/etc/sysconfig/network-scripts/ifcfg-eth0` (for 1st DHCP network interface)



**WARNING!** These examples requires [correct hostname](#) <sup>[2]</sup>.

### Debian / Ubuntu Linux DHCP Client Configuration

Open configuration file, enter:

```
$ sudo vi /etc/dhcp3/dhclient.conf
```

Set hostname as follows:

```
send host-name "vivek-laptop";
```

Save and close the file. Test new settings, enter:

```
$ sudo dhclient eth0
$ sudo dhclient interface-name
```

### RHEL / CentOS / Fedora Linux DHCP Client Configuration

Open configuration file, enter:

```
# vi /etc/sysconfig/network-scripts/ifcfg-eth0
```

Append hostname, enter:

```
DHCP_HOSTNAME=vivek-laptop
```

Save and close the file. Restart network service:

```
# service network restart
```

Please refer to dhclient.conf man page for more information, enter:

```
$ man dhclient.conf
```

tricks? Subscribe to our [daily email](#) newsletter or [weekly newsletter](#) to make sure you don't miss a single tip/tricks. Alternatively, subscribe via [RSS/XML](#) feed.

Article printed from Frequently Asked Questions About Linux / UNIX: <http://www.cyberciti.biz/faq/>

URL to article: <http://www.cyberciti.biz/faq/howto-get-linux-static-dhcp-address/>

URLs in this post:

[1] Image: <http://www.cyberciti.biz/faq/faq/category/networking/>

[2] correct hostname: <http://www.cyberciti.biz/faq/howto-change-my-hostname-machine-name/>

---

Copyright © 2006-2010 [nixCraft](#). All rights reserved. This print / pdf version is for personal non-commercial use only. More details <http://www.cyberciti.biz/tips/copyright>.