Table Of Contents	1/3
Table Of Contents	
Table Of Contents	1

Table Of Contents 2/3

nixCraft: Linux Tips, Hacks, Tutorials, And Ideas In Blog Format http://www.cyberciti.biz/

Home > Faq > CentOS

How do I use cpio command under Linux?

Posted by Vivek Gite <vivek@nixcraft.com>

Q. Can you explain how do I use cpio under Linux / UNIX?

A. GNU cpio is a tool for creating and extracting archives, or copying files from one place to another. It handles a number of cpio formats as well as reading and writing tar files. cpio command works just like tar, only better.



As I said earlier, cpio works like tar but it can read input from the "find" command. This is nifty feature. For example you can find out all *.c files and backup with cpio command.

```
# find / -name "*.c" | cpio -o --format=tar > c-file.backup.tar
# find / -iname "*.pl" | cpio -o -H tar > perl-files.tar
```

You can also specify file name using -F option:

```
# find / -iname "*.pl" | cpio -o -H tar -F perl-files.tar
```

Where,

- -o: Create archive
- -F: Archive filename to use instead of standard input or output. To use a tape drive on another machine as the
 archive.
- -H format: Specify file format to use.
- -i: Restore archive

You can extract archive with the following command:

```
# cpio -i -F perl-files.tar
```

You can list file inside archive i.e. list contents of the cpio file with following command:

```
# cpio -it -F perl-files.tar
```

You can write archive of /home to tape (drive /dev/nst0), type the following command:

```
# find /home | cpio -o -H tar -F /dev/nst0
```

Restore backup using following command:

```
# cpio -i -F /dev/nst0
```

Backup /home dir, to remote system tape drive:

```
# find /home | cpio -o -H tar -F user@backup.nixcraft.in:/dev/nst0 --rsh-
command=/usr/bin/ssh
```

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our <u>daily email</u> newsletter or <u>weekly newsletter</u> to make sure you don't miss a single tip/tricks. Alternatively, subscribe via <u>RSS/XML</u> feed.

Article printed from Frequently Asked Questions About Linux / UNIX: http://www.cyberciti.biz/faq/

URL to article: http://www.cyberciti.biz/faq/how-do-i-use-cpio-command-under-linux/

URLs in this post:

[1] Image: http://www.cyberciti.biz/faq/faq/category/unix/

3/3

Table Of Contents

Copyright © 2006-2010 nixCraft. All rights reserved. This print / pdf version is for personal non-commercial use only. More details http://www.cyberciti.biz/tips/copyright.