Table Of Contents 1/3

			_	_	_			
Ta	h	Р	\bigcap	t ($\Gamma \alpha$	าท	ıte	nts

Table Of Contents	1
Howto creating and changing into a new Directory same time	2

nixCraft: Linux Tips, Hacks, Tutorials, And Ideas In Blog Format http://www.cyberciti.biz/


Home > Faq > BASH Shell

Create and change to a new directory in a single shell command

Posted by Vivek Gite <vivek@nixcraft.com>

Q. How do I create a new directory and change to same in a single command? For example I need to create a directory called foo and change to same mkdir foo cd foo

How do I run both command at a time?





[1]

Howto creating and changing into a new Directory same time

Add following function to your bash startup file ~/.bash_profile or ~/.bashrc

```
$ vi ~/.bashrc
```

Append mcd() code:

```
mcd ()
{
    if [ "$1" == "" ]; then
        echo "mcd directory-name";
    else
        if [ ! -d $1 ]; then
            mkdir $1;
        cd $1;
        else
            echo "$1 directory exists";
        fi;
    fi
}
```

Save and close the file. Logout and login again or type the following command:

```
$ . ~/.bashrc
```

Now use mcd command:

```
$ mcd foo
$ pwd
```

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our <u>daily email</u> newsletter or <u>weekly newsletter</u> to make sure you don't miss a single tip/tricks. Alternatively, subscribe via <u>RSS/XML</u> feed.

Article printed from Frequently Asked Questions About Linux / UNIX: http://www.cyberciti.biz/faq/

URL to article: http://www.cyberciti.biz/faq/howto-creating-changing-into-new-same-time/

URLs in this post:

[1] Image: http://www.cyberciti.biz/faq/faq/category/bash-shell/

 $Copyright @ 2006-2010 ~ \underline{nixCraft}. ~ All ~ rights ~ reserved. ~ This ~ print / ~ pdf ~ version ~ is for personal ~ non-commercial ~ use ~ only. ~ More ~ details ~ \underline{http://www.cyberciti.biz/tips/copyright}.$