# **Table Of Contents**

| Fable Of Contents  | . 1 |
|--|-----|
| nstall yum-skip-broken                                   |     |
| How to handle skiping packages with dependency problems  |     |
| now to natitue skiping packages with dependency problems | ••• |

nixCraft: Linux Tips, Hacks, Tutorials, And Ideas In Blog Format <a href="http://www.cyberciti.biz/">http://www.cyberciti.biz/</a>

### Home > Faq > CentOS

## yum problems: Skip Packages With Broken Dependencies When Upgrading System

Posted by Vivek Gite <vivek@nixcraft.com>

Q. I made a mistake and added additional repo under CentOS / RHEL 5.x server. Now when I try to upgrade packages it gives me out broken dependencies / missing dependency error. How do I skip broken packages and apply updates to other installed software's?



A. packages with broken dependencies is really bad. Yum generally take care of such business, but when you mix additional repos it may give out 'Missing Dependency' error under RHEL / CentOS Linux 5.x systems.

You need to add plugin called yum-skip-brokenm which adds a --skip-broken to yum to make it possible to check packages for dependency problems and skip the one with problems.

# Install yum-skip-broken

Type the following command as root user:

```
# yum -y install yum-skip-broken
```

#### Sample output:

```
Loading "fastestmirror" plugin
Loading mirror speeds from cached hostfile
 * base: mirror.steadfast.net
* updates: mirror.steadfast.net
* addons: centos-distro.cavecreek.net
* extras: mirrors.liquidweb.com
Setting up Install Process
Parsing package install arguments
Resolving Dependencies
--> Running transaction check
---> Package yum-skip-broken.noarch 0:1.1.10-9.el5.centos set to be updated
--> Finished Dependency Resolution
Dependencies Resolved
Package Arch Version Repository Size
______
Installing:
                  noarch 1.1.10-9.el5.centos base
yum-skip-broken
Transaction Summary
______
Install 1 Package(s)
          0 Package(s)
Update
         0 Package(s)
Remove
Total download size: 11 k
Downloading Packages:
(1/1): yum-skip-broken-1. 100% |============= | 11 kB 00:00
Running rpm_check_debug
Running Transaction Test
Finished Transaction Test
Transaction Test Succeeded
Running Transaction
 Installing: yum-skip-broken
                                   ########### [1/1]
Installed: yum-skip-broken.noarch 0:1.1.10-9.el5.centos
Complete!
```

### How to handle skiping packages with dependency problems

Now type the command as follows:

```
# yum -y upgrade --skip-broken
```

OR

# yum -y update --skip-broken

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our <u>daily email</u> newsletter or <u>weekly newsletter</u> to make sure you don't miss a single tip/tricks. Alternatively, subscribe via <u>RSS/XML</u> feed.

Article printed from Frequently Asked Questions About Linux / UNIX: http://www.cyberciti.biz/faq/

URL to article: http://www.cyberciti.biz/faq/centos-rhel-fedora-yum-missing-dependency/

URLs in this post:

[1] Image: http://www.cyberciti.biz/faq/faq/category/redhat-and-friends/

Copyright © 2006-2010 <u>nixCraft</u>. All rights reserved. This print / pdf version is for personal non-commercial use only. More details <a href="http://www.cyberciti.biz/tips/copyright">http://www.cyberciti.biz/tips/copyright</a>.