Table Of Contents 1/2

## **Table Of Contents**

able Of Contents	1
Configuration: PROCMAIL MOVE SPAM TO SPAM FOLDER	2
See also:	2

nixCraft: Linux Tips, Hacks, Tutorials, And Ideas In Blog Format <a href="http://www.cyberciti.biz/">http://www.cyberciti.biz/</a>

Home > Faq > CentOS

## How do I move spam mail to spam folder?

Posted by Vivek Gite <vivek@nixcraft.com>

**Q**. I want to move all mails tagged as spam to "spam" folder. How do I configure procmail to move spam mail to spam folder?



A. If you have Procmail and Spamassassin installed, then you can move mails using Procmail. It is a mail delivery agent (MDA) or mail filter, a program to process incoming emails on a computer, widely used on Unix systems

Configuration: PROCMAIL MOVE SPAM TO SPAM FOLDER

First, open ~/.procmail file (/home/you/.procmail):

```
$ vi ~/.procmail
```

Next append the following config code:

```
# All mail tagged as spam is moved to "spam" folder.
:0:
* ^X-Spam-Status: Yes
spam
```

Save and close the file.

Now all email tagged as spam will move to "spam" folder.

## See also:

• For more information, see Timo's procmail tips and recipes [2].

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our <u>daily email</u> newsletter or <u>weekly newsletter</u> to make sure you don't miss a single tip/tricks. Alternatively, subscribe via <u>RSS/XML</u> feed.

Article printed from Frequently Asked Questions About Linux / UNIX: http://www.cyberciti.biz/faq/

URL to article: http://www.cyberciti.biz/faq/how-do-i-move-spam-mail-to-spam-folder/

URLs in this post:

- [1] Image: http://www.cyberciti.biz/faq/faq/category/email-servers/
- [2] procmail tips and recipes: http://lipas.uwasa.fi/%7Ets/info/proctips.html

Copyright © 2006-2010 <u>nixCraft</u>. All rights reserved. This print / pdf version is for personal non-commercial use only. More details <a href="http://www.cyberciti.biz/tips/copyright">http://www.cyberciti.biz/tips/copyright</a>.

[1]