Table Of Contents	1/2
Table Of Contents	
Table Of Contents	1

Table Of Contents 2/2

nixCraft: Linux Tips, Hacks, Tutorials, And Ideas In Blog Format http://www.cyberciti.biz/

Home > Faq > BASH Shell

BASH Shell setup filename tab-completion case insensitive

Posted by Vivek Gite <vivek@nixcraft.com>

Q. I'm using BASH shell filename tab completion feature to complete file names and other stuff. However default tab-completion in bash case-sensitive. It cannot show me /tmp/Y* or /tmp/Y* files. How do I force filename tab-completion in bash case insensitive?

A. According to bash man page completion-ignore-case set to Off. If set to On, readline performs filename matching and completion in a case-insensitive fashion. Readline has variables that can be used to further customize its behavior. A variable may be set in the /etc/inputrc file with a statement of the form. So all you have to do is type following command:



[1]

\$ set completion-ignore-case on

You need to add set completion-ignore-case on to /etc/inputrc command:

vi /etc/inputrc

Append text as follows:

set completion-ignore-case on

Close and save the file. For more information read bash man page.

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our <u>daily email</u> newsletter or <u>weekly newsletter</u> to make sure you don't miss a single tip/tricks. Alternatively, subscribe via <u>RSS/XML</u> feed.

Article printed from Frequently Asked Questions About Linux / UNIX: http://www.cyberciti.biz/faq/

URL to article: http://www.cyberciti.biz/faq/bash-shell-setup-filename-tab-completion-case-insensitive/URLs in this post:

[1] Image: http://www.cyberciti.biz/faq/faq/category/bash-shell/

Copyright © 2006-2010 <u>nixCraft</u>. All rights reserved. This print / pdf version is for personal non-commercial use only. More details http://www.cyberciti.biz/tips/copyright.