## **Table Of Contents**

Table Of Contents	1
Syntax	
	2
The -s option	

Syntax 2/3

nixCraft: Linux Tips, Hacks, Tutorials, And Ideas In Blog Format <a href="http://www.cyberciti.biz/">http://www.cyberciti.biz/</a>

Home > Faq > BASH Shell

## Linux realpath: Find Absolute Pathname For Given Command or File

Posted by Vivek Gite <vivek@nixcraft.com>

How do I find out the canonicalised absolute pathname for a given command or file under Linux operating systems?

You need to use the realpath command. It will converts each filename argument to an absolute pathname, which has no components that are symbolic links or the special. (current directory) or .. (parent directory) entries.

The **realpath command** expands all symbolic links and resolves references to /./, /../ and extra '/' characters in the null-terminated string named by path to produce a canonicalized absolute pathname. The resulting pathname is stored as a null-terminated string, up to a maximum of PATH\_MAX butes, in the buffer pointed to by resolved\_path. The resulting path will have no symbolic link, /./ or /../ components.





[1]

Syntax

The syntax is as follows:

realpath /path/to/file
realpath /path/to/command

## **Examples**

Type the following command:

ls -1 /etc/motd

Sample outputs:

lrwxrwxrwx 1 root root 13 2007-10-06 04:52 /etc/motd -> /var/run/motd

/etc/motd is a symbolic link, which points to ./var/run/motd. To verify this and to print real absolute path, enter:

realpath /etc/motd

Sample outputs:

/var/run/motd

## The -s option

If option -s is used realpath only removes . and .. directories, but not symbolic links from filename.

realpath -s /path/to/file

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our <u>daily email</u> newsletter or <u>weekly newsletter</u> to make sure you don't miss a single tip/tricks. Alternatively, subscribe via <u>RSS/XML</u> feed.

Syntax 3/3

Article printed from Frequently Asked Questions About Linux / UNIX: http://www.cyberciti.biz/faq/

URL to article: http://www.cyberciti.biz/faq/linux-shell-realpath/

URLs in this post:

 $[1] \ Image: \ \textbf{http://www.cyberciti.biz/faq/category/linux/}$ 

[2] Image: http://www.cyberciti.biz/faq/category/bash-shell/

Copyright © 2006-2010 <u>nixCraft</u>. All rights reserved. This print / pdf version is for personal non-commercial use only. More details <a href="http://www.cyberciti.biz/tips/copyright">http://www.cyberciti.biz/tips/copyright</a>.