Table Of Contents	1/2
Table Of Contents	
Table Of Contents	1

Table Of Contents 2/2

nixCraft: Linux Tips, Hacks, Tutorials, And Ideas In Blog Format http://www.cyberciti.biz/

Home > Faq > BASH Shell

Delete all root mail / inbox from a shell prompt

Posted by Vivek Gite <vivek@nixcraft.com>

Q. I've CentOS Linux acting as router for our small community based college. I see logwatch and other cron job generating emails for root account. How do I delete those emails? I don't want to disable email facility but just wanted to get rid of all root emails.



A. The easilst way is to empty root / users email message file i.e. /var/spool/mail/root or /var/spool/mail/username. Simply type the following command at shell:

> /var/spool/mail/root

4000+ howtos and counting! Want to read more Linux / UNIX howtos, tips and tricks? Subscribe to our <u>daily email</u> newsletter or <u>weekly newsletter</u> to make sure you don't miss a single tip/tricks. Alternatively, subscribe via <u>RSS/XML</u> feed.

Article printed from Frequently Asked Questions About Linux / UNIX: http://www.cyberciti.biz/faq/

URL to article: http://www.cyberciti.biz/faq/delete-all-root-email-mailbox/

URLs in this post:

[1] Image: http://www.cyberciti.biz/faq/faq/category/unix/

Copyright © 2006-2010 <u>nixCraft</u>. All rights reserved. This print / pdf version is for personal non-commercial use only. More details http://www.cyberciti.biz/tips/copyright.